
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



3.3.73

BECEIVE MAR 6 1920 A

U. S. Department of Agriculture. MOON Vurseries

HARDY TREES and PLANTS for every PLACE and **PURPOSE** 1920





FACTS OF FIRST IMPORTANCE

One wishes to know at the very start why he should buy his plants, shrubs, or trees of this Company in preference to others. Is their stock any better? Are they able to give me a superior service?

That our stock is of dependably high quality, the service we give superior, and the prices reasonable, will be apparent, we believe, if you consult any of our many customers, visit our nurseries to see for yourselves, or even scan briefly what follows.

WHERE ARE MOON'S NURSERIES?

At Morrisville, Pa., which is but one mile from Trenton, N. J.—just across the Delaware River. These are the oldest nurseries in America—having a continuous existence since 1769 in their present locality.

THEIR SIZE.

Six hundred acres are operated by our Company in raising nursery stock and the farm products consumed in the operation of such an extensive horticultural establishment. The extent of these nurseries can be imagined from the fact that if the rows of plants growing here were placed end to end they would make a hedge equal to the distance from New York to Chicago.

THE ASSORTMENT OFFERED.

Japan, Manchuria, China, the nations of Europe, and all sections of the United States, with a climate similar to our own, have contributed of their flora to our assortment of varieties. Not only are the varieties numerous, but the sizes range from "Yearlings" to plants 15 or even 20 years of age. With such resources of plant materials the title of this price list—"Hardy Trees and Plants for Every Place and Purpose"—is justified.

THE QUALITY OF THE PRODUCT.

The stock offered is grown by experts who attend to the individual requirements of the separate varieties. Locations in the nurseries are chosen which are most congenial for the plant; the soil is prepared according to its requirements; fertilizer is applied which is most stimulating to it, and the cultivation and training given that is best calculated to develop it properly and to prepare it for successful transplanting to the grounds of the purchaser. A symmetrical vigorous top growth is, of course, sought after, but of even more importance is the unseen development of root growth, which really determines the success of any transplanted tree. The care given to root growth is the secret of the small death rate of Moon's stock, which our customers will attest to.

HELPING THE BUYER.

Out of such an array of varieties and sizes—how am I (the buyer) to know what to plant to improve my lawn the way I want it? My location, my soil, my facilities for maintenance, as well as the necessary taste in arrangement, are all such technical matters that the task of planting wisely seems to me formidable! If I only knew the plants. We'l, of course, you ought to strive to know them—for plants and landscape gardening are fascinating, wholesome hobbies, and as you progress in the art, your lawn will reflect your personality, and show your civic interest and refinement of taste.

But meanwhile, if you feel at a loss, Moon's Nurseries can help you. All you have to do is to "put it up" to us in a letter. Someone in our organization who knows plants will study your letter carefully, and give you the benefit of our knowledge by suggesting varieties, their arrangement, and their cost. All of this will be done in a simple, non-technical way, and revised, if necessary, until the buyer is assured of the result he wishes. Perhaps a blueprint planting diagram may be necessary; if so, we are prepared to draft it, though a charge may be made to cover its cost, but for all letter-aid rendered, no charge is made or obligation placed upon the correspondent. If you reside within one of the localities (within 100 miles of our Nurseries) visited frequently by our representatives who are experienced landscape gardeners, we can have one of them call to study your requirements and to give personally the assistance wanted. Similar visits for property inspection and interview can, by arrangement, be accomplished at greater distances.

VISITORS TO OUR NURSERIES ARE ALWAYS WELCOMED.

The famed Lincoln Highway passes within a half mile of our office, which is thus easily accessible to motorists. By train we are easiest reached by express trains to Trenton, N. J., where visitors will be met upon arrival, if we are notified in advance.

MOON'S TREES MAY BE PLANTED THROUGHOUT THE UNITED STATES.

The impression sometimes prevails that it is best to get one's trees and shrubbery nearby. This is not necessarily the case, for this Company is constantly shipping stock great distances as well as to nearby places. Moon's trees are in the parks of Seattle, and on the lawns of New Orleans.

All prices and terms are subject to change without notice. This is made necessary by unsettled business conditions that affect the cost of materials that we are obliged to buy for operating our business and also by fluctuations in the prevailing wage rate.

POLICY AND TERMS.

Prices.—Five or more plants of any one variety and size are furnished at the "rate per 10"—twenty-five or more at the "rate per 100"—two hundred and fifty or more at the "rate per 1,000." Prices cover cost of all necessary packing, and are f. o. b. Morrisville, Pa., excepting when other arrangements for trucking or freighting are agreed upon.

Personal selection of stock at our nurseries is encouraged, and when selections are so made the prices will be as published in our current catalogs, excepting in cases of special or unusual specimens, which will be charged according to their individual value. All our prices are necessarily subject to change without notice.

Packing and Delivery.—All regular packing expenses are covered in our prices. Delivery by motor trucks within certain radius of our nurseries is usually free if made at our convenience. For small packages or long hauls or for special deliveries, we are frequently obliged to cover the expense by a charge for the service.

In ordering, customers are asked to express mode of delivery preferred, otherwise we shall use our judgment. Perennials should always be shipped by express; other stock may travel either by express or freight.

Guarantee and Claims.—Stock is guaranteed true to name, and up to grade and quality ordered. Each shipment bears an entomologist's certificate, testifying to the freedom of our plants from disease or insect pests. If Moon's plants die within a year from time of planting, from causes other than abuse or neglect, we will resupply them, f. o. b. our station at one-half the original price paid (if such payment was made within 30 days from the date of invoice) with other plants of as near similar kind, grade and size as we shall have at the time of replacement. We thus divide losses, even though we may have no control over their transit, planting, maintenance or weather conditions, all of which are quite as vital to the success of newly planted stock as anything within our control.

Payments and Discounts.—Financial references are required of persons opening accounts. Two per cent. will be allowed upon receipt of payment within 10 days. No credit accommodation is expected to extend beyond 30 days from date of invoice.

THE WM. H. MOON COMPANY MORRISVILLE, PA.

ONE MILE FROM TRENTON, NEW JERSEY

James M. Moon, President.

Henry W. Comfort, Vice-President.

J. EDWARD MOON, Secretary. Henry T. Moon, Treasurer.

Bell Telephone 4498 Trenton, N. J. Telegraph Office Trenton, N. J.

The Firs

| Silver Cork-barked Fir. Abies Arizonica. | | |
|---|-------------------------------|----------|
| Each, | Per 10. | Per 100. |
| $1\frac{1}{2}$ to 2 ft*\$5 00 | | |
| Balsam Fir. Abies Balsamea. | | |
| 3 to 4 ft | \$35 00 | |
| 4 to 5 ft | 50 00 | |
| Cephalonian Fir. Abies cephalonica. | | |
| $\frac{1_2}{2}$ to 2 ft | 20 00 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{20}{32} \frac{60}{50}$ | |
| $2 \frac{1}{2} $ | $\frac{32}{42} \frac{30}{00}$ | |
| 3 to 4 ft*7 59 | 42 00 | |
| 4 to 5 ft*12 00 | | |
| | | |
| Parnassus Fir. var. Appolinis. | ٠. ٥٠ | |
| $\frac{1_{\frac{1}{2}}}{2}$ to 2 ft | $\frac{25}{50} \frac{00}{00}$ | |
| $\frac{2\frac{1}{2}}{2}$ to 3 ft | 50 00 | |
| 3 to 4 ft | 60 00 | * |
| 4 to 5 ft | 75 00 | |
| 5 to 6 ft | 125 00 | |
| Cilician Fir. Abies cilicica. | | |
| $1\frac{1}{2}$ to 2 ft | $20 \ 00$ | |
| 2 to 3 ft | $30 \ 00$ | |
| 3 to 4 ft 5 00 | 42 50 | |
| White Fir. Abies concolor. | | |
| $1_{\frac{1}{4}}$ to $1_{\frac{1}{2}}$ ft*2 50 | $20 \ 00$ | |
| $1\frac{1}{2}$ to 2 ft*3 50 | 30 00 | |
| 2 to $2\frac{1}{2}$ ft*5 00 | 42 50 | |
| $2\frac{1}{2}$ to 3 ft*6 50 | $60 \ 00$ | |
| 3 to 4 ft*10 00 | 85 00 | |
| . 4 to 5 ft*15 00 | 125 00 | |
| Abies concolor. var. Waltezi, | | |
| 2 to 3 ft | 45 00 | |
| 3 to 4 ft | 60 00 | |
| Abies concolor. var. Violacea. | 00 00 | |
| 3 to 4 ft | 60 00 | |
| | 00 00 | |
| Japanese Silver Fir. Abies Firma. | 00.00 | |
| 4 to 5 ft | 60 00 | |
| 5 to 6 ft | 85 00 | |
| 6 to 7 ft | $120 \ 00$ | |
| Double Balsam Fir. Abies Frazeri. | • | |
| $1\frac{1}{2}$ to 2 ft | 15 00 | |
| Nikko Fir. Abies homolepis. (Brachyphylla.) | | |
| 2 to 3 ft | 32 00 | |
| 3 to 4 ft 6 00 | 50 00 | |
| 4 to 5 ft 7 50 | 60-00 | |
| 5 to 6 ft 9 00 | 75 00 | |
| Western Balsam Fir. Abies Lasiccarpa. | | |
| 2 to $2\frac{1}{2}$ ft | 27 50 | |
| $2\frac{1}{2}$ to 3 ft | $35 \ 00$ | |
| | | |

| Nordmann's Fir. Abies Nordmanniana. Each. | Per 10. | Per 100. |
|---|------------|----------|
| 2 to 2½ ft*\$4 50 | \$40 00 | |
| $2\frac{1}{2}$ to 3 ft*7 00 | 60 00 | |
| 3 to $3\frac{1}{2}$ ft*10 00 | 75 00 | |
| $3\frac{1}{2}$ to 4 ft*12 50 | 100 00 | |
| 4 to 5 ft*15 00 | 125 00 | |
| 5 to 6 ft*20 00 | 150 00 | |
| 6 to 7 ft*25 00 | | |
| European Silver Fir. Abies pectinata. | | |
| $1\frac{1}{2}$ to 2 ft | 20 00 | |
| 2 to 3 ft 4 00 | 35 00 | |
| 3 to 4 ft 6 00 | 50 00 | |
| 4 to 5 ft 7 50 | $65 \ 00$ | |
| 5 to 6 ft | 85 00 | |
| 6 to 7 ft | 110 00 | |
| Weeping European Silver Fir. var. Pendula. | | |
| 2 to $2\frac{1}{2}$ ft*5 00 | $40 \ 00$ | |
| $2\frac{1}{2}$ to $\bar{3}$ ft*6 00 | | |
| Blue Spanish Fir. Abies Pinsapo Glauca. | | |
| $1\frac{1}{2}$ to 2 ft*3 50 | 30 00 | |
| $2\frac{1}{2}$ to 3 ft*7 00 | $60 \ 00$ | |
| Abies Siberica. (syn. Pichta.) | | |
| $2\frac{1}{2}$ to 3 ft*6 00 | | |
| 3 to 4 ft *7 50 | | |
| 4 to 5 ft*9 00 | | |
| Veitch's Silver Fir. Abies Veitchii. | | |
| $1\frac{1}{2}$ to 2 ft*3 00 | 26 00 | |
| 2 to 3 ft *4 50 | $40 \ 00$ | |
| 3 to 4 ft *6 00 | $50 \ 00$ | |
| 5 to 6 ft*12 00 | $100 \ 00$ | |
| 6 to 7 ft*15 00 | $120 \ 00$ | |
| 7 to 8 ft*20 00 | $150 \ 00$ | |
| | | |
| Chinese Arborvitæ, or Biotas | 4 | |
| Onthese Alborvios, or Diovas | ٠. | |
| Chinese Arborvitæ. Biota orientalis. | | |
| 2 to 3 ft 1 75 | 15 00 | \$125 00 |
| 3 to 4 ft | 20 00 | 175 00 |
| 4 to 5 ft 4 00 | $35 \ 00$ | 300 00 |
| 5 to 6 ft 5 50 | 45 00 | |
| Berckman's Golden Arborvitæ. var. aurea nana. | | |
| 1 to $1\frac{1}{4}$ ft *2 25 | $20 \ 00$ | 150 00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft*2 75. | $23 \ 50$ | 200 00 |
| $1\frac{1}{2}$ to 2 ft*3 50 | 30 00 | 250 00 |
| var. Aurea Conspicua. | | |
| 2 to 3 ft *4 00 | $35 \ 00$ | |
| 3 to 4 ft*5 00 | 45 00 | |
| 4 to 5 ft*7 50 | | |
| var. Conica. | | |
| $1\frac{1}{2}$ to 2 ft*3 00 | $25 \ 00$ | |
| 2 to $2\frac{1}{2}$ ft*4 00 | 35 00 | |
| $2\frac{1}{2}$ to 3 ft*5 00 | 45 00 | |

| Rollinson's Golden Arborvitæ. Biota orientalis. | var. Elega Per 10. | antissima. Per 100. |
|---|---|------------------------|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | \$35 00 45 00 | 101 100. |
| var. Filiformis. $2 	ext{ to } 2\frac{1}{2} 	ext{ ft.} \dots 5 	ext{ 00}$ | 45 00 | |
| var. Pyramidalis. 2 to 2½ ft*4 00 | 35 00 | |
| var. Rosedale. 1½ to 2 ft | 25 00 | |
| Cephalotaxus. | | |
| Fortune's Yew. Cephalotaxus Fortunei. $2\frac{1}{2}$ to 3 ft*9 00 | 75 00 | |
| C hamaecyparis. | | |
| Nootkatensis. var. Glauca. (syn. Thujopsis bor | | ca.) |
| 1½ to 2 ft*4 00 3 to 4 ft*7 50 | $\begin{array}{c} 35 & 00 \\ 65 & 00 \end{array}$ | |
| | 00 00 | |
| Cryptomeria. | | 6 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $65 \ 00$ | , |
| Cypress : Cupressus. | | |
| Lawson's Cypress. Cupressus Lawsoniana. | | |
| 2 to 3 ft | 35 00 | |
| 3 to 4 ft | 50 00 | |
| var. Allumi. | | |
| 3 to 4 ft 7 50 | 60 00 | |
| 4 to 5 ft | 80 00 | |
| 5 to 6 ft | 100 00 | |
| var. Veitchii glauca. 5 to 6 ft | 100 00 | |
| | niperus. | |
| Chinese Juniper. Juniperus chinensis. | imper as. | |
| 3 to 4 ft*5 00 | 45 00 | |
| 5 to 6 ft*9 00 | 75 00 | |
| var. alba variegata. | | |
| $\frac{1_{\frac{1}{2}}}{2}$ to 2 ft | 30 00 | |
| $2\frac{1}{2}$ to 3 ft | 45 00 | |
| Golden Chinese Juniper. Var. Aurea. $1\frac{1}{2}$ to 2 ft 3 50 | | |
| 3 to 4 ft | | |
| Pfitzer's Juniper, var. Pfitzeriana. | | |
| $1\frac{1}{2}$ to 2 ft. x $1\frac{1}{2}$ to 2 ft | 30 00 | |
| 2 to 3 ft. x 3 to 4 ft | 55 00 | |
| Trailing Juniper. var. procumbens. | 90 00 | |
| 1 to 1½ ft. spread | 17 50 | \$150 00 |

Five or more plants of any one variety and size at price per 10. $25\ \mathrm{or}$ more at price per 100.

| Dwarf Douglas Golden Juniper. Juniperus densis aurea. | | | |
|---|--------------|---------------------------------|----------|
| E | ach. | Per 10. | Per 100. |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft\$ | L 50 | \$12 50 | |
| Irish Juniper. var. Hibernica. 2 to 3 ft | 1 50 | 11 00 | |
| Swedish Juniper. var. Suecica. | | | |
| 2 to $2\frac{1}{2}$ ft | L 75 | 15 00 | |
| $2\frac{1}{2}$ to 3 ft | 2 25 | $20 \ 00$ | |
| Dwarf Swedish Juniper. var. Suecica nana. | | | |
| | L 7 5 | 15 00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | $2 \ 50$ | $20 \ 00$ | |
| $1\frac{1}{2}$ to 2 ft | 3 50 | $30 \ 00$ | |
| J. excelsa. var. Venusta. | | | |
| 2 to 3 ft*5 | 3 75 | $32 \ 50$ | |
| | 5 00 | 42 50 | |
| 4 to 5 ft *6 | 550 | $55 \ 00$ | |
| Japanese Juniper. Juniperus japonica. | | | |
| | 7 50 | $60 \ 00$ | |
| 5 to 6 ft | 2 00 | | |
| 7 to 8 ft | 7 50 | | |
| 8 to 10 ft | 2.50 | | |
| Golden Japanese Juniper. var. aurea. | | | |
| 1 to $1\frac{1}{4}$ ft* | 2 50 | $22 \ 50$ | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft* | 3 00 | $27 \ 50$ | |
| -2 | 350 | $30 \ 00$ | |
| | £ 50 | $40 \ 00$ | |
| Savin Juniper. Juniperus Sabina. | | | |
| * 2 | L 7 5 | 15 00 | |
| - | 2.50 | $20 \ 00$ | |
| | 3 50 | $30 \ 00$ | |
| Tamarix-leaved Juniper. var. tamariscifolia | | 00 50 | |
| | 2 50 | $\frac{22}{15}$ $\frac{50}{00}$ | |
| -2 wr | 5 00 | 45 00 | |
| 2 to 3 ft. spread* | 7 50 | $65 \ 00$ | |



Planting in the foreground composed principally of low growing Junipers and Mugho Pines which make an effective combination where a low planting is desired.

Red Cedar.

| Juniperus virginiana. | Ea | ch. | \mathbf{Per} | 10. | Per 100. |
|---|--|---|---|---|------------|
| 2 to 3 ft | \$2 | 50 | \$20 | 00 | \$150 00 |
| 3 to 4 ft | 3 | 25 | 30 | 00 | 250 00 |
| 4 to 5 ft | 4 | 50 | 40 | 00 | 350 '00 |
| 5 to 6 ft | | 00 | 50 | 00 | 450 00 |
| 6 to 7 ft | 7 | 00 | 60 | 00 | $550 \ 00$ |
| 7 to 8 ft | 9 | 00 | 80 | 00 | |
| Golden Virginia Cedar. var. elegantissim | ıa. | | | | |
| 3 to 4 ft | | 00 | 40 | 00 | |
| 4 to 5 ft | 7 | 00 | 60 | 00 | |
| Blue Virginia Cedar. var. glauca. | | | | | |
| 3 to 4 ft | *4 | 00 | 35 | 00 | |
| 4 to 5 ft | *5 | 50 | 45 | | |
| 5 to 6 ft | | 00 | | 00 | |
| 6 to 7 ft | | | 75 | | |
| 7 to 8 ft | | | 90 | | |
| Globe Juniper. var. Globosa. | | 00 | | 00 | |
| 1 to $1\frac{1}{4}$ ft | *• | 50 | 20 | 00 | |
| $1_{\frac{1}{4}}$ to $1_{\frac{1}{2}}$ ft | *3 | 50 | 30 | | |
| Koster's Juniper. var. Kosterii. | 0 | 90 | 30 | 00 | |
| $2\frac{1}{2}$ to 3 ft | *6 | 00 | 50 | 00 | |
| var. Schotti. | U | 00 | 50 | 00 | |
| 5 to 6 ft | *2 | 00 | 70 | 00 | |
| 6 to 7 ft | *10 | 00 | 90 | | |
| 7 to 8 ft | | | 100 | | |
| | . 12 | 90 | . 100 | 00 | |
| Libocedrus. | | | | | |
| | | | | | |
| Libocedrus decurrens. | | | | | |
| Embeddards decarrens | **• | 0.0 | | 00 | |
| 3 to 4 ft | *9 | 00 | 75 | 00 | |
| 3 to 4 ft | | 00 | 75 | 00 | |
| 3 to 4 ft | | 00 | 75 | 00 | |
| 3 to 4 ft | | 00 | 75 | 00 | |
| 3 to 4 ft | | | 75 20 | | |
| 3 to 4 ft | ea. *2 | 50 | | 00 | |
| 3 to 4 ft | ea. *2 | 50 50 | 20 | 00 00 | |
| 3 to 4 ft | *2 *3 *5 | 50 50 | 20 30 | 00 00 | |
| 3 to 4 ft | *2 *3 *5 | 50 50 | 20 30 | 00 00 00 | |
| 3 to 4 ft. $\\$ Spruce : Pice Alcockiana. $\frac{1_{\frac{1}{4}}}{1_{\frac{1}{2}}}$ to $\frac{1_{\frac{1}{2}}}{1_{\frac{1}{2}}}$ to $\frac{1}{2}$ ft. $\\$ White Spruce. Picea Canadensis . (Alba | *2 *3 *5 a.) | 50 50 00 | $\begin{array}{c} 20 \\ 30 \\ 45 \end{array}$ | 00 00 00 00 | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | *2 *3 *5 a.) | 50 50 00 50 | 20 30 45 | 00 00 00 00 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | *2 *3 *5 a.) 1 2 | 50 50 00 50 50 | 20 30 45 12 20 30 | 00 00 00 00 50 00 00 | |
| $\begin{array}{c} \textbf{Spruce} : \textbf{Pice} \\ \textbf{Alcock's Spruce} : \textbf{Pice} \\ \textbf{Alcock's Spruce}. & \textbf{Picea Alcockiana}. \\ 1\frac{1}{4} \text{ to } 1\frac{1}{2} \text{ ft}. \\ 1\frac{1}{2} \text{ to } 2 \text{ ft}. \\ 2\frac{1}{2} \text{ to } 3 \text{ ft}. \\ \textbf{White Spruce}. & \textbf{Picea Canadensis}. & (Albatical Albatical Al$ | *2 *3 *5 a.) 1 2 3 | 50 50 00 50 50 50 | $ \begin{array}{c} 20 \\ 30 \\ 45 \end{array} $ $ \begin{array}{c} 12 \\ 20 \end{array} $ | 00 00 00 00 50 00 00 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | *2 *3 *5 a.) 1 2 3 5 7 | 50 50 00 50 50 50 50 50 | 20 30 45 12 20 30 45 60 | 00 00 00 50 00 00 00 | |
| \$\frac{\mathbb{Spruce}}{\mathbb{Spruce}}: \frac{\mathbb{Pice}}{\mathbb{Pice}}\$ Alcock's Spruce. Picea Alcockiana. \$1\frac{1}{4}\$ to \$1\frac{1}{2}\$ ft. \$2\frac{1}{2}\$ to \$2\$ ft. \$2\frac{1}{2}\$ to \$3\$ ft. White Spruce. Picea Canadensis. (Alba: \$1\frac{1}{2}\$ to \$2\$ ft. \$2\$ to \$3\$ ft. \$3\$ to \$4\$ ft. \$4\$ to \$5\$ ft. \$5\$ to \$6\$ ft. \$6\$ to \$7\$ ft. | *2 *3 *5 a.) 1 2 3 7 | 50 50 00 50 50 50 50 50 | 20 30 45 12 20 30 45 60 85 | 00 00 00 50 00 00 00 00 00 | |
| \$\frac{\text{Spruce}}{\text{Spruce}}\$: Pice \$\frac{\text{Spruce}}{\text{Picea}}\$: Alcock's \$\text{Spruce}\$. Picea Alcockiana. \$\frac{1}{4}\$ to \$\frac{1}{2}\$ ft. \$\frac{1}{2}\$ to \$2\$ ft. \$\frac{2}{2}\$ to \$3\$ ft. \$\frac{1}{2}\$ to \$2\$ ft. \$\frac{2}{2}\$ to \$3\$ ft. \$\frac{2}{3}\$ to \$4\$ ft. \$\frac{4}{3}\$ to \$5\$ ft. \$\frac{5}{3}\$ to \$6\$ ft. \$\frac{5}{ | *2 *3 *5 a.) 1 2 3 5 7 10 13 | 50 50 00 50 50 50 50 50 50 | 20 30 45 12 20 30 45 60 85 120 | 00 00 00 50 00 00 00 00 00 00 | |
| $\begin{array}{c} \textbf{Spruce} &: \textbf{Pice} \\ \textbf{Alcock's Spruce}. & \textbf{Picea Alcockiana}. \\ \frac{1_{\frac{1}{4}}}{1_{\frac{1}{2}}} \text{ to } \frac{1_{\frac{1}{2}}}{1_{\frac{1}{2}}} \text{ to } \\ \frac{1_{\frac{1}{2}}}{1_{\frac{1}{2}}} \text{ to } 2 \text{ ft}. \\ \frac{2_{\frac{1}{2}}}{1_{\frac{1}{2}}} \text{ to } 3 \text{ ft}. \\ \textbf{White Spruce.} & \textbf{Picea Canadensis}. & \textbf{(Albertal Albertal Canadensis}. \\ \frac{1_{\frac{1}{2}}}{1_{\frac{1}{2}}} \text{ to } 2 \text{ ft}. \\ \frac{2}{1_{\frac{1}{2}}} \text{ to } 3 \text{ ft}. \\ \frac{3}{1_{\frac{1}{2}}} \text{ to } 4 \text{ ft}. \\ \frac{3}{1_{\frac{1}{2}}} \text{ to } 4 \text{ ft}. \\ \frac{4}{1_{\frac{1}{2}}} \text{ to } 6 \text{ ft}. \\ \frac{6}{1_{\frac{1}{2}}} \text{ to } 6 \text{ ft}. \\ \frac{6}{1_{\frac{1}{2}}} \text{ to } 8 \text{ ft}. \\ \frac{8}{1_{\frac{1}{2}}} \text{ to } 1 \text{ ft}. \\ \frac{8}{1_{\frac{1}2}} \text{ to } 1 ft$ | *2 *3 *5 a.) 1 2 3 5 7 10 13 *20 | 50 50 00 50 50 50 50 50 00 50 | 20 30 45 12 20 30 45 60 85 120 175 | 00 00 00 50 00 00 00 00 00 00 | |
| $\begin{array}{c} \textbf{Spruce} : \textbf{Pice} \\ \textbf{Alcock's Spruce} : \textbf{Pice} \\ \textbf{Alcock's Spruce}. & \textbf{Picea Alcockiana}. \\ 1\frac{1}{4} \text{ to } 1\frac{1}{2} \text{ ft}. \\ 1\frac{1}{2} \text{ to } 2 \text{ ft}. \\ 2\frac{1}{2} \text{ to } 3 \text{ ft}. \\ \textbf{White Spruce}. & \textbf{Picea Canadensis}. & \textbf{(Albatics)} \\ 1\frac{1}{2} \text{ to } 2 \text{ ft}. \\ 2 \text{ to } 3 \text{ ft}. \\ 3 \text{ to } 4 \text{ ft}. \\ 4 \text{ to } 5 \text{ ft}. \\ 5 \text{ to } 6 \text{ ft}. \\ 6 \text{ to } 7 \text{ ft}. \\ 7 \text{ to } 8 \text{ ft}. \\ 8 \text{ to } 10 \text{ ft}. \\ 10 \text{ to } 12 \text{ ft}. \\ \end{array}$ | *2 *3 *5 3.) 1 2 3 5 7 10 13 *20 *30 | 50 50 50 50 50 50 50 50 00 00 | 20 30 45 12 20 30 45 60 85 120 175 250 | 00 00 00 50 00 00 00 00 00 00 00 | |
| $\begin{array}{c} \textbf{Spruce} : \textbf{Pice} \\ \textbf{Alcock's Spruce}. & \textbf{Picea Alcockiana}. \\ 1\frac{1}{4} \text{ to } 1\frac{1}{2} \text{ ft}. \\ 1\frac{1}{2} \text{ to } 2 \text{ ft}. \\ 2\frac{1}{2} \text{ to } 3 \text{ ft}. \\ \textbf{White Spruce}. & \textbf{Picea Canadensis}. & \textbf{(Albatics)} \\ 1\frac{1}{2} \text{ to } 2 \text{ ft}. \\ 2 \text{ to } 3 \text{ ft}. \\ 3 \text{ to } 4 \text{ ft}. \\ 4 \text{ to } 5 \text{ ft}. \\ 5 \text{ to } 6 \text{ ft}. \\ 6 \text{ to } 7 \text{ ft}. \\ 7 \text{ to } 8 \text{ ft}. \\ 8 \text{ to } 10 \text{ ft}. \\ 10 \text{ to } 12 \text{ ft}. \\ 12 \text{ to } 14 \text{ ft}. \\ \end{array}$ | *2 *3 *5 *10 13 *20 *40 | 50 50 50 50 50 50 50 60 00 00 00 | 20 30 45 12 20 30 45 60 85 120 175 250 350 | 00 00 00 50 00 00 00 00 00 00 00 00 | |
| $\begin{array}{c} \textbf{Spruce} : \textbf{Pice} \\ \textbf{Alcock's Spruce}. & \textbf{Picea Alcockiana}. \\ 1\frac{1}{4} \text{ to } 1\frac{1}{2} \text{ ft}. \\ 1\frac{1}{2} \text{ to } 2 \text{ ft}. \\ 2\frac{1}{2} \text{ to } 3 \text{ ft}. \\ \textbf{White Spruce}. & \textbf{Picea Canadensis}. & \textbf{(Albotic Alcockiana)}. \\ 1\frac{1}{2} \text{ to } 2 \text{ ft}. \\ 2 \text{ to } 3 \text{ ft}. \\ 3 \text{ to } 4 \text{ ft}. \\ 4 \text{ to } 5 \text{ ft}. \\ 5 \text{ to } 6 \text{ ft}. \\ 6 \text{ to } 7 \text{ ft}. \\ 7 \text{ to } 8 \text{ ft}. \\ 8 \text{ to } 10 \text{ ft}. \\ 10 \text{ to } 12 \text{ ft}. \\ 12 \text{ to } 14 \text{ ft}. \\ 14 \text{ to } 16 \text{ ft}. \\ \end{array}$ | *2 *3 *5 *10 13 *20 *40 | 50 50 50 50 50 50 50 60 00 00 00 | 20 30 45 12 20 30 45 60 85 120 175 250 | 00 00 00 50 00 00 00 00 00 00 00 00 | |
| \$\sqrt{1} \text{ spruce : Pice}\$ Alcock's Spruce. Picea Alcockiana. \$1\frac{1}{4}\$ to \$1\frac{1}{2}\$ ft. \$1\frac{1}{2}\$ to \$2\$ ft. \$2\frac{1}{2}\$ to \$3\$ ft. White Spruce. Picea Canadensis. (Alba: \$1\frac{1}{2}\$ to \$2\$ ft. \$2\$ to \$3\$ ft. \$3\$ to \$4\$ ft. \$4\$ to \$5\$ ft. \$5\$ to \$6\$ ft. \$6\$ to \$7\$ ft. \$7\$ to \$8\$ ft. \$8\$ to \$10\$ ft. \$10\$ to \$12\$ ft. \$12\$ to \$14\$ ft. \$14\$ to \$16\$ ft. var. Nana. | *2 *3 *5 *5 *10 13 *20 *30 *40 *50 | 50 50 50 50 50 50 50 60 00 00 00 | 20 30 45 12 20 30 45 60 85 120 175 250 350 | 00 00 00 50 00 00 00 00 00 00 00 00 | |
| \$\sqrt{1} \text{ spruce} : \text{Pice}\$ Alcock's Spruce. Picea Alcockiana. \$1\frac{1}{4} \to 1\frac{1}{2} \to 1. \$1\frac{1}{2} \to 2 \text{ ft.} \$2\frac{1}{2} \to 3 \text{ ft.} \$2 \to 3 \text{ ft.} \$2 \to 3 \text{ ft.} \$2 \to 3 \text{ ft.} \$3 \to 4 \text{ ft.} \$4 \to 5 \text{ ft.} \$5 \to 6 \text{ ft.} \$5 \to 6 \text{ ft.} \$7 \to 8 \text{ ft.} \$8 \to 10 \text{ ft.} \$10 \to 12 \text{ ft.} \$12 \to 14 \text{ ft.} \$14 \to 16 \text{ ft.} \$15 \to 2 \text{ ft.} \$15 \to 2 \text{ ft.} \$15 \to 14 \text{ ft.} \$15 \to 14 \text{ ft.} \$15 \to 15 \text{ ft.} \$15 \to 16 | *2 *3 *5 *5 *10 13 *20 *30 *40 *50 | 50 50 50 50 50 50 50 60 00 00 00 | 20 30 45 12 20 30 45 60 85 120 175 250 350 | 00 00 00 50 00 00 00 00 00 00 00 00 | |
| \$\sqrt{\text{Spruce}} : \text{Pice}\$ Alcock's Spruce. Picea Alcockiana. \[\frac{1_1}{2} \to 1\frac{1}{2} \text{ft}. \\ \frac{1_2}{2} \to 3 \text{ft}. \\ \frac{2}{2} \to 3 \text{ft}. \\ \frac{3}{2} \to 6 \text{ft}. \\ \frac{4}{2} \to 5 \text{ft}. \\ \frac{5}{2} \to 6 \text{ft}. \\ \frac{1}{2} \to 10 \text{ft}. \\ \frac{1}{2} \to 14 \text{ft}. \\ \frac{1}{2} \to 14 \text{ft}. \\ \frac{1}{2} \to 12 \text{ft}. \\ \frac{1}{2} \to 2 \text{ft}. \ | *2 *3 *5 *3 .1 1 2 3 5 7 10 13 *20 *40 *50 *4 | 50 50 50 50 50 50 50 60 60 60 60 60 60 | 20 30 45 12 20 30 45 60 85 120 175 250 350 450 | 00 00 00 50 00 00 00 00 00 00 00 00 00 0 | |
| \$\sqrt{\text{Spruce}} : \text{Pice}\$ Alcock's Spruce. Picea Alcockiana. \[\frac{1_1}{2} \to 1\frac{1}{2} \text{ft}. \\ \frac{1_2}{2} \to 3 \text{ft}. \\ \frac{2}{2} \to 3 \text{ft}. \\ \frac{3}{2} \to 4 \text{ft}. \\ \frac{4}{2} \to 5 \text{ft}. \\ \frac{5}{2} \to 6 \text{ft}. \\ \frac{5}{2} \to 10 \text{ft}. \\ \frac{12}{2} \to 14 \text{ft}. \\ \frac{12}{2} \to 14 \text{ft}. \\ \frac{12}{2} \to 12 \text{ft}. \\ \frac{12}{2} \to 2 \text{ft}. \\ \frac{12}{2} \text{ft} \\ \frac{12}{2} | *2 *3 *5 *5 *10 13 *20 *30 *40 *4 . 2 | 50 50 00 50 50 50 50 50 00 00 00 00 00 | 20 30 45 12 20 30 45 60 85 120 175 250 350 450 | 00 00 00 50 00 00 00 00 00 00 00 00 00 | |
| \$\sqrt{1}\$ to 4 ft. \$\sqrt{1}\$ spruce : Pice Alcockiana. \$\begin{align*} \lambda \frac{1}{2} \text{ to } \lambda \frac{1}{2} \text{ ft.} \\ \$\lambda \frac{1}{2} \text{ to } 2 \text{ ft.} \\ \$\lambda \frac{1}{2} \text{ to } 3 \text{ ft.} \\ \$\lambda \text{ to } 2 \text{ ft.} \\ \$\lambda \text{ to } 3 \text{ ft.} \\ \$\lambda \text{ to } 3 \text{ ft.} \\ \$\lambda \text{ to } 5 \text{ ft.} \\ \$\lambda \text{ to } 6 \text{ ft.} \\ \$\lambda \text{ to } 6 \text{ ft.} \\ \$\lambda \text{ to } 10 \text{ ft.} \\ \$\lambda \text{ to } 12 \text{ ft.} \\ \$\lambda \text{ to } 12 \text{ ft.} \\ \$\lambda \text{ to } 14 \text{ ft.} \\ \$\lambda \text{ to } 14 \text{ ft.} \\ \$\lambda \text{ to } 16 \text{ ft.} \\ \$\lambda \text{ var. Nana.} \\ \$\lambda \frac{1}{2} \text{ to } 2 \text{ ft.} \\ \$\lambda \text{ to } 2 \text{ ft.} \\ \$\lambda \text{ to } 3 \text{ ft.} \\ \$\lambd | *23. *3 *5 *5 *10 *13 *20 *30 *40 *50 *4 | 50 50 50 50 50 50 50 50 00 00 00 00 00 0 | 20 30 45 12 20 30 45 60 85 120 175 250 350 450 | 00 00 00 50 00 00 00 00 00 00 00 00 00 0 | |
| \$\sqrt{\text{Spruce}} : \text{Pice}\$ Alcock's Spruce. Picea Alcockiana. \[\frac{1_1}{2} \to 1\frac{1}{2} \text{ft}. \\ \frac{1_2}{2} \to 3 \text{ft}. \\ \frac{2}{2} \to 3 \text{ft}. \\ \frac{3}{2} \to 4 \text{ft}. \\ \frac{4}{2} \to 5 \text{ft}. \\ \frac{5}{2} \to 6 \text{ft}. \\ \frac{5}{2} \to 10 \text{ft}. \\ \frac{12}{2} \to 14 \text{ft}. \\ \frac{12}{2} \to 14 \text{ft}. \\ \frac{12}{2} \to 12 \text{ft}. \\ \frac{12}{2} \to 2 \text{ft}. \\ \frac{12}{2} \text{ft} \\ \frac{12}{2} | *23. *3 *5 *5 *10 *13 *20 *30 *40 *50 *4 | 50 50 00 50 50 50 50 50 00 00 00 00 00 | 20 30 45 12 20 30 45 60 85 120 175 250 350 450 | 00 00 00 50 00 00 00 00 00 00 00 00 00 0 | |

Norway Spruce.

| Picea excelsa. | Each. | Per 10. |
|--|---|-------------------------------|
| 2 to 3 ft*5 | 32 00 | \$15 00 |
| 3 to 4 ft | 83 00 | 25 00 |
| 4 to 5 ft | 4 50 | $35 \ 00$ |
| 5 to 6 ft | 7 50 | 60 00 |
| 6 to 7 ft | 9 00 | 80 00 |
| | 12 00 | 100 00 |
| | 15 00 | 125 00 |
| | 25 00 | $200 \ 00$ |
| | 85 00 | $300 \ 00$ |
| | 50 00 | 400 00 |
| | 75 00 | $600 \ 00$ |
| 18 to 20 ft10 | 00 00 | $750 \ 00$ |
| Golden Norway Spruce. var. aurea. | = =0 | CO 00 |
| 5 to 6 ft | $\begin{bmatrix} 7 & 50 \\ 12 & 00 \end{bmatrix}$ | 60 00 |
| Conical Spruce. var. conica. | 12 00 | 100 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 2 50 | 20 00 |
| $\frac{2}{3}$ to $\frac{4}{9}$ ft | $\frac{2}{3} \frac{50}{50}$ | 30 00 |
| 4 to 5 ft | 5 00 | 40 00 |
| Tiger-tail Spruce. var. elata. | 5 00 | 40 00 |
| | ¥4 00 | 35 00 |
| 4 to 5 ft | *5 00 | $\frac{35}{45} \frac{00}{00}$ |
| | *7 50 | 60 00 |
| | *9 00 | 00 00 |
| Gregory Spruce. var Gregoriana. | 0 00 | |
| | 2 50 | 20 00 |
| | *4 00 | 35 00 |
| | *9 00 | 99 00 |
| var. Monstresa. | 0 00 | |
| 5 to 6 ft | 6 00 | 50 00 |
| 6 to 7 ft | 7 50 | 60 00 |
| | 00 01 | 80 00 |
| Inverted Spruce. var. pendula. | -0 00 | 00 00 |
| | 00 | $125 \ 00$ |
| | 20 00 | 165 00 |
| 10 to 12 ft | 30 00 | $250 \ 00$ |
| 12 to 14 ft | 35 00 | 300 00 |
| var. Pygmaea. | | |
| 6 to 12 in. high x 12 to 15 in. spread, | *3 00 | $25 \ 00$ |
| 12 to 15 in | | |
| Pyramidal Spruce. var. pyramidalis | | |
| 5 to 6 ft | 7 50 | 65 00 |
| | 11 00 | 90 00 |
| | 14 00 | 125 00 |
| | 17 50 | 140 00 |
| | $25 \ 00$ | $200 \ 00$ |
| Remont's Spruce. var. Remontii. | | 0 0- |
| - ** -* -* -* -* | *3 00 | $25 \ 00$ |
| Picea Omorika. | | 20.00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | 2 50 | 20 00 |

Prices in this catalog include packing and are f. o. b. our shipping point.



This illustrates the character of the large Spruce we are offering this year. Few Evergreens make such handsome individual specimens as the Oriental Spruce.

Eastern or Oriental Spruce.

| Eastern or Oriental | Spruce. | | | | |
|--|---------|----------------|-----|----------------|------|
| Picea orientalis. | Each. | \mathbf{Per} | 10. | \mathbf{Per} | 100. |
| $1\frac{1}{2}$ to 2 ft | \$2 50 | \$20 | -00 | | |
| 2 to 3 ft | 3 50 | 30 | 00 | | |
| 8 to 10 ft | 25 00 | 200 | 00 | | |
| 10 to 12 ft | 35 00 | 300 | 00 | | |
| 12 to 14 ft | 45 00 | 350 | 00 | | |
| Colorado Spruce. Picea pungens. | | | | | |
| $1\frac{1}{2}$ to 2 ft | . 2 50 | 20 | 00 | \$160 | 00 |
| 2 to $2\frac{1}{2}$ ft | | 30 | 00 | 250 | .00 |
| $2\frac{1}{2}$ to $\tilde{3}$ ft | | 40 | 00 | | |
| 3 to 4 ft | | 60 | 00 | | |
| 4 to 5 ft | | 80 | 00 | | |
| Blue Colorado Spruce. var. glauca. | | | | | |
| 8 to 10 ft | 45 00 | 350 | 00 | | |
| 10 to 12 ft | 60 00 | 450 | 00 | | |
| Koster's Blue Spruce. var. Kosteriana. | | | | | |
| $1\frac{1}{2}$ to 2 ft | *3 60 | 32 | 00 | | |
| 2 to $2\frac{1}{2}$ ft | | 40 | 00 | | |
| $2\frac{1}{2}$ to $\overline{3}$ ft | *6 50 | 60 | 00 | | |
| 3 to 4 ft | | 90 | 00 | | |
| 6 to 7 ft | *25 00 | | | | |
| 7 to 8 ft | *35 00 | | | | |
| 8 to 10 ft | *50 00 | | | | |
| 10 to 12 ft | *75 00 | | | | |

The Pines : Pinus.

| THE THICS . TH | us | 6 | | | | |
|---|------------|-----------------|--|----------------|-------|------|
| | Ea | ch. | \mathbf{Per} | 10. | Per 1 | .00. |
| | 89 | 00 | \$70 | 00 | | |
| Jack Pine. Pinus Banksiana (divaricata). | | | | | | |
| 7 to 8 ft | 10 | 00 | 75 | 00 | | |
| 8 to 10 ft | | | 125 | 00 | | |
| Swiss Stone Pine. Pinus Cembra. | | | | | | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | 2 | 50 | 22 | 50 | | |
| $1\frac{1}{2}$ to 2 ft | 3 | 50 | 30 | 00 | • | |
| $\frac{2}{2}$ to $\frac{2}{2}$ ft | | 50 | 40 | 00 | | |
| | 5 | 50 | 50 | 00 | | |
| Japanese Red Pine. Pinus densiflora. | | | | | | |
| 8 to 10 ft* | | | | | | |
| 10 to 12 ft* | 2 5 | 00 | | | | |
| Japanese Table Pine. var. Tanyosho. | | 00 | | | | |
| 3 to 4 ft. x 3 to 4 ft | | 00 | | | | |
| Bhotan or Himalayan Pine. Pinus excelsa | • | 50 | 20 | 00 | | |
| 2 to 3 ft 3 to 4 ft | | 50 | 30 | | | |
| 4 to 5 ft | | $\frac{00}{50}$ | 40 | | | |
| 6 to 7 ft | | | $\begin{array}{c} 65 \\ 100 \end{array}$ | | | |
| 7 to 8 ft | | | 150 | | | |
| 8 to 10 ft | | | $\frac{150}{200}$ | | | |
| 10 to 12 ft | | | 300 | | | |
| 12 to 14 ft | | | 450 | | | |
| Limber Pine. Pinus flexilis. | 90 | 00 | 100 | 00 | | |
| 2 to 3 ft | 3 | 00 | 25 | 00 | | |
| Jeffrey's Pine. Pinus Jeffreyi. | Ŭ | 00 | | 00 | | |
| 4 to 5 ft | 5 | 00 | 40 | 00 | | |
| 5 to 6 ft | 7 | 50 | 60 | 00 | | |
| 6 to 7 ft | 10 | 00 | 85 | 00 | | |
| Swiss Mountain Pine. Pinus montana. | | | | | | |
| | *2 | 75 | 22 | 50 | | |
| | *4 | 00 | 32 | $\overline{0}$ | | |
| | *6 | 00 | 50 | 00 | | |
| Mugho Pine. var. Mughus. | | | | | | |
| 1 to $1\frac{1}{4}$ ft. x $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | *2 | 50 | 20 | 00 | \$175 | 00 |
| | _ | 50 | 30 | 00 | 275 | |
| | | 00 | 40 | 00 | 350 | 00 |
| | *7 | 50 | 60 | 00 | 500 | 00 |
| P. Monticola. | | | | | | |
| 3 to 4 ft | | 00 | 40 | 00 | | |
| Silver-leaved Japanese Pine. P. parviflora | | | | | | |
| 4 to 5 ft | | 50 | | 00 | | |
| 5 to 6 ft | 10 | 00 | 85 | 00 | | |
| Bull Pine. P. ponderosa. | | 0.0 | 00 | ~0 | | |
| 2 to 3 ft | - | 00 | | 50 | | |
| 3 to 4 ft | - | 00 | 40 | 00 | | |
| 5 to 6 ft | | | 105 | 00 | | |
| 6 to 7 ft | | | $\frac{125}{175}$ | | | |
| 7 to 8 ft | | | 175 | UU | | |
| 0 10 10 11 | υU | 00 | | | | |
| | | | | | | |

Unusual care is taken in packing our stock, and even though it is on the road a long time it usually arrives in good condition.

| Corsican Pine. Pinus nigra (laricio). | Each. | Per 10. | Per 100. |
|---------------------------------------|--------------|------------|----------|
| 2 to 3 ft | \$3 00 | \$25 00 | |
| 8 to 10 ft | $25 \ 00$ | 200 00 | |
| 10 to 12 ft | $35 \ 00$ | 300 00 | |
| 12 to 14 ft | 45 00 | 400 00 | |
| 14 to 16 ft | $60 \ 00$ | $550 \ 00$ | |
| Austrian Pine. var. austriaca. | | | |
| 3 to 4 ft | $5 \ 00$ | 45 00 | |
| 4 to 5 ft | 7 00 | 60 00 | \$500 00 |
| 5 to 6 ft | 10 00 | 85 00 | 750 00 |
| 6 to 7 ft | 15 00 | $125 \ 00$ | |
| 7 to 8 ft | $25 \ 00$ | $200 \ 00$ | |
| 8 to 10 ft | $35 \ 00$ | 300 00 | |
| 10 to 12 ft | $50 \ 00$ | $450 \ 00$ | |



An Austrian Pine photographed in our nursery which is typical of the stock listed on this page. One of the most desirable Evergreens for individual or group planting.

| Japanese Black Pine. Pinus Thunbergii. | |
|--|--------------|
| 10 to 12 ft | 00 00 |
| | 75 00 |
| | |
| Red Pine. Pinus resinosa. | |
| 3 to 4 ft | 30 00 225 00 |
| 4 to 5 ft | 10 00 300 00 |
| 5 to 6 ft 6 00 5 | 00 00 |
| Pitch Pine. Pinus rigida. | |
| 9 | 50 00 |


Prices in this catalog include packing and are f. o. b. our shipping point.

White Pine.

| Pinus Strobus. | Each. | Per 10. | Per 100. |
|----------------|---------------|------------|------------|
| 2 to 3 ft | \$1 75 | \$13 50 | \$120 00 |
| 3 to 4 ft | $2\ 50$ | $20 \ 00$ | 150 00 |
| 4 to 5 ft | 3 00 | $25 \ 00$ | $200 \ 00$ |
| 5 to 6 ft | 5 00 | 40 00 | |
| 6 to 7 ft | 7 50 | $60 \ 00$ | |
| 7 to 8 ft | 10 00 | 75 00 | |
| 8 to 10 ft | 15 00 | $125 \ 00$ | |
| 10 to 12 ft | $20 \ 00$ | 175 00 | |
| 12 to 14 ft | 30 00 | $250 \ 00$ | |
| 14 to 16 ft | 40 00 | $350 \ 00$ | |
| | | | |

Scotch Pine.

| Pinus | sylve | st | ris. | | | | | | | | | | | | | | | | |
|-------|-------|----|-------|--|--|--|--|--|--|----|--|--|--|-----|----|-----|----|-----|----|
| | 3 to | 4 | ft | | | | | | | | | | | 4 | 00 | 35 | 00 | | |
| | 4 to | 5 | ft | | | | | | | | | | | - 5 | 50 | 47 | 50 | | |
| | 5 to | 6 | ft | | | | | | | | | | | 7 | 50 | 65 | 00 | 550 | 00 |
| | ·6 to | 7 | ft | | | | | | | | | | | 10 | 00 | 85 | 00 | 700 | 00 |
| | 7 to | 8 | ft | | | | | | | ٠. | | | | 12 | 50 | 100 | 00 | 900 | 00 |
| | S to | 10 |) ft. | | | | | | | | | | | 20 | 00 | 175 | 00 | | |





Scotch Pine

White Pine

These Pines are both of rather rapid growth, thus making them splendidly suited for screen or border plantings. Sizes and prices are listed above.

Douglas Spruce.

| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | *3 *5 *7 *9 *12 | $50 \\ 50 \\ 00 \\ 50 \\ 00 \\ 50$ | Per \$20 30 45 60 75 | 00 00 00 00 | Per 100. |
|---|-----------------------------|------------------------------------|-------------------------------------|----------------------|------------|
| Japanese Cypress, or R | etir | los] | pora. | | |
| Obtuse-leaved Retinospora. Retinospora | | ısa. | | | |
| 3 to 4 ft | | 00 | 35 | | |
| 4 to 5 ft | _ | 00 | 50 | 00 | |
| 5 to 6 ft | | 00 | 75 | | |
| 6 to 7 ft | | | 100 | | |
| 7 to 8 ft | | | 150 | 00 | |
| 8 to 10 ft | 25 | 00 | | | |
| var. Aurea. | | | | | |
| $2\frac{1}{2}$ to 3 ft | 4 | 00 | 35 | 00 | |
| var. compacta. | | | | | |
| $1\frac{1}{2}$ to 2 ft | *3 | 00 | 25 | 00 | |
| $2\frac{1}{2}$ to 3 ft | *4 | 50 | 40 | 00 | |
| var. Crippsi. | | | | | |
| 1 to $1\frac{1}{4}$ ft | 1 | 50 | 12 | 50 | \$100 00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | 2 | 50 | 20 | 00 | 175 00 |
| $1^{\frac{1}{2}}$ to 2 ft | 3 | 50 | 30 | 00 | $250 \ 00$ |
| 2 to $2\frac{1}{2}$ ft | | 00 | 45 | 00 | |
| $2\frac{1}{2}$ to 3 ft | | 50 | 65 | | |
| 4 to 5 ft | | 50 | | | |
| var. erecta, | | 00 | | | |
| $1\frac{1}{2}$ to 2 ft | *3 | 00 | 25 | 00 | |
| $2rac{1}{2}$ to 3 ft | | 50 | 40 | | |
| 3 to 4 ft | | 00 | 55 | | |
| Fern-like Retinospora. var. filicoides. | U | 00 | 00 | 00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | *9 | 50 | 20 | 00 | |
| $1\frac{1}{2}$ to 2 ft | | 50 | 30 | | |
| var. gracilis. | | 50 | 90 | 00 | |
| $2\frac{1}{2}$ to 3 ft | *7 | 50 | 65 | 00 | |
| 6 to 7 ft | | | 00 | 00 | |
| van gracilie nana | | 00 | | | |
| 8 to 12 inches | *9 | 00 | 17 | 50 | |
| 1 to $1\frac{1}{4}$ ft | | 00 | $\frac{1}{25}$ | | |
| $1_{\frac{1}{4}}$ to $1_{\frac{1}{2}}$ ft | | 00 | -5 35 | | |
| var. gracilis aurea. | - | 00 | 99 | 00 | |
| $1\frac{1}{2}$ to 2 ft | 9 | 50 | 20 | ΩΩ | |
| 2 to $2\frac{1}{2}$ ft | | 50 | 30 | | |
| | | 50 | 40 | | |
| $2\frac{1}{2}$ to 3 ft | | 50 | 60 | | |
| 3 to 4 ft | | | 80 | | |
| 4 to 5 ft | | | 100 | | • |
| 5 to 6 ft | 17 | | 100 | UU | |

| Retinospora obtusa. var. leptoclada. $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | Each. \$2 00 | Per \$17 | | Per 100. |
|--|---|------------------|-----------------|--------------------|
| $1\frac{1}{2}$ to 2 ft | 3 00 | | 00 | |
| $\begin{array}{c} 1_{\frac{1}{2}} \text{ to } 2 \text{ ft} \\ 2 \text{ to } 3 \text{ ft} \\ \end{array}$ | $\frac{3}{4} \frac{50}{50}$ | | 00 | |
| | T 00 | , 10 | 00 | |
| Dwarf Japanese Retinospora. var. nana. | *2 50 | 20 | 00 | |
| 1 to $1\frac{1}{4}$ ft | *3 00 | | $\frac{00}{00}$ | |
| $egin{array}{lll} 1^{rac{1}{4}} & 	ext{to } 1^{rac{1}{2}} & 	ext{ft.} & & & & & & & & & & & & & & & & & & &$ | *4 00 | | 00 | |
| 2 to $2\frac{1}{2}$ ft | *6 00 | | 00 | |
| Golden Dwarf Japanese Retinospora. var. | | | | |
| $1\frac{1}{2}$ to 2 ft | *3 50 | 30 | 00 | |
| 2 to $2\frac{1}{2}$ ft | *5 00 | 45 | 00 | |
| var. tetragonia aurea. | | | | |
| $1\frac{1}{2}$ to 2 ft | *5 00 | 45 | 00 | |
| 2 to $2\frac{1}{2}$ ft | *7 50 | 65 | 00 | |
| $2\frac{1}{2}$ to 3 ft | *9 00 | 80 | 00 | |
| Pea-fruited Retinospora. Retinospora pisi | fera. | | | |
| 2 to $2\frac{1}{2}$ ft | $2 \ 50$ | 20 | 00 | \$175 00 |
| $2\frac{1}{2}$ to 3 ft | $3 \ 00$ | 27 | 50 | $200 \ 00$ |
| 3 to 4 ft | $4 \ 50$ | 40 | 00 | $350 \ 00$ |
| 4 to 5 ft | 6 00 | | 00 | $450 \ 00$ |
| 5 to 6 ft | 9 00 | 75 | 00 | |
| Golden Pea-fruited Retinospora. var. aure | | | | |
| $\frac{1_2}{2}$ to 2 ft | $\frac{2}{2} \frac{00}{20}$ | | 00 | |
| $\frac{2}{2}$ to $\frac{2}{2}$ ft | $\frac{2}{50}$ | | 50 | |
| $2\frac{1}{2}$ to 3 ft | $\frac{3}{1}$ $\frac{50}{1}$ | | 00 | |
| 3 to 4 ft | 4 50 | | 00 | |
| 4 to 5 ft | 6 00 | | 00 | |
| 5 to 6 ft | 9 00 | | 00 | |
| 6 to 7 ft | 12 50 | | UU | |
| | 17 50 | | | |
| Thread-branched Retinospora. var. filifer | | 20 | 00 | 150.00 |
| $\frac{1\frac{1}{2} \text{ to } 2 \text{ ft.} \dots}{2 + 2 + 2 + 2 + 4 + 4}$ | $\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$ | | | $150 00 \\ 250 00$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 10 00 | | | 250 00 |
| | 15 00 | $\frac{30}{125}$ | | |
| | $\frac{10}{20}$ 00 | | | |
| 8 to 10 ft | | 110 | 00 | |
| 10 to 12 ft | | | | |
| Golden Thread-branched Retinospora. var. | | ra aure | а. | |
| 1 to $1\frac{1}{4}$ ft | 2 75 | 25 | | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | $\frac{-}{3}$ $\frac{1}{75}$ | 35 | | |
| $1\frac{1}{2}$ to 2 ft | 4 50 | 40 | | |
| 2 to $2\frac{1}{2}$ ft | 6 00 | 50 | 00 | |
| $2\frac{1}{2}$ to $\tilde{3}$ ft | 7 50 | 60 | 00 | |
| White-leaved Retinospora, var. flavescens | varie | gata; s | yn. | lutescens. |
| 1 to $1\frac{1}{4}$ ft. Dense | 1 75 | 15 | | 125 00 |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft. $\left\{ \text{bushy} \right\}$ | $2 \ 25$ | 20 | 00 | 175 00 |
| $1\frac{1}{2}$ to 2 ft. stock. | 3 00 | 25 | 00 | |
| 4 to 5 ft | 12 00 | 100 | 00 | |
| 5 to 6 ft | $20 \ 00$ | 175 | 00 | |
| | | | | |


Do not confuse us with jobbers—who buy and sell. We grow our stock and know its merits when we catalog it.

Plume-like or Green Retinospora.

| var. Plumosa. | Each. | Per 10. | Per 100. |
|--------------------------|-----------|----------------|----------|
| $1\frac{1}{2}$ to 2 ft | \$2 00 | \$15 00 | \$125 00 |
| 2 to $2\frac{1}{2}$ ft | 2 50 | 20 00 | 175 00 |
| 4 to 5 ft | 6 - 00 | $50 \ 00$ | |
| 5 to 6 ft | 9 00 | $75 \ 00$ | |
| 6 to 7 ft | $12 \ 50$ | $100 \ 00$ | |
| 7 to 8 ft | 15 00 | 135 00 | |
| 8 to 10 ft | $20 \ 00$ | 175 00 | |

Golden Retinospora.

| Retinospora pisifera. var. plumosa aurea. | |
|---|-----------------|
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | 50 12 50 |
| $1\frac{1}{2}$ to 2 ft | 00 15 00 |
| $2\frac{1}{2}$ to 3 ft | 00 27 50 |
| 3 to 4 ft 4 5 | 50 40 00 |
| 4 to 5 ft 6 0 | 00 50 00 |
| 5 to 6 ft 9 (| 00 75 00 |
| 6 to 7 ft 12 5 | 50 100 00 |
| 7 to 8 ft | 00 135 00 |
| 8 to 10 ft | 00 175 00 |
| 10 to 12 ft | $00 - 250 \ 00$ |
| Golden Retinospora. Tree Form. | |
| 6 to 7 ft | 00 |
| 8 to 10 ft | 00 |
| var. Squarrosa Sulphurea. | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | 00 17 50 |
| $1\frac{1}{2}$ to 2 ft | 50 20 00 |
| $\frac{1}{2}$ to 3 ft | 00 45 00 |



A foundation planting of dwarf Evergreens. Note what a suitable connecting link they form between the lawn and the house. Such a planting is relatively inexpensive and attractive at all times of the year.

| Silver Retinospora. Retinospora pisifera; var. squ | iarrosa. | |
|---|-------------------------------|----------|
| Each, | Per 10. | Per 100. |
| 1 to $1\frac{1}{4}$ ft \$1 50 | \$12 50 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | 17 50 | |
| $1\frac{1}{2}$ to 2 ft | 20 00 | |
| 2 to $2\frac{1}{2}$ ft | 30 00 | |
| $2\frac{1}{2}$ to 3 ft | 45 00 | |
| 6 to 7 ft | 125 00 | |
| 8 to 10 ft*25 00 | | |
| 10 to 12 ft*35 00 | | |
| Silver Retinospora. Tree form. | | |
| 5 to 6 ft.—2 ft. stems | | |
| 6 to 7 ft.—2 ft. stems | | |
| Japanese Umbrella Pine. | | |
| Sciadopitys verticillata. | | |
| $2\frac{1}{2}$ to 3 ft*7 50 | $65 \ 00$ | |
| 4 to 5 ft*15 00 | | |
| 8 to 10 ft*40 00 | | |
| Yews : Taxus. | | |
| English Yew. Taxus baccata. | | |
| $1\frac{1}{2}$ to 2 ft*3 50 | $30 \ 00$ | |
| 2 to $2\frac{1}{2}$ ft*5 00 | 45 00 | |
| $2\frac{1}{2}$ to 3 ft*6 50 | $60 \ 00$ | |
| 3 to 4 ft*10 00 | 85 00 | |
| 4 to 5 ft*15 00 | 135 00 | |
| 5 to 6 ft*22 50 | | |
| Golden English Yew. var. aurea. | 00.00 | |
| 1 to 1½ ft*2 50 | 20 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{30}{45} \frac{00}{00}$ | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 65 00 | |
| $\frac{2}{3}$ to $\frac{3}{4}$ ft*10 00 | 85 00 | |
| Spreading English Yew. var. repandens. | 35 00 | |
| 8 to 12 in. high x $1\frac{1}{4}$ to $1\frac{1}{2}$ ft. spread, *3 75 | 35 00 | |
| 12 to 15 in. high x $1\frac{1}{2}$ to 2 ft. spread, *6 00 | 50 00 | |
| 12 to 15 in. high x 2 to $2\frac{1}{2}$ ft. spread, *7 50 | 60 00 | |
| Canadian Yew. Taxus canadensis. | 00 00 | |
| 1 to $1\frac{1}{4}$ ft*2 00 | 17 50 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft*2 75 | $25 \ 00$ | \$200 00 |
| $1\frac{1}{2}$ to 2 ft*3 50 | 30 00 | 275 00 |
| Japanese Yew. Taxus cuspidata. | • | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft*2 50 | $20 \ 00$ | |
| $1\frac{1}{2}$ to 2 ft*3 00 | 25 00 | |
| $\frac{2}{2}$ to $\frac{2}{2}$ ft*4 00 | 35 00 | |
| $2\frac{1}{2}$ to 3 ft*6 00 | $50 \ 00$ | |
| Dwarf Japanese Yew. var. nana. | 00.00 | |
| 1 to 1½ ft*2 50 | 20 00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | 32 50 | |
| 1½ to 2 ft*5 00 | 45 00 | |

Five or more plants of any one variety and size at price per 10, 25 or more at price per 100.

Arborvitæ : Thuja.

| American Arborvitæ, or White Cedar. T | huja oc | cidentalis. | |
|--|-----------|---|------------|
| | Each. | Per 10. | Per 100. |
| 2 to 3 ft | \$1 50 | \$12 50 | \$100 00 |
| 3 to 4 ft | . 2 00 | 17 50 | $150 \ 00$ |
| 4 to 5 ft | . 3 50 | $30 \ 00$ | $250 \ 00$ |
| 5 to 6 ft | | $40 \ 00$ | 375 00 |
| 6 to 7 ft | | $55 \ 00$ | |
| 7 to 8 ft | | 75 00 | $650 \ 00$ |
| 8 to 10 ft | | 100 00 | $825 \ 00$ |
| 10 to 12 ft | | 150 00 | |
| 12 to 14 ft | .*25 00 | $200 \ 00$ | |
| Geo. Peabody Arborvitæ. var. aurea. | *2 00 | 15 00 | |
| $1\frac{1}{2}$ to 2 ft | | $\begin{array}{ccc} 15 & 00 \\ 20 & 00 \end{array}$ | |
| 2 to $2\frac{1}{2}$ ft $2\frac{1}{2}$ to 3 ft | | $\frac{20}{25} \frac{00}{00}$ | |
| 3 to 4 ft | | $\frac{25}{35} \frac{00}{00}$ | |
| 5 to 6 ft | | 00 00 | • |
| Burrow's Arborvitæ. var. Burrowii. | . 000 | | |
| 3 to 4 ft | . 4 00 | 35 00 | |
| 4 to 5 ft | | 50 00 | |
| 5 to 6 ft | | 80 00 | |
| 6 to 7 ft | | | |
| var. Columbia. syn. Thuja Queen Victo | | | |
| 2 to 3 ft | | $25 \ 00$ | |
| 3 to 4 ft | | 35 00 | |
| 6 to 7 ft | | | |
| Douglas's Golden Arborvitæ. var. Dougla | asii aur | ea. | |
| $1\frac{1}{2}$ to 2 ft | | 15 00 | |
| 2 to $2\frac{1}{2}$ ft | | $20 \ 00$ | 175 00 |
| $2\frac{1}{2}$ to 3 ft | . 3 00 | $25 \ 00$ | 225 00 |
| 3 to 4 ft | . 4 00 | = 35 00 | $300 \ 00$ |
| Douglas' Pyramidal Arborvitæ. var. Dou | glasii py | ramidalis. | |
| $1\frac{1}{2}$ to 2 ft | | $20 \ 00$ | 175 00 |
| 2 to 3 ft | | $30 \ 00$ | $250 \ 00$ |
| 3 to 4 ft | | 40 00 | $350 \ 00$ |
| 4 to 5 ft | | 50 00 | $450 \ 00$ |
| 5 to 6 ft | . *9 00 | 75 00 | |
| var. Elegantissima. | | | |
| $\frac{1_{\frac{1}{2}}}{2}$ to 2 ft | | 15 00 | |
| $\frac{2}{2}$ to $\frac{2}{2}$ ft | | 20 00 | |
| $2\frac{1}{2}$ to 3 ft | . 3 00 | $25 \ 00$ | |
| Globe Arborvitæ. var. globosa. | | 45.00 | |
| 1 to $1\frac{1}{4}$ ft | | 15 00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | | 20 00 | |
| 1½ to 2 ft | . 5 00 | $25 \ 00$ | |
| var. Intermedia. | 9 00 | 25 00 | 200 00 |
| $egin{array}{lll} 1_{rac{1}{2}} & 	ext{to} & 2 & 	ext{ft}. & & & & & & & & & & & & & & & & & & &$ | | $\begin{array}{ccc} 25 & 00 \\ 40 & 00 \end{array}$ | $200 \ 00$ |
| - | . ± 50 | 40 00 | |
| var. Little Gem. | *9 EA | 90.00 | |
| 8 to 12 in | . *2 50 | $20 \ 00$ | |

| $MOON'S\ EVERGREENS.$ | | 19 |
|---|---|---------------|
| Thuja occidentalis. var. Parson's compacta. | | |
| Each. | Per 10. | Per 100. |
| $1\frac{1}{2}$ to 2 ft | \$20 00 | 161 100. |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{$20\ 00}{25\ 00}$ | |
| 3 to 4 ft | $\frac{25}{55} \frac{00}{00}$ | |
| var. plicata. | 00 00 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $25 \ 00$ | \$200 00 |
| $2\frac{1}{2}$ to 3 ft | 40 00 | φ200 00 |
| var. Pumila. | 20 00 | |
| 1½ to 2 ft | 20 00 | 150 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\frac{25}{25} \frac{00}{00}$ | 100 00 |
| $\frac{2}{2}$ to $\frac{2}{3}$ ft | 40 00 | |
| 3 to 4 ft 6 00 | 55 00 | |
| Pyramidal Arborvitæ. var. pyramidalis. | | |
| 2 to 3 ft*2 25 | 17 50 | 150 00 |
| 3 to 4 ft*3 00 | 25 00 | 200 00 |
| 4 to 5 ft*4 00 | 35 00 | |
| 8 to 10 ft*15 00 | 125 00 | |
| 10 to 12 ft*20 00 | 175 00 | |
| var. Reidii. | | |
| $1\frac{1}{2}$ to 2 ft | 15 00 | |
| 2 to 3 ft 2 50 | 20 00 | |
| 3 to 4 ft | 30 00 | |
| 4 to 5 ft 5 00 | 45 00 | |
| 5 to 6 ft 6 00 | $50 \ 00$ | |
| 6 to 7 ft 9 00 | 75 00 | |
| 7 to 8 ft | 100 00 | |
| 8 to 10 ft | 125 00 | |
| 10 to 12 ft | 175 00 | |
| var. Riversii. | 00.00 | |
| $2\frac{1}{2}$ to 3 ft | 20 00 | |
| 4 to 5 ft 5 00 | 45 00 | |
| 5 to 6 ft | $\frac{50}{55}$ 00 | |
| 6 to 7 ft | 75 00 | |
| $1\frac{1}{2}$ to 2 ft | 15 00 | |
| 2 to 3 ft | $\frac{10}{20} \frac{00}{00}$ | 150 00 |
| 3 to 4 ft | 30 00 | 200 00 |
| 5 to 6 ft 7 00 | 60 00 | |
| 7 to 8 ft | 100 00 | |
| Siberian Arborvitæ. var. Wareana. | | |
| $1\frac{1}{2}$ to 2 ft | 1 5 00 | 125 00 |
| 2 to $2\frac{1}{2}$ ft | $22 \ 50$ | |
| $2\frac{1}{2}$ to 3 ft | 30 00 | 101. |
| 3 to 4 ft | 40 00 | $350 \ 00$ |
| 4 to 5 ft | 60 00 | |
| T. Standishii. (Thujopsis.) | 20.00 | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 20 & 00 \\ 35 & 00 \end{array}$ | |
| $2\frac{1}{2}$ to 3 ft*4 00 5 to 6 ft*11 00 | 99 VV | |
| 6 to 7 ft*13 00 | | |
| 7 to 8 ft*15 00 | | |
| 8 to 10 ft*17 50 | | |
| | | |

Hemlock : Tsuga.

| Tsuga canadensis. | Each. | Per 10. | Per 100. |
|--|-----------|------------------|------------|
| $1_{\frac{1}{2}}$ to 2 ft | \$1 50 | \$12 50 | \$100 00 |
| 2 to $2\frac{1}{2}$ ft | 2 00 | 15 00 | 135 00 |
| $2\frac{1}{2}$ to 3 ft | 2 75 | 22 50 | 190 00 |
| 3 to 4 ft | 350 | 30 00 | $250 \ 00$ |
| 4 to 5 ft | 5 00 | 45 00 | 400 00 |
| 5 to 6 ft | 7 50 | $65\ 00^{\circ}$ | $500 \ 00$ |
| 6 to 7 ft* | *10 00 | 85 00 | |
| Sargent's Weeping Hemlock. var. Sargen | tii Pendı | ula. | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | *4 50 | $35 \ 00^{-}$ | |
| $1\frac{1}{2}$ to 2 ft | *6 00 | $50 \ 00$ | |
| var. Microphylla. | | | |
| $1\frac{1}{2}$ to 2 ft | *2 50 | | |
| $2\frac{1}{2}$ to 3 ft | | | |
| Tsuga Sieboldii. Japanese Hemlock. | | | |
| 2 to 3 ft | *6 00 | $50 \ 00$ | |
| 3 to 4 ft | *7 50 | $60 \ 00$ | |
| 4 to 5 ft | *9 00 | 80 00 | |
| | | | |



Our native Hemlock, an Evergreen that can be satisfactorily used individually or for group or hedges. This tree is typical of the stock listed on this page.

Evergreen Shrubs

| Bush Arbutus. Abelia grandiflora. 4-in. pots | | Per 10. \$10 00 25 00 | Per 100. \$85 00 |
|--|--------|---|---------------------|
| Azaleas. | | | |
| Azalea amoena. | | | |
| | 1 50 | 13 50 | 125 00 |
| * 4 | 2 00 | 17 50 | 150 00 |
| | 3 00 | $\begin{array}{ccc} 25 & 00 \\ 90 & 00 \end{array}$ | $200 \ 00$ |
| $2\frac{1}{2}$ to 3 ft | .0 00 | 50 00 | |
| \cdot 8 to 12 in. high x 1 to $1\frac{1}{4}$ ft. spread, * | 2 25 | 20 00 | |
| 1 to $1\frac{1}{4}$ ft. high x $1\frac{1}{4}$ to $1\frac{1}{2}$ ft. spread, $1\frac{1}{4}$ to $1\frac{1}{2}$ ft. high x $1\frac{1}{4}$ to $1\frac{1}{2}$ ft. | | $\frac{25}{25} \frac{00}{00}$ | |
| | 3 50 | 30 00 | |
| | 5 00 | 45 00 | |
| A. ledifolia. | | | |
| | 225 | $20 \ 00$ | |
| | 3 00 | $\frac{25}{25}$ 00 | |
| -2 | 4 00 | 35 00 | |
| 2 to 2½ ft* A. Yodogawa. | 7 50 | $65 \ 00$ | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | 3 00 | 25 00 | $225 \ 00$ |
| | 4 00 | $\frac{25}{35} \frac{00}{00}$ | 300 00 |
| Boxwood : Buxu | ıs. | | |
| Common Boxwood. Buxus sempervirens. | | | |
| 15 to 18 in., bush form* | 2 50 | $22 \ 50$ | |
| $1\frac{1}{2}$ to 2 ft., bush form* | 4 50 | 40 00 | |
| 2 to $2\frac{1}{2}$ ft., bush form* | 6 00 | 55 00 | |
| $2\frac{1}{2}$ to $\tilde{3}$ ft., bush form*1 | 0.00 | 90 00 | |
| Globe-Shaped Boxwood. | | | |
| $1\frac{1}{2}$ to 2 ft. high x $1\frac{1}{2}$ to 2 ft. spread, * | 7 50 | $65 \ 00$ | |
| var. angustifolia. | - 00 | 10= 00 | |
| $\frac{2_{\frac{1}{2}}}{2_{\frac{1}{2}}}$ to 3 ft*1 | | $125 \ 00$ | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 20 00 | | |
| $\frac{3_{2}}{4}$ to $\frac{4_{1}}{2}$ ft | 25 00 | | |
| Tall Tree Boxwood. var. aborescens. | 00 | | |
| | 2 50 | $20 \ 00$ | |
| $1\frac{1}{2}$ to 2 ft* | 3 50 | 30 00 | |
| $2\frac{1}{2}$ to 3 ft* | 7 50 | $65 \ 00$ | |
| Dwarf Box Edging. var. suffruticosa. | er 10. | Per 100. | Per 1000. |
| 4 to 6 in* | | \$25 00 | \$200 00 |
| 6 to 8 in* | 4 00 | $35 \ 00$ | |
| | | | |

Five or more plants of any one variety and size at price per 10. 25 or more at price per 100. 250 or more at price per 1,000.

Calluna.

| Gailtin. | |
|---|---|
| Scotch Heather. Calluna vulgaris; var. alba. | |
| Each, Per 10. | Per 100. |
| Strong, field-grown plants \$1 50 \$12 50 | |
| 4-in. pots 1 00 7 50 | \$60 00 |
| var. Searlei. | • |
| 4-in. pots 1 00 7 50 | $60 \ 00$ |
| Chamaedaphne Calyculata. | |
| 1 to 1½ ft*1 25 10 00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft*1 75 12 50 | |
| Cotoneaster. | |
| Small-leaved Cotoneaster. Cotoneaster microphylla. | |
| 4-in. pots | 60 00 |
| Prostrate Cotoneaster. Cotoneaster horizontalis. | 00 00 |
| 4-in. pots*1 00 7 50 | $60 \ 00$ |
| C. rotundifolia lanata. (Buxifolia.) | |
| 4-in. pots | |
| Daphne : Garland Flower. | |
| Daphne cneorum. | |
| 6 to 10-in. clumps*1 50 12 50 | • |
| | |
| The Hollies : Ilex. | |
| Japanese Holly. Ilex crenata. | |
| 1 to $1\frac{1}{4}$ ft*1 75 15 00 | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft*2 50 20 00 | 175 00 |
| $1\frac{1}{2}$ to 2 ft*3 50 30 00 | $\frac{250}{250} \frac{00}{00}$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | $350 \ 00$ |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| Winterberry. Ilex glabra. | |
| 1 to 1½ ft | |
| $1\frac{1}{4}$ to $1\frac{1}{2}$ ft | |
| $1\frac{1}{2}$ to 2 ft | $250 \ 00$ |
| American Holly. Ilex opaca. | |
| $\frac{1_{\frac{1}{2}}}{2}$ to 2 ft | 950 00 |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | $\begin{array}{ccc} 250 & 00 \\ 300 & 00 \end{array}$ |
| $\frac{2}{3}$ to $\frac{3}{4}$ ft | 300 00 |
| 3 to 4 ft., bushy*9 00 80 00 | |
| 4 to 5 ft*12 00 | |
| | |
| Laurel : Kalmia. | ~ |
| Mountain Laurel. Kalmia latifolia. | |
| $1\frac{1}{2}$ to 2 ft*3 00 25 00 | |
| 2 to 3 ft*3 75 30 00 | |
| Ledum latifolium. | |

1 to 1¼ ft...... *1 50 12 50

Leucothœ.

| Leucothæ Catesbæi. (Andromeda.) Each. $\frac{1\frac{1}{2}}{2}$ to 2 ft. *\$3 00 2 to 3 ft. *3 50 3 to 4 ft. *4 50 | Per 10. \$25 00 30 00 40 00 | Per 100. \$200 00 250 00 300 00 |
|---|---|--|
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 35 00 45 00 55 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 20 00 25 00 35 00 | |
| 4-in. pots *1 00 | 7 50 | |
| Rhododendron Hybrids. | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 37 50 55 00 90 00 135 00 variety 35 00 | |
| Native Rhododendrons. | | |
| Rhododendron catawbiense. *9 00 3 to 4 ft | 75 00 100 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 25 00 35 00 45 00 175 00 | 225 00 300 00 400 00 |
| Adam's Needle : Yucca Filame | ntosa. | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 7 50 10 00 | 60 00 |

This is a price list only. If you want help in selection and arrangement of plant material let us give your problems our special attention.



A block of Norway Maples photographed in our nursery, showing the extent and quality of our stock. This maple is one of the most satisfactory shade trees, whether it be for avenue or lawn planting.

Deciduous Ornamental Trees

The Maples.

| | Each. | \mathbf{Per} | 10. | Per 100. |
|---|--|-----------------|------|----------|
| European Cork Maple. Acer Campestre. | | | | |
| 8 to 10 ft | \$7 50 | \$60 | | |
| 10 to 12 ft | 11 00 | 90 | | |
| 12 to 14 ft | 15 00 | 125 | 00 | |
| Silver Maple. Acer dasycarpum. | | | | |
| 6 to 8 ft | *0 90 | 7 | 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | *1 50 | 12 | 50 | |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | *2 00 | 15 | 00 | |
| 10 to 12 ft., $1\frac{3}{4}$ to 2 in | *2 50 | 20 | 00 | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | *3.50 | 25 | 00 | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | *4 50 | 35 | 00 | |
| a 16 to 18 ft., 3 to 4 in | *6 50 | 50 | 00 | |
| Siberian Maple. Acer ginnala. | | | | |
| 8 to 10 ft | 4 00 | 35 | 00 | |
| 10 to 12 ft | | 50 | 00 | |
| Red Colchicum Maple. Acer leatum. var | | | | lchicum |
| rubrum. | | -,, | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 2.50 | 22 | 50 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $\frac{1}{3}$ 75 | | 00 | |
| 16 to 18 ft., 3 to 4 in | | 125 | | |
| 16 to 18 ft., 4 to 5 in | | 250 | 00 | |
| Acer Monspessulanum. | | | | |
| 3 to 4 ft | 1 25 | 10 | 00 | \$75 00 |
| 4 to 5 ft | 1 50 | | 50~ | 100 00 |
| 5 to 6 ft | $\stackrel{\circ}{2} \stackrel{\circ}{00}$ | | 00 | 200 00 |
| Ash-leaved Maple, or Box Elder. Acer Ne | | | 00 | |
| 8 to 10 ft., 1½ to 1½ in | 1 50 | 12 | 50 | 90 00 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $\frac{1}{2} \frac{50}{50}$ | $\overline{20}$ | | 00 00 |
| 14 to 16 ft., 2 to $2\frac{1}{2}$ in | $\frac{2}{3} \frac{50}{75}$ | 30 | | |
| 16 to 18 ft., $2\frac{1}{2}$ to 3 in | 5 50 | | 00 | |
| 16 to 18 ft., 3 to 4 in | | | 00 " | |

Norway Maple.

| Acer platanoides. | Ea | ch. | Per | 10. | Per 100. |
|--|-------|-----|-------------------|-----|-------------|
| 6 to 8 ft | .*\$1 | 50 | \$12 | 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 25 | 17 | | |
| 12 to 14 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | 50 | 21 | | |
| 12 to 14 ft., $1\frac{3}{4}$ to 2 in | | 00 | 26 | 00 | \$235 00 |
| 12 to 14 ft., 2 to $2\frac{1}{4}$ in | . *4 | 00 | 35 | 00 | 275 00 |
| 12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in | . *5 | 00 | 40 | 00 | $325 \ 00$ |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | . *6 | 00 | 50 | 00 | 450 00 |
| 16 to 18 ft., 3 to $3\frac{1}{2}$ in | . *9 | 00 | 75 | 00 | $600 \ 00$ |
| 16 to 18 ft., $3\frac{1}{2}$ to 4 in | .*12 | 00 | 100 | 00 | 800 00 |
| 18 to 20 ft., 4 to $4\frac{1}{2}$ in | | | 150 | | $1,200\ 00$ |
| 18 to 20 ft., $4\frac{1}{2}$ to 5 in | | | 200 | | 1,750 00 |
| 20 to 25 ft., 5 to 6 in | | | 400 | | |
| 25 to 30 ft., 6 to 7 in | . 80 | 00 | 650 | 00 | • |
| var. Geneva. | _ | | | | |
| 6 to 8 ft | | 00 | 17 | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 00 | 25 | | |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | | 50 | 30 | | |
| $12 \text{ to } 14 \text{ ft., } 1\frac{3}{4} \text{ to } 2 \text{ in.} \dots$ | | 50 | 40 | | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | . 6 | 00 | 55 | 00 | |
| Globe Norway Maple. var. globosa. | | | 90 | 00 | |
| 6 to 7 ft. stems, 12 to 18 in. spread | | | 30 | | |
| 6 to 7 ft. stems, 18 to 24 in. spread | | | 40 | | |
| 6 to 7 ft. stems, 2 to $2\frac{1}{2}$ ft. spread. | | | 50 | | |
| 6 to 7 ft. stems, $2\frac{1}{2}$ to 3 ft. spread. | | | 85 | | |
| 6 to 7 ft. stems, 3 to 4 ft. spread | | | $\frac{100}{150}$ | | |
| 6 to 7 ft. stems, 4 to 5 ft. spread 6 to 7 ft. stems, 5 to 6 ft. spread | | | $\frac{130}{200}$ | | |
| 6 to 7 ft. stems, 6 to 7 ft. spread | | | $\frac{250}{250}$ | | |
| Reitenbach's Maple. var. Reitenbachii. | | | | | dy Spring |
| 6 to 8 ft | | 00 | | 50 | ly opring. |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{7}$ in | | 50 | $\frac{1}{20}$ | | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | 50 | 30 | | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | | 00 | | 00 | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | | 50 | 60 | | |
| 14 to 16 ft., 3 to 4 in | | 00 | 85 | | |
| Purple Norway Maple. var. Schwedleri. | | | | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | . *3 | 00 | 25 | 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | . *4 | 00 | 35 | 00 | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in | | 00 | 50 | 00 | |
| 16 to 18 ft., 4 to 5 in | | | | | |
| 20 to 22 ft., 5 to 6 in | .*35 | 00 | 300 | 00 | |
| Sycamore Maple. Acer Pseudo-Platanus | | | | | |
| 6 to 8 ft | . 2 | 00 | 17 | 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | . 3 | 00 | | 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | 00 | | 00 | |
| 14 to 16 ft., 2 to $2\frac{1}{2}$ in | . 5 | 50 | | 50 | |
| 16 to 18 ft., $2\frac{1}{2}$ to 3 in | . 7 | 50 | | 00 | |
| 16 to 18 ft., 3 to 4 in | | | 100 | | |
| 20 to 22 ft., 5 to 6 in | | | 400 | | |
| 20 to 22 ft., 6 to 7 in | . 80 | 00 | 650 | 00 | |

Five or more plants of any one variety and size at price per 10.25 or more at price per 100.

| Red, or Scarlet Mapie. | Acer rubrum. | Each. | Per 10. | Per 100. |
|---------------------------------|-------------------|-----------------|--------------|-----------------|
| | | * \$2 50 | \$20 00 | |
| 8 to 10 ft., $1\frac{1}{4}$ to | $1\frac{1}{2}$ in | *3 00 | 25 00 | |
| 12 to 14 ft., 2 to 2 | $2\frac{1}{2}$ in | *6 00 | $50 \ 00$ | |
| 14 to 16 ft., $2\frac{1}{2}$ to | 3 in | *9 00 | 75 00 | |
| | 4 in | *12 50 | $100 \ 00$ | |
| Sugar or Rock Maple. | Acer saccharum. | | | |
| | | | $12 \ 50$ | \$100 00 |
| 8 to 10 ft., 1 to 1: | ¼ in | 1 75 | 15 00 | $120 \ 00$ |
| | $1\frac{1}{2}$ in | | 16 00 | 145 00 |
| | $1\frac{3}{4}$ in | | 20,00 | 175 00 |
| | o 2 in | | $30 \ 00$ | 240 00 |
| 12 to 14 ft., 2 to 2 | $2\frac{1}{2}$ in | 4 50 | $40 \ 00$ | $325 \ 00$ |
| | 3 in | | $50 \ 00$ | 450.00 |
| 16 to 18 ft., 3 to | $3rac{1}{2}$ in | . 9 00 | 75,00 | |
| 16 to 18 ft., $3\frac{1}{2}$ to | 4 in | 14 00 | $120 \ 00$ | |
| Acer tataricum. | | | | |
| 6 to 8 ft | | 2 50 | $20 \ 00$ | |

Japanese Maples.


| Acer japonicum. var. filicifolium. |
|---|
| 5 to 6 ft |
| 6 to 7 ft |
| 7 to 8 ft |
| Green Japanese Maple. A. palmatum. |
| 7 to 8 ft |
| 8 to 10 ft |
| Red Leaf Japan Maple. var. Atropurpureum. |
| 2 to $2\frac{1}{2}$ ft |
| $2\frac{1}{2}$ to 3 ft*4 50 40 00 |
| 3 to 4 ft*7 50 65 00 |
| 4 to 5 ft*12 50 100 00 |
| 5 to 6 ft*17 50 150 00 |
| 6 to 7 ft*22 50 |
| 7 to 8 ft*27 50 |
| Golden-leaved Japanese Maple. var. Aureum. |
| 2 to $2\frac{1}{2}$ ft |
| $2\frac{1}{2}$ to 3 ft |
| 3 to 4 ft 6 00 50 00 |
| 4 to 5 ft |
| Cut Leaf Japan Maple. var. dissectum. |
| $1\frac{1}{2}$ to 2 ft*3 50 30 00 |
| Red Cut Leaf Japan Maple. var. dissectum atropurpureum. |
| $1\frac{1}{2}$ to 2 ft., bush shape |
| 2 to 3 ft., tree shape *7 50 65 00 |
| 3 to 4 ft., tree shape*12 50 100 00 |
| var. Oshu-beni. Red leaves delicately cut. |
| 3 to 4 ft*7 50 65 00 |
| 4 to 5 ft*12 50 100 00 |
| 8 to 10 ft*30 00 |
| var. Reticulatum. Green leaves mottled with pink and white. |
| $2\frac{1}{2}$ to 3 ft |
| 3 to 4 ft 7 50 65 00 |
| |

| A | | | | B.4 = | | | | |
|-------|--------------|--------|--------|----------------|------|----------------|-----|-------|
| Acer | paimatum. | var. n | oseum | Marginatum. | | | | |
| | | | | Ea | ıch. | \mathbf{Per} | 10 | |
| | 3 to 4 ft. | | | \$7 | 50 | \$65 | 00 | |
| | | | | 12 | | | | |
| | | | | | | | | |
| var | . Rubrum. | | | | 00 | | | |
| VCI | | | | *7 | 50 | 65 | 00 | |
| - | | | | *12 | | 100 | | |
| | | | | | 90 | 100 | 00 | |
| var | . Sanguineu | | | | | | | |
| | 3 to 4 ft. | | | *7 | 50 | 65 | 00 | |
| | 4 to 5 ft. | | | *12 | 50 | 100 | 00 | |
| | | | | *17 | | 150 | 00 | |
| | | | | *25 | | | | |
| var | . sanguineui | n Seia | en. Re | d leaves. | | | | |
| | | | | *7 | 50 | 65 | 00 | |
| | | | | *12 | | 100 | 00 | |
| | | | | *17 | | 100 | | |
| var | | | | . Red foliage | | lv ei | ıt. | |
| | | | | 3 | | 30 | | |
| var | | | | inuously tinte | | | | white |
| 7 (4) | | | | | | 150 | | |
| | | | | | | 200 | | |
| | 1 to 5 It. | | | 22 | 90 | 40U | UU | |

Horse Chestnut.

| Red-flowering Horse Chestnut. Aesculus carnea; syn. rubicunda | ι. |
|---|-----|
| 6 to 8 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in*4 50 40 00 | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in*7 50 65 00 | • |
| 12 to 14 ft., $2\frac{1}{2}$ to $\tilde{3}$ in*10 00 | |
| Ohio Buckeye. Aesculus glabra. | |
| 6 to 8 ft 2 50 20 00 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in | |
| 12 to 14 ft., $2\frac{1}{2}$ to $\tilde{3}$ in | |
| 12 to 14 ft., 3 to 4 in | |
| 14 to 16 ft., 4 to 5 in | |
| Double White-flowering Horse Chestnut. Aesculus Hippocastan | um. |
| | |
| var. Alba flore pleno. | |
| var. Alba flore pleno. 8 to 10 ft., $1\frac{1}{2}$ to 2 in | |
| · · · · · · · · · · · · · · · · · · · | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in*4 50 40 00 10 to 12 ft., 2 to $2\frac{1}{2}$ in*7 50 65 00 | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in*4 50 40 00 10 to 12 ft., 2 to $2\frac{1}{2}$ in*7 50 65 00 10 to 12 ft., $2\frac{1}{2}$ to 3 in*10 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | |

Our booklet "On Beautifying the Home Grounds," approaches the subject from your viewpoint. Ask us to mail one.



The Horse Chestnut, which is one of the most showy flowering trees and appreciated by every one, makes a beautiful avenue or road-side tree in suburban communities.

| White-flowering | European | Horse | Chestr | ıut. | Aescul | us | Hippocas- |
|-----------------|-------------------------------------|-------|--------|------|----------|-----|------------|
| tanum. | | | | Eac | eh. Per | 10. | Per 100. |
| 6 to 8 ft., | $1\frac{1}{4}$ to $1\frac{1}{2}$ in | ι | | \$2 | 00 \$17 | 50 | |
| 8 to 10 ft. | $1\frac{1}{2}$ to 2 in. | | | 3 | 00 	 25 | 00 | \$225 00 |
| 10 to 12 ft. | ., 2 to $2\frac{1}{2}$ in | 1 | | 4 | 50 37 | 50 | 300 00 |
| 12 to 14 ft | ., $2\frac{1}{2}$ to 3 in | 1 | | 5 | 50 50 | 00 | 450 00 |
| 12 to 14 ft. | ., 3 to 4 in. | | | 9 | 00 - 75 | 00 | $675 \ 00$ |
| 14 to 16 ft | ., 4 to 5 in. | | | 17 | 50 	 150 | 00 | |
| 16 to 18 ft | ., 5 to 6 in | | | 30 | 00 250 | 00 | |

Ailanthus.

| Chinese Sumac, Tree of Heaven. A | |
|--|----------------------------------|
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | $\dots \qquad 2 00 \qquad 15 00$ |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $\dots 250 2000$ |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 3 50 30 00 |


Alders : Alnus.

| Speckled Alder. Alnus Incana. | | |
|-------------------------------|-----------|-----------|
| 14 to 16 ft., 3 to 4 in | $9 \ 00$ | $60 \ 00$ |
| 16 to 18 ft., 4 to 5 in | $12 \ 50$ | |

We make no additional charge for packing as is the case with many nurserymen. All prices f. o. b. our station.

The Birches : Betula.

| European White Birch. | Betula Alba. | Each. | Per 10 | |
|---|-------------------------------|--|----------|----------|
| 6 to 8 ft 8 to 10 ft., $1\frac{1}{4}$ to | $1\frac{1}{2}$ in | $\begin{array}{cccc} 1 & 75 \\ 2 & 25 \end{array}$ | 20 00 | \$100 00 |
| 14 to 16 ft., $2\frac{1}{2}$ to | 3 in | 7 50 | 65 00 |) |
| Weeping Cut-leaved Wh | i ite B irch. var. lac | ciniata | pendula. | |
| 8 to 10 ft., 1 to 1 | $1_{rac{1}{4}}$ in | *4 00 | 35 0 |) |
| | 1 in | | |) |
| | 2 in | | |) |
| | $2\frac{1}{2}$ in | | | - |
| Sweet, Black or Cherry | Rirch Retula len | ta | | |
| | Betara for | | 20 0 | 0 |
| Yellow Birch. Betula lu | ntea | | | |
| | 3 in | 7.50 | 65 0 | n |
| : - | $4~\mathrm{in}$ | | | - |
| 14 10 10 11., 5 10 | T III | 12 00 | 100 0 | U |
| Red Birch. Betula nigr | a; syn. rubra. | | | |
| 8 to 10 ft., 1 to 1 | $1\frac{1}{4}$ in | 2 75 | $25 \ 0$ | 0 |
| • | $\hat{1}\frac{1}{2}$ in | | 30 0 | 0 265 00 |
| | 2 in | | | |



White Birches. One of the best trees for individual or group plantings. The white coloring of the bark always presents a pleasing contrast, especially during the winter months or when planted in connection with Evergreen trees.

| Paper, or Canoe Birch. Betula papyrifera. | | |
|--|--|----------------------------|
| Each. | Per 10. | Per 100. |
| 6 to 8 ft\$2 00 | \$17 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | $20 \ 00$ | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $25 \ 00$ | |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | 65 - 00 | |
| American White Birch. Betula populifolia. | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 20 00 | , |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in 3 00 | $25 \ 00$ | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in | 45 00 | |
| Hornbeam : Carpinus. | | |
| American Hornbeam. Carpinus caroliniana; syn. | | ıa. |
| 3 to 4 ft 1 00 | 9 00 | |
| 4 to 5 ft | 12 50 | |
| 6 to 8 ft 4 00 | 35 00 | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in 5 00 | 40 00 | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in 7 50 | 60 00 | |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | 80 00 | |
| 14 to 16 ft., 3 to 4 in 15 00 | 125 00 | |
| European Hornbeam. Carpinus Betulus. | | |
| 2 to 3 ft 1 00 | 9 00 | \$75 00 |
| 3 to 4 ft | 12 50 | |
| Pyramidal European Hornbeam. var. Columnare | 2= 00 | |
| 3 to 4 ft*3 75 | 35 00 | |
| 4 to 5 ft*4 50 | 40 00 | |
| | | |
| Paper Mulberry. | | |
| Broussonettia papyrifera. | | |
| Broussonettia papyrifera. | 7 50 | |
| Brcussonettia papyrifera. 4 to 5 ft | 12 50 | |
| Broussonettia papyrifera. | | |
| Brcussonettia papyrifera. 4 to 5 ft | 12 50 | |
| Broussonettia papyrifera. 1 00 4 to 5 ft. 1 50 5 to 6 ft. 1 50 6 to 8 ft. 2 00 The Catalpas. | 12 50 | |
| Broussonettia papyrifera. $\frac{4}{5}$ to $\frac{5}{5}$ ft. $\frac{1}{5}$ 00 $\frac{5}{5}$ to $\frac{6}{5}$ ft. $\frac{1}{5}$ 50 $\frac{5}{5}$ to $\frac{8}{5}$ ft. $\frac{1}{5}$ 200 The Catalpas. Chinese, or Umbrella Catalpa. Catalpa Bungei. $\frac{5}{5}$ to $\frac{6}{5}$ ft. stems, $\frac{1}{5}$ to $\frac{1}{2}$ ft. heads. *2 50 | 12 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 | 225 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 | 225 00 300 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 | 300 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 60 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 | 300 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 60 00 | 300 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 60 00 100 00 | 300 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 60 00 100 00 | 300 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 60 00 100 00 7 50 10 00 | 300 00 450 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 60 00 100 00 7 50 10 00 15 00 | 300 00 450 00 112 00 |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 12 50 16 00 20 00 12 50 17 50 25 00 37 50 60 00 100 00 7 50 10 00 | 300 00 450 00 |

The Flowering Cherries : Cerasus.

In the Spring these trees are buried under a wealth of bloom which is strung along the branches. All the stories of the regard for cherry blossoms by the Japanese seem probable when one sees one of these little flowering cherry trees a mass of delicate bloom.

| Double White-flowering Cherry. Cerasus avium. var. alba flor | ·e- |
|--|-----|
| pleno. Each. Per 10. | |
| 6 to 8 ft\$3 50 \$30 00 | |
| 8 to 10 ft | |
| 10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 6 00 50 00 | |
| 14 to 16 ft., $1\frac{1}{2}$ to 2 in 7 50 60 00 | |
| Double Pink-flowering Cherry. Cerasus avium. var. rosea plena. | |
| 6 to 8 ft*3 50 30 00 | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in | |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in*10 00 | |
| James H. Veitch. Beautiful rose-pink flowers. | |
| 4 to 5 ft*2 50 20 00 | |
| 5 to 6 ft*3 00 25 00 | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in*7 50 70 00 | |
| Japanese Weeping Cherry. Cerasus japonica. var. rosea pendul | la |
| 4 to 6 ft. stems, 1-yr. heads *3 50 30 00 | |
| 4 to 6 ft. stems, 2-yr. heads *4 75 42 50 | |
| 4 to 6 ft. stems, 3-yr. heads *6 00 55 00 | |
| 4 to 6 ft. stems, 4-yr. heads *7 50 65 00 | |
| Japanese Pink-flowering Cherry. Cerasus Sieboldi rosea. | |
| 5 to 6 ft*2 50 20 00 | |
| 6 to 8 ft 3 50 30 00 | |
| 8 to 10 ft | |
| | |

Cladrastis.


| renow wood. Claurasus lutea, syn. virgina lutea. | |
|---|--|
| 5 to 6 ft*2 00 17 50 | |
| 6 to 8 ft*3 00 25 00 | |
| 8 to 10 ft*4 00 35 00 | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in*8 00 | |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | |
| 14 to 16 ft., 3 to 4 in*15 00 | |
| Persimmon. Diospyros virginiana. | |
| 2 to 3 ft 1 00 7 50 | |
| 4 to 5 ft 1 50 12 50 | |
| 5 to 6 ft 2 00 16 50 | |
| 6 to 8 ft 2 50 20 00 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 3 50 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | |
| | |

Yellow Wood Cladrastis lutea: syn Virgilia lutea

Prices in this catalog include packing and are f. o. b. our shipping point.

Dogwood : Cornus.

| White Dogwood. Cornus florida. | Each. | Per 10. | Per 100. |
|---|----------|-----------|------------|
| 2 to 3 ft | \$0.75 | \$5 00 | \$30 00 |
| 5 to 6 ft | 1 50 | 12 50 | 90 00 |
| 6 to 8 ft | $2 \ 00$ | 15 00 | 110 00 |
| 8 to 10 ft | $2\ 50$ | 17 50 | 135 00 |
| Red or Pink-flowering Dogwood. var. rub | | | |
| 2 to 3 ft | 175 | 15 00 | $125 \ 00$ |
| 3 to 4 ft | $2\ 50$ | $20 \ 00$ | $160 \ 00$ |
| 4 to 5 ft | $3 \ 50$ | $30 \ 00$ | $225 \ 00$ |
| 5 to 6 ft | 4 00 | 35 00 | 300 00 |
| 6 to 7 ft | 5 00 | 45 00 | $400 \ 00$ |
| 7 to 8 ft | 7 50 | 65 - 00 | 500 00 |
| 8 to 10 ft | 9 00 | 80 00 | |



A planting of Dogwood. A tree suitable for most every lawn.

The Beeches : Fagus.

| American Beech. Fagus americana. 2 to 3 ft | *2 00 *3 00 *10 00 | Per 10. \$12 50 17 50 25 00 | Per 100. |
|--|--|---|------------------------------|
| Beuropean Beech. Fagus sylvatica. 3 to 4 ft. | $\begin{array}{cccc} & 2 & 25 \\ & 3 & 00 \\ & 4 & 50 \\ & 7 & 50 \end{array}$ | 15 00 17 50 25 00 40 00 60 00 90 00 | \$200 00 350 00 500 00 |
| Fern-leaved Beech. var. heterophylla. 3 to 4 ft | 3 50 4 50 6 00 9 00 | 20 00 30 00 40 00 50 00 75 00 125 00 | 325 00 400 00 600 00 |
| Weeping Beech. var. pendula. 8 to 10 ft | *15 00 | $\begin{array}{ccc} 100 & 00 \\ 125 & 00 \\ 150 & 00 \end{array}$ | |



The fern-leaved Beech. A distinctive low-branched bushy tree, which grows slowly, but develops into a large long-lived specimen, or may be used for tall hedges.

| Purple, or Copper Beech. Fagus sylvatica. var. | purpurea. | |
|--|-------------------------------|---------------------------------|
| Each, | Per 10. | Per 100. |
| 4 to 5 ft\$3 00 | \$25 00 | |
| 5 to 6 ft 4 00 | 35 00 | |
| 6 to 8 ft 7 00 | 60 00 | |
| 10 to 12 ft | 175 00 | |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | 240 00 | |
| 14 to 16 ft., 3 to 4 in | 350 00 | |
| River's Purple Beech, var. Riversii. | | |
| 5 to 6 ft*3 50 | $32 \ 50$ | |
| 6 to 8 ft., 1 to $1\frac{1}{4}$ in | 47 50 | \$435 00 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 60 00 | 500 00 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in*10 00 | 80 Ö0 | 700 00 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in*17 50 | 140 00 | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in*25 00 | $200 \ 00$ | |
| 2 | | · |
| A 1. The control of t | | |
| Ash Trees : Fraxinus. | | |
| American White Ash. Fraxinus americana (alba) | | |
| 6 to 8 ft | 9 00 | 65 00 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 15 00 | 115 00 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 20 00 | 175 00 |
| 10 to 12 it., $1_{\frac{1}{2}}$ to $2_{\frac{1}{2}}$ in | 30 00 | $\frac{115}{275} \frac{00}{00}$ |
| 12 to 14 it., 2 to $2\frac{1}{2}$ in | 40 00 | 350 00 |
| European Ash. Fraxinus excelsior. | 40 00 | 330 00 |
| 6 to 8 ft*1 00 | 7 50 | |
| 8 to 10 ft., 1 to $1\frac{1}{4}$ in | 12 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | $\frac{12}{15} \frac{90}{00}$ | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 20 00 | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 30 00 | 275 00 |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | 40 00 | 210 00 |
| 14 to 16 ft., 3 to 4 in 7 50 | 65 00 | |
| 20 to 22 ft., 5 to 6 in | 09 00 | |
| Green Ash. Fraxinus lanceolata; syn. viridis. | | |
| 8 to 10 ft 1 to 1½ in | 12 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 15 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | .20 00 | |
| $12 \text{ to } 14 \text{ ft.}, 2 \text{ to } 2\frac{1}{2} \text{ in.} \dots 3 50$ | 30 00 | |
| 12 to 14 ft $2\frac{1}{2}$ to 3 in | 40 00 | |
| European Flowering Ash. Fraxinus Ornus. | _0 00 | |
| 6 to 8 ft 1 50 | $12 \ 50$ | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 20 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $35 \ 00$ | |
| Maidenhair Tree. Ginkgo biloba; syn. Salisburia | | lia. |
| 6 to 8 ft *1 75 | 15 00 | |
| 8 to 10 ft., 1 to $1\frac{1}{4}$ in | 17 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | $25 \ 00$ | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $35 \ 00$ | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 45 00 | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | $65 00^{\circ}$ | |
| | | |

To help you realize the most satisfaction from your lawn we have written a booklet, "On Beautifying the Home Grounds." A copy will be mailed on request,

Locusts : Gleditsia.

| itomoy accused areasona organismos. | | Per 10. | Per 100. |
|---|--|---|--------------------|
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 50 8 2 00 3 00 4 50 3 00 | \$12 50 15 00 25 00 35 00 | \$125 00 200 00 |
| 6 to 8 ft | 1 75 2 50 3 50 | 15 00 20 00 30 00 | 115 00 - 150 00 |
| Coffee Tree : Gymnod | aladus. | | |
| Kentucky Coffee Tree. Gymnocladus dioica. | | | |
| | 1 25 | 10 00 | |
| | L 75 | 15 00 | |
| | 2 50 | $20 \ 00$ | |
| | 3 50 | 30 00 | |
| Hickory : Hicoria | a. | | |
| Shagbark Hickory. Hicoria ovata. | | | |
| | 1 25 | 10 00 | |
| | 1 75 | 15 00 | 125 00 |
| | 2 00 | 17 50 | 160 00 |
| | 3 00 | $\frac{1}{25}$ 00 | 200 00 |
| The Welmyte . Tuel | | | |
| The wallus : Jugi | ians. | | |
| | lans. | | |
| Butter Nut. Juglans cinerea. | | . 15 00 | |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 | 15 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 | 25 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft. 5 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 5 10 to 12 ft., $1\frac{1}{2}$ to 2 in. 5 | 2 00 | | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft. 2 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 3 10 to 12 ft., $1\frac{1}{2}$ to 2 in. 3 Japan Walnut. Juglans cordiformis. | 2 00 3 00 3 75 | 25 00 30 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft. 2 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 3 10 to 12 ft., $1\frac{1}{2}$ to 2 in. 3 Japan Walnut. Juglans cordiformis. 6 to 8 ft. 2 | 2 00 3 00 | 25 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 | 25 00 30 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft. 2 8 to 10 ft., 1½ to 1½ in. 3 10 to 12 ft., 1½ to 2 in. 3 Japan Walnut. Juglans cordiformis. 6 to 8 ft. 2 Black Walnut. Juglans nigra. 6 to 8 ft. 2 | 2 00 3 00 3 75 2 75 | 25 00 30 00 25 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft. 2 8 to 10 ft., 1½ to 1½ in. 3 10 to 12 ft., 1½ to 2 in. 3 Japan Walnut. Juglans cordiformis. 6 to 8 ft. 2 Black Walnut. Juglans nigra. 6 to 8 ft. 2 | 2 00 3 00 3 75 2 75 2 00 | 25 00 30 00 25 00 15 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft. 2 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 3 10 to 12 ft., $1\frac{1}{2}$ to 2 in. 5 Japan Walnut. Juglans cordiformis. 6 to 8 ft. 2 Black Walnut. Juglans nigra. 6 to 8 ft. 2 10 to 12 ft., $1\frac{1}{2}$ to 2 in. 3 English Walnut. Juglans regia. 2 to 3 ft. *5 | 2 00 3 00 3 75 2 75 2 00 3 75 | 25 00 30 00 25 00 15 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 | 25 00 30 00 25 00 15 00 30 00 10 00 15 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 2 50 | 25 00 30 00 25 00 15 00 30 00 10 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 2 50 diana. | 25 00 30 00 25 00 15 00 30 00 10 00 15 00 20 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 2 50 | 25 00 30 00 25 00 15 00 30 00 10 00 15 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 2 50 diana. | 25 00 30 00 25 00 15 00 30 00 10 00 15 00 20 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft. 2 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 6 10 to 12 ft., $1\frac{1}{2}$ to 2 in. 6 Japan Walnut. Juglans cordiformis. 6 to 8 ft. 6 to 8 ft. 6 to 8 ft. 6 to 10 to 12 ft., $1\frac{1}{2}$ to 2 in. 6 English Walnut. Juglans regia. 7 to 3 ft. 7 to 4 to 5 ft. 8 ft. 8 to 5 ft. 8 to 5 ft. 8 to 5 ft. 8 to 5 ft. 8 to 6 to 8 ft. 9 to 5 ft. 9 to 6 to 8 ft. 9 to 7 to | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 2 50 diana. | 25 00 30 00 25 00 15 00 30 00 10 00 15 00 20 00 | 200 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 2 50 diana. | 25 00 30 00 25 00 15 00 30 00 10 00 15 00 20 00 | 200 00 175 00 |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 2 50 Hiana. 2 75 | 25 00 30 00 25 00 15 00 30 00 10 00 15 00 20 00 25 00 | |
| Butter Nut. Juglans cinerea. 6 to 8 ft | 2 00 3 00 3 75 2 75 2 00 3 75 1 25 1 75 2 50 Hiana. 2 75 | 25 00 30 00 25 00 15 00 30 00 10 00 15 00 20 00 25 00 | |

Larch : Larix.

| Laren . Larix, | |
|---|------------|
| European Larch. Larix europaea. Each. Per 10. | Per 100. |
| 4 to 5 ft \$2 25 | |
| 5 to 6 ft 2 75 \$25 00 | |
| 6 to 7 ft 3 50 30 00 | , |
| 7 to 8 ft | |
| 8 to 10 ft | |
| 10 to 12 ft | |
| Japan Larch. Larix leptolepsis; syn. Kaempferi. | |
| 4 to 5 ft | |
| 5 to 6 ft | |
| 10 to 12 ft | |
| 12 to 14 ft 12 00 100 00 | |
| Sweet Gum : Liquidambar. | |
| Sweet Gum. Liquidambar Styraciflua. | |
| 5 to 6 ft*2 00 | |
| 6 to 8 ft*3 00 27 50 | |
| | |
| Tulip Tree : Liriodendron. | |
| Liriodendron Tulipifera. | |
| 5 to 6 ft 1 50 10 00 | \$80 00 |
| | 125 00 |
| | $200 \ 00$ |
| | 275 00 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | |
| THE MAGNOLIAS. | |
| | |
| American Magnolias. | |
| Cucumber Tree. Magnolia acuminata. | |
| 5 to 6 ft 1 50 12 50 | |
| 6 to 8 ft | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 3 00 27 50 | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in | |
| Sweet Bay. Magnolia glauca. | |
| 2 to 3 ft*2 50 22 50 | |
| 3 to 4 ft*3 50 8 to 10 ft*12 00 100 00 | |
| 8 to 10 ft*12 00 100 00 10 to 12 ft*15 00 | |
| Magnolia macrophylla, | |
| 2 to 3 ft*2 50 20 00 | |
| 3 to 4 ft*3 50 30 00 | |
| Large-leaved Magnolia. Magnolia tripetala. | |
| 6 to 8 ft | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | |

We make no additional charge for packing as is the case with many nurserymen. All prices f. o. b. our station,

Oriental Species of Magnolias and Their Hybrids.

| - 0 | v |
|---|--------------|
| Chinese White Magnolia. Magnolia Conspict | ua. |
| Ea | ach. Per 10. |
| 4 to 5 ft*\$7 | 50 |
| Magnolia Hypolleuca. | |
| 8 to 10 ft*14 | - 00 |
| | : 00 |
| Thurber's Magnolia. Magnolia Kobus. | 05 610 00 |
| | 25 \$18 00 |
| 3 to 4 ft*3 | |
| 4 to 5 ft*4 | : 50 40 00 |
| 8 to 10 ft*35 | |
| 10 to 12 ft*50 | 0 0 400 00 |
| Magnolia Obovata. (Purpurea.) | F-2 |
| 2 to 3 ft | |
| 5 to 6 ft 10 | 00 |
| Magnolia Parviflora. | |
| 3 to 4 ft*6 | 50 00 |
| Soulange's Pink Magnolia. Magnolia Soulan | geana. |
| | : 00 |
| 3 to 4 ft*6 | 00 |
| 4 to 5 ft*7 | 50 |
| 5 to 6 ft*10 | 00 |
| 6 to 7 ft*15 | |
| 7 to 8 ft*20 | |
| var. alba superba. Beautiful white flowers. | |
| | 00 |
| | 00 |
| 5 to 6 ft*10 | * * |
| 6 to 7 ft*15 | |
| 7 to 8 ft*20 | |
| 8 to 10 ft | |
| 10 to 12 ft*30 | |
| var. Alexandrina. Pink flowers. "Light R | |
| 2 to 3 ft*4 | |
| 3 to 4 ft*6 | |
| 4 to 5 ft*7 | |
| 5 to 6 ft*10 | 00 |
| 10 to 12 ft*30 | |
| | |
| var. Lennei. Dark rose-colored flowers. "A | |
| 2 to 3 ft*4 | |
| | 00 |
| 5 to 6 ft*10 | 50 |
| 6 to 7 ft*15 | |
| 7 to 8 ft20 | |
| | |
| Hall's Japan Magnolia. Magnolia Stellata; s | |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | |
| var. Rosea. | UU |
| 1½ to 2 ft*3 | 75 |
| $\frac{1}{2}$ to $\frac{1}{3}$ ft | |
| 0 1 | 00 00 |

Flowering Crab Apples : Malus.

| Malus atrosanguinea. Flowers light cerise pin | ık. | |
|--|-----------|--------------|
| Each | | 10. Per 100. |
| 6 to 8 ft*\$3 0 | | |
| 8 to 10 ft*4 0 | | |
| Siberian Flowering Crab. Malus baccata. | | |
| 4 to 5 ft | 50 12 | 50 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | 90 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | | 00 |
| Sweet Scented Crab. Malus coronaria. | 00 | 00 |
| 4 to 5 ft 1 5 | 50 19 | 50 |
| 5 to 6 ft | | 00 |
| 6 to 8 ft | | 00 |
| 0 00 0 20000000000000000000000000000000 | | 00 |
| M. floribunda. General effect of the flower is | | 00 |
| 4 to 5 ft | | 00 |
| | | 00 |
| | | |
| Bechtel's Double-flowering Crab. M. ioensis. | | chteli. |
| 4 to 5 ft | | 00 |
| 5 to 6 ft*3 (| | 00 |
| 6 to 8 ft*4 (| | 00 |
| | kmanii. | 0.0 |
| 4 to 5 ft | _ | 00 |
| 5 to 6 ft | | 00 \$160 00 |
| 6 to 8 ft | | 00 200 00 |
| 8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | JU 35 | 00 |
| M. Scheideckerii. Beautiful pink flowers. | | |
| 4 to 5 ft | | 00 |
| 6 to 8 ft 3 (| | 00 |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in 4 (| | 00 |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in | | .00 |
| | spectabil | |
| 6 to 8 ft | | 00 |
| 8 to 10 ft | | |
| 10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 6 (| | |
| Chinese Pink-flowering Crab Apple. var. roses 6 to 8 ft | | 00 |
| | | 00 |
| · · | | 00 |
| M. Toringo. | 00. 00 | |
| 3 to 4 ft | 50 | |
| 8 to 10 ft | | 00 |
| 10 to 12 ft | | 00 |
| M. Zumi. | 00 90 | , |
| 6 to 8 ft | 00 | |
| 8 to 10 ft 4 (| | 00 |
| | | 00 |
| | | 00 |
| | | |

The planting of trees and shrubbery is not an expense, for they enhance real estate values, which makes their purchase a safe and sure investment.

Mulberries : Morus.

| 1120110011100 | 1,101 0.0. | |
|--|------------------------|---|
| Meehan's Globe-headed Mulberry. | forus alba. v Each. | ar. globosa. Per 10. |
| 5 to 6 ft. stems, 1 to $1\frac{1}{2}$ ft. hea | ds*\$3 00 | \$25 00 |
| 5 to 6 ft. stems, $1\frac{1}{2}$ to 2 ft. her | | $\begin{array}{ccc} 35 & 00 \\ 45 & 00 \end{array}$ |
| 5 to 6 ft. stems, 2 to $2\frac{1}{2}$ ft. her Tea's Weeping Mulberry. var. alba | | 40 00 |
| 5 to 6 ft. stems, 2-yr. heads | *3 50 | 30 00 |
| 5 to 6 ft. stems, 3-yr. heads | * 450 | 40 00 |
| 5 to 6 ft. stems, 4-yr. heads M. Rubra. var. Downing's Everbear | | 55 00 |
| 8 to 10 ft | | 25 00 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | 35 00 |
| var. New American. 6 to 8 ft | 2 00 | 15.00 |
| 8 to 10 ft | | $\begin{array}{ccc} 15 & 00 \\ 25 & 00 \end{array}$ |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | 35 00 |
| Sour G | um. | |
| Nyssa Sylvatica. Sour Gum. | | |
| 5 to 6 ft | *3 75 | 35 00 |
| 6 to 8 ft | | 40 00 |
| Oxydend | rum. | |
| | | (Andromodo) |
| Sorrel Tree or Sourwood. Oxydendr 2 to 3 ft | | (Andromeda.) 12 50 |
| 3 to 4 ft | | 17 50 |
| 4 to 5 ft | | 20 00 |
| 5 to 6 ft | | |
| Flowering Peache | | a. |
| Double White-flowering Peach. Pers | | var. Alba plena. |
| 5 to 6 ft | | |
| Double Pink-flowering Peach. var. | | |
| 3 to 4 ft | | |
| 4 to 5 ft | 1 50 | |
| 3 to 4 ft | 1 00 | 8 50 |
| 4 to 5 ft | | 12 50 |
| Phelloden | dron. | |
| Chinese Cork Tree. Phellodendron | amurense. | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 4 00 | 30 00 |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | | 55 00 |
| 16 to 18 ft., 3 to 4 in P. Sachalinense. | 9 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 2 75 | 22 50 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 4 00 | 30 00 |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | 6 00 | 55.00 |


The Poplars : Populus.

| Boll's Poplar. Populus Bolleana. | Each. | Per 10. | Per 100. |
|---|------------------------------|-------------------------------|---------------|
| 12 to 14 ft., $1\frac{1}{2}$ to 2 in | \$3 00 | \$25 00 | |
| 14 to 16 ft., 2 to $2\frac{1}{2}$ in | 5 00 | 40 00 | |
| 18 to 20 ft., $2\frac{1}{2}$ to 3 in | 9 00 | 75 00 | \$600 00 |
| - 20 to 25 ft., 3 to 4 in | 15 00 | 125 00 | 900 00 |
| Carolina Poplar. Populus Caroliniana. | | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | $1 \ 25$ | 10 00 | 75 00 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 175 | $13 \ 50$ | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | $2\ 50$ | | |
| Lombardy Poplar. P. nigra. var. italica | (fastig | | |
| 6 to 8 ft | 1 00 | 7 50 | $50 \ 00$ |
| 8 to 10 ft | 1 50 | 11 00 | 75 00 |
| 10 to 12 ft., 1 to $1\frac{1}{2}$ in | 2 25 | 18 00 | 110 00 |
| 12 to 14 ft., $1\frac{1}{2}$ to 2 in | 3 00 | 22 50 | 150 00 |
| 14 to 16 ft., 2 to $2\frac{1}{2}$ in | 4 50 | $35 \ 00$ | |
| Norway Poplar. Populus sanfolia. | - a- | 40.00 | |
| 10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | $1 \ 25$ | 10 00 | |
| 12 to 14 ft., $1\frac{1}{2}$ to 2 in | 1 75 | 13 50 | |
| 14 to 16 ft., 2 to $2\frac{1}{2}$ in | 2 50 | 20 00 | |
| 16 to 18 ft., $2\frac{1}{2}$ to 3 in | 3 50 | $30 \ 00$ | |
| The Wild Cherries : | Prun | 119 | |
| | Z I UII | us. | |
| Wild Plum. Prunus Americana. | 0.05 | 00.00 | |
| 6 to 8 ft | $\frac{2}{2}$ $\frac{25}{2}$ | 20 00 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | $\frac{25}{25} \frac{00}{00}$ | |
| 10 to 12 ft., 1½ to 2 in | 4 00 | 35 00 | |
| European Bird Cherry. Prunus Padus. 5 to 6 ft | 1 50 | 12 50 | |
| 6 to 8 ft | | 16 00 | |
| 8 to 10 ft | | $\frac{10}{25} \frac{00}{00}$ | |
| Bird or Pin Cherry. Prunus pennsylvanio | | 20 00 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | $25 \ 00$ | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | 35 00 | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in | | 40 00 | |
| $12 \text{ to } 14 \text{ ft.}, 2\frac{1}{2} \text{ to } 3 \text{ in.}$ | | 60 00 | |
| 14 to 16 ft., 3 to 4 in | | 75 00 | |
| Wild Black Cherry. Prunus serotina. | | | |
| 4 to 5 ft | 1 00 | 7 50 | |
| 5 to 6 ft | 1 50 | 12 50 | |
| 6 to 8 ft | 2 00 | 16 00 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 3 00 | $25 \ 00$ | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 3 50 | 30 00 | |
| P. serrulata. var. sachalinensis. (syn. S | | • | |
| 6 to 8 ft | | $35 \ 00$ | • |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in | 5 00 | 45 00 | |

There are numerous other varieties of trees and shrubs that we have in stock which space in this catalog does not admit of inserting. Write us if you don't find what you want.

Platanus : Planes.

| Platanus occidentalis. | Each. | Per 10. | Per 100. |
|---|----------|------------|----------|
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | . \$3 00 | \$25 00 | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | | 40 00 | |
| 16 to 18 ft., 3 to 4 in | | 100 00 | |
| Oriental Plane. Platanus Orientalis. | | | |
| 6 to 8 ft | . 1 00 | 7 50 | \$60 00 |
| 8 to 10 ft., 1 to $1\frac{1}{4}$ in | . 1 25 | 10 00 | 75 00 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | . *1 50 | 12 50 | 90 00 |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | . *2 25 | 17 50 | 135 00 |
| ` 10 to 12 ft., $1\frac{3}{4}$ to 2 in | | $25 \ 00$ | 190 00 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | | $35 \ 00$ | 300 00 |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | . 7 00 | 60 00 | |
| 16 to 18 ft., 3 to 4 in | | 75 00 | 600 00 |
| 18 to 20 ft., 4 to 5 in | . 25 00 | $200 \ 00$ | |
| | | | |



Oriental Plane used as a street tree. Because of its quick growth and other desirable qualities, it is one of the best shade trees for avenue planting, especially under city conditions.

Pseudolarix.

| Pseudolarix | Kaempferi. | | | |
|-------------|------------|---|----|-----------|
| 5 to | 6 ft | 6 | 00 | $55 \ 00$ |
| 6 to | 8 ft | 7 | 50 | |

The Oaks : Quercus.

| "Strength, Solidity, Durability are symbolized in | the Oaks." | |
|--|---|------------------|
| White Oak. Quercus alba. | Per 10. | Per 100. |
| 5 to 6 ft*\$3 00 | \$25 00 | |
| 6 to 8 ft*4 00 | $35 \ 00$ | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in*5 00 | 45 00 | |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in *6 00 | $50 \ 00$ | |
| Swamp White Oak. Quercus bicolor. | | |
| 6 to 8 ft *2 75 | $22 \ 50$ | \$175 00 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 30 00 | $250 \ 00$ |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $40 \ 00$ | $350 \ 00$ |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 48 00 | 425 00 |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | 65 00 | $555^{\circ}00$ |
| 14 to 16 ft., 3 to 4 in*12 50 | 90 00 | |
| 16 to 18 ft., 4 to 5 in*25 00 | 200 00 | |
| Scarlet Oak. Quercus coccinea. | o= 00 | 005 00 |
| 6 to 8 ft*3 00 | 27 00 | 225 00 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 35 00 | $300 \ 00$ |
| 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in | 40 00 | |
| 10 to 12 ft., $1\frac{3}{4}$ to 2 in*5 25 | 47 50 | 550.00 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in*7 50 | $\begin{array}{ccc} 65 & 00 \\ 75 & 00 \end{array}$ | 550 00 700 00 |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | 125 00 | 1000 00 |
| 16 to 18 ft., 3 to 4 in*15 00 | $\frac{125}{250} \frac{00}{00}$ | 1000 00 |
| 18 to 20 ft., 4 to 5 in*30 00 | 250 00 | |
| Shingle Oak. Quercus imbricaria. 6 to 8 ft | 27 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | |
| 10 to 12 it., $1_{\frac{1}{2}}$ to $2_{\frac{1}{2}}$ in | | |
| 12 to 14 it., 2 to $2\frac{1}{2}$ in 9 00 14 to 16 ft., $2\frac{1}{2}$ to 3 in 9 | | |
| Swamp Post Oak. Quercus lyrata. | .0 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 40 00 | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in*5 50 | | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | | |
| 16 to 18 ft., 3 to 4 in | | |
| Mossy Cup Oak. Quercus macrocarpa. | | |
| 6 to 8 ft | $23 \ 50$ | 200 00 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 3 75 | | 275 00 |
| 10 to 12 ft, $1\frac{1}{2}$ to 2 in | | 350 00 |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in 6 00 | 50 00 | |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in 9 00 | 75 00 | |
| 14 to 16 ft., 3 to 4 in 12 50 | 100 00 | |
| Pin Oak. Quercus palustris. | | |
| 6 to 8 ft *2 25 | 20 00 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | | |
| 16 to 18 ft., 3 to 4 in*15 00 | 125 00 | |
| 18 to 20 ft., 4 to 5 in*30 00 | 250 00 | |
| | | |

One of the distinguishing features of our nursery is that we raise nearly all the stock we sell, dig it freshly for each order, and do not carry it in storage cellars.

| Willow Heaved Oak. Quercus Phellos. Each | | |
|---|----------------|----|
| 6 to 8 ft\$3 0 | | |
| 8 to 10 ft., 1 to 1½ in | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | |
| 10 to 12 ft., $\frac{1}{2}$ to $\frac{1}{2}$ in | | |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | | |
| 14 to 16 ft., 3 to 4 in 15 (| | |
| Chestnut Oak. Quercus Prinus. | - 00 | F0 |
| 6 to 8 ft | 50 22 50 30 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | | |
| 16 to 18 ft., 3 to 4 in | 50 100 | 00 |
| 18 to 20 ft., 4 to 5 in | 00 | |
| English Oak. Quercus Robur (pedunculata). | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | | 00 |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in | | |
| Pyramidal English Oak: var. fastigiata. | , | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in*7 | 50 | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in*12 | | |
| 12 to 14 ft., $2\frac{1}{2}$ to $\tilde{3}$ in*17 | 50 | |
| Red Oak. Quercus rubra. | | |
| 6 to 8 ft*2 | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | |
| 12 to 14 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in*4 | | |
| 12 to 14 ft., $1\frac{3}{4}$ to 2 in*5 14 to 16 ft., 2 to $2\frac{1}{2}$ in*6 | | |
| 16 to 18 ft., $2 \frac{1}{2}$ to 3 in | | |
| 18 to 20 ft., 3 to 4 in*15 | | |
| Black Oak. Quercus velutina (tinctoria). | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in*3 | 50 30 | 00 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 50 40 | 00 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in*6 | | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in*9 | | |
| 14 to 16 ft., 3 to 4 in*15 | 00 125 | |
| 16 to 18 ft., 4 to 5 in*30 | 00 250 | 00 |
| | | |
| Sorbus : Mountain A | sh. | |
| Mountain Ash. Sorbus (Pyrus) Aucuparia. | | |
| 5 to 6 ft*1 | | |
| 6 to 8 ft*2 | | 00 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 90 | |

Five or more plants of any one variety and size at the price per 10.25 or more at price per 100.

The Willows : Salix.

| THE WILLOWS . | Dalla. | | |
|---|----------------------------|-------------------------------|---------------------------------|
| White Willow. Salix alba. | Each, | Per 10. | Per 100. |
| 6 to 8 ft | \$1.50 | \$12 50 | |
| Weeping Willow. Salix babylonica. | 1 | 4 | |
| 6 to 8 ft | 1 00 | 7 50 | \$55 00 |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 12 50 | 100 00 |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $\frac{1}{2} \frac{1}{50}$ | 20 00 | 150 00 |
| $12 \text{ to } 14 \text{ ft., } 2 \text{ to } 2\frac{1}{2} \text{ in}$ | 4 00 | 30 00 | $\frac{100}{225} \frac{00}{00}$ |
| Goat, or Pussy Willow. Salix Caprea. | . 100 | 30 00 | |
| 6 to 8 ft | . 2 00 | 15 00 | |
| 8 to 10 ft | | 20 00 | |
| Thurlow's Weeping Willow. Salix elegan | | | |
| 6 to 8 ft | | 7 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | $12 \ 50$ | |
| 12 to 14 ft., $1\frac{1}{2}$ to 2 in | $\frac{1}{2} \frac{1}{50}$ | 20 00 | |
| 14 to 16 ft., 2 to $2\frac{1}{2}$ in | 4 00 | 30 00 | $225 \ 00$ |
| 18 to 20 ft., $2\frac{1}{2}$ to 3 in | $\frac{1}{6} \frac{1}{00}$ | 45 00 | 350 00 |
| 18 to 20 ft., 3 to 4 in | . 7 50 | 60 00 | 000 00 |
| Rosemary Willow. Salix incana (rosman | | | |
| 4 to 5 ft | | 7 50 | |
| 5 to 6 ft | . 1 50 | 12 50 | 90 00 |
| 6 to 8 ft | | 17 50 | 00 00 |
| Bay, or Laurel-leaved Willow. Salix pen | | 1. 00 | |
| 6 to 8 ft | | 12 50 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 20 00 | |
| Weeping Golden-barked Willow. Salix Vit | | | Pendula |
| 6 to 8 ft | | 12 50 | i ciiddia. |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | | 15 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | | $\frac{10}{25} \frac{00}{00}$ | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | | 40 00 | |
| 12 to 11 it., 2 to 22 in | . 100 | 10 00 | |
| Sassafras. | | | |
| passarras. | | | |
| Sassafras varifolium. (Officinalis.) | | | |
| 6 to 8 ft | . 3 00 | $25 \ 00$ | |
| | | | |
| Sophora. | | | |
| Sopiioia. | | | |
| Japanese Pagoda Tree. Sophora Japonio | ea. | | |
| 3 to 4 ft., bush or tree form | | 12 50 | |
| 4 to 5 ft., tree form | | 15 00 | |
| 5 to 6 ft., bush form | | 20 00 | |
| 6 to 8 ft., bush or tree form | . 3 50 | 30 00 | $250 \ 00$ |
| 8 to 10 ft., $1\frac{1}{2}$ to 2 in., bush form | | 40 00 | 350 00 |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in., bush form | | 75 00 | |
| | | | |
| Bald Cypress | | | |
| Deciduous, or Bald Cypress. Taxodium | distichur | n. | |
| 6 to 8 ft | | 30 00 | |
| 8 to 10 ft | | 45 00 | |
| 10 to 12 ft | | 60 00 | |
| 12 to 14 ft | | 00 | |
| | | | |

The Lindens : Tilia.

American Linden, or Basswood. Tilia Americana.

| American Linden, or Basswood. Tilia Americana. | |
|---|--------------------|
| Each. Per 10. | Per 100. |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | \$150 00 250 00 |
| Tilia Cordata. syn. Ulmifolia. | |
| 6 to 8 ft \$1 75 \$15 00 | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in 2 50 20 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in 3 50 30 00 | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in 5 00 40 00 | |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in 7 50 60 00 | |
| 16 to 18 ft., 3 to 4 in 12 50 100 00 | |
| dens make desirable lawn or avenue trees for suburban planting. 18 to 20 ft., 4 to 5 in 25 00 200 00 | |
| | |
| 16 to 18 ft., 4 to 5 in*25 00 200 00 | |
| White Basswood. Tilia heterophylla. 20 to 25 ft., 5 to 6 in | |
| S to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. 2 50 20 00 10 to 12 ft., $1\frac{1}{2}$ to 2 in. 3 50 30 00 12 to 14 ft., 2 to $2\frac{1}{2}$ in. 4 50 40 00 14 to 16 ft., $2\frac{1}{2}$ to 3 in. 7 50 60 00 16 to 18 ft. 2 to 4 in. 10 00 | 350 00 500 00 |

100 00

200 00

350 00

| Silver-leaved Linden. Tilia tomentosa (argentea |) | |
|--|-------------------------------|------------|
| Each, | Per 10. | Per 100. |
| 6 to 8 ft*\$3 00 | \$25 00 | 201 200. |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in | 30 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | 40 00 | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 50 00 | |
| $12 \text{ to } 14 \text{ ft.}, 2\frac{1}{2} \text{ to } 3 \text{ in.} \dots *7 50$ | $65\ 00$ | |
| 14 to 16 ft., 3 to 4 in*12 50 | 100 00 | |
| Small-leaved Linden. T. Vulgaris (europea). | 200 00 | |
| 8 to 10 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in *3 25 | 27 50 | |
| 10 to 12 ft., $1\frac{3}{4}$ to 2 in | $32 \ 50$ | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 40 00 | \$350 00 |
| 14 to 16 ft., $2\frac{1}{2}$ to 3 in | 60 00 | 500 00 |
| 16 to 18 ft., 3 to 4 in*12 50 | 100 00 | 850 00 |
| 18 to 20 ft., 4 to 5 in*25 00 | $200 \ 00$ | |
| 20 to 22 ft., 5 to 6 in*45 00 | $400 \ 00$ | |
| | | |
| The Elms : Ulmus. | | |
| American Elm. Ulmus americana. | | |
| 8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in' | 15 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $25 \ 00$ | 200 00 |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | $35 \ 00$ | |
| 18 to 20 ft., 4 to 5 in*25 00 | | |
| English Elm. Ulmus campestris. | | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | 42 50 | |
| 12 to 14 ft., $2\frac{1}{2}$ to 3 in *7 50 | $65 \ 00$ | $600 \ 00$ |
| 14 to 16 ft., 3 to $3\frac{1}{2}$ in 10 00 | 80 00 | |
| 14 to 16 ft., $3\frac{1}{2}$ to 4 in | 112 50 | |
| 16 to 18 ft., 4 to 5 in | 200 00 | |
| 18 to 20 ft., 5 to 6 in | 400 00 | - |
| Broad-leaved English Elm. var. major. | 05.00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $\frac{25}{25} \frac{00}{00}$ | |
| 12 to 14 ft., 2 to $2\frac{1}{2}$ in | $35 \ 00$ | |
| 16 to 18 ft., 3 to 4 in | | |
| 8 to 10 ft, 1½ to 1½ in 2 00 | 15 00 | |
| 10 to 12 ft., $1\frac{1}{2}$ to 2 in | $\frac{15}{25} \frac{00}{00}$ | |
| $12 \text{ to } 14 \text{ ft.}, 2 \text{ to } 2\frac{1}{2} \text{ in.} \dots 3 \text{ 00}$ | 20 00 | |
| $12 \text{ to } 14 \text{ ft.}, 2\frac{1}{2} \text{ to } 3 \text{ in.} \dots 7 50$ | , | |
| 14 to 16 ft., 3 to 4 in | | |
| 16 to 18 ft., 4 to 5 in | | |
| 18 to 20 ft., 5 to 6 in | | |
| Camperdown Elm. Ulmus glabra camperdownii. | | |
| 5 to 6 ft. stem, 3-4 ft. spread of top 10 00 | | |
| Pyramidal Elm. Ulmus glabra fastigiata. | | |
| 10 to 12 ft., 2 to $2\frac{1}{2}$ in*10 00 | | |
| Huntingdon Elm. Ulmus hollandica vegeta. | | |
| 18 to 20 ft., 3 to 4 in | 100 00 | |
| 25 to 30 ft., 4 to 5 in | | |
| 25 to 30 ft., 5 to 6 in | | |
| | | |

Nearly all varieties of shade trees can be safely planted during the Autumn season of October and November.

Deciduous Shrubs

Acanthopanax.

| Acanthopanax (Aralia) pentaphyllum. (B | ush . | Aralia.) | | |
|--|---|---------------------------------------|--|--------|
| | Each. | \mathbf{P} er | 10. Pe | r 100. |
| 2 to 3 ft | \$0 60 | \$4 | 50 \$3 | 30 00 |
| 3 to 4 ft | 0 80 | 6 | 00 | 40 00 |
| • | | | | 2 |
| Amelanchier. | | | | |
| Amelanchier botryapium. Shad Bush. | | | | |
| 2 to 3 ft | 0 80 | 6 | 00 | 40 00 |
| 3 to 4 ft | 1 00 | 7 | 50 | 50 00 |
| Canadensis. Shad Bush. | | | | |
| 2 to 3 ft | 0 80 | | 00 | |
| 3 to 4 ft | 1 00 | | | 50 00 |
| 4 to 5 ft | 1 25 | | 00 | 60 00 |
| A. rotundifolia (Vulgaris). European Serv | | | 00 | 40.00 |
| 2 to 3 ft | 0 80 | | | 40 00 |
| 3 to 4 ft | $\begin{array}{ccc} 1 & 00 \\ 1 & 25 \end{array}$ | | | 50 00 |
| 4 to 5 ft | 1 20 | 9 | 00 | |
| Amorpha. | | | | 1 |
| ~ | | | | |
| Amorpha canescens (Lead Plant). | 0.00 | | 00 | 40.00 |
| 1½ to 2 ft | 0 80 |) 0 | 00 | 40 00 |
| A. fruticosa. False Indigo. 3 to 4 ft | 0.70 |) 5 | 00 | 35 00 |
| 4 to 5 ft | 0 90 | | | 45 00 |
| 5 to 6 ft | 1 2 | | | 60 00 |
| 5 to 11 | 1 20 | , , | 00 | 00 00 |
| Almonds : Amygo | dalus | ١. | | |
| Amygdalus communis. var. alba flore ple | | | flowerin | g Al- |
| mond. | | | | J |
| 3 to 4 ft | 1 00 | 7 | 50 | |
| 4 to 5 ft | 1 50 | 12 | 00 | |
| and the second s | | | | |
| var. rosea flore pleno. | | | | |
| 2 to 3 ft | 0 80 | | 00 | |
| 2 to 3 ft | 0 80 | | 00 50 | |
| 2 to 3 ft | 1 00 | 7 | 50 | |
| 2 to 3 ft | 0 80 | 7 0 6 | 50 00 | |
| 2 to 3 ft | 1 00 | 7 0 6 | 50 | |
| 2 to 3 ft | 1 00 0 80 1 00 |) 7) 6) 7 | 50 00 50 | |
| 2 to 3 ft | 1 00 0 80 1 00 1 00 | 7 0 6 0 7 0 7 | 50 00 50 50 | |
| 2 to 3 ft 3 to 4 ft A. triloba fl. pl. (Prunus). 2 to 3 ft 3 to 4 ft Aralia Chinensis. 4 to 5 ft 5 to 6 ft | 1 00 0 80 1 00 1 00 1 25 | 7 0 6 0 7 0 7 5 9 | 50 00 50 50 50 | |
| 2 to 3 ft | 1 00 0 80 1 00 1 00 | 7 0 6 0 7 0 7 5 9 | 50 00 50 50 | |
| 2 to 3 ft. 3 to 4 ft. A. triloba fl. pl. (Prunus). 2 to 3 ft. 3 to 4 ft. Aralia Chinensis. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. | 1 00 0 80 1 00 1 00 1 20 1 50 | 7 0 6 0 7 0 7 5 9 | 50 00 50 50 50 | |
| 2 to 3 ft. 3 to 4 ft. A. triloba fl. pl. (Prunus). 2 to 3 ft. 3 to 4 ft. Aralia Chinensis. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. Aronia (Pyrus) | 1 00 0 80 1 00 1 00 1 20 1 50 | 7 0 6 0 7 0 7 5 9 | 50 00 50 50 50 | |
| 2 to 3 ft. 3 to 4 ft. A. triloba fl. pl. (Prunus). 2 to 3 ft. 3 to 4 ft. Aralia Chinensis. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. Aronia (Pyrus) Aronia arbutifolia (Chokeberry). | 1 00 0 80 1 00 1 20 1 50 | 7 0 6 0 7 0 7 5 9 0 12 | 50 00 50 50 50 00 50 | |
| 2 to 3 ft. 3 to 4 ft. A. triloba fl. pl. (Prunus). 2 to 3 ft. 3 to 4 ft. Aralia Chinensis. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. Aronia (Pyrus) Aronia arbutifolia (Chokeberry). 2 to 3 ft. | 1 00 0 80 1 00 1 20 1 50 | 7 0 6 0 7 0 7 5 9 0 12 | 50 00 50 50 50 00 50 | |
| 2 to 3 ft. 3 to 4 ft. A. triloba fl. pl. (Prunus). 2 to 3 ft. 3 to 4 ft. Aralia Chinensis. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. Aronia (Pyrus) Aronia arbutifolia (Chokeberry). | 1 00 0 80 1 00 1 20 1 50 | 7 0 6 0 7 0 7 5 9 0 12 | 50 00 50 50 50 00 50 | 45 00 |

Azaleas.

| Azalea Arborescens. Fragrant White Azalea. | | | | |
|--|--------------------------|----------|----------|-----|
| Each. | \mathbf{Per} | 10. | Per 1 | 00. |
| $1\frac{1}{2}$ to 2 ft*\$2 00 | \$17 | | | |
| $\frac{1}{2}$ to 3 ft*2 50 | $\frac{\varphi_{1}}{20}$ | | \$175 | 00 |
| 3 to 4 ft*3 00 | $\frac{25}{25}$ | | 200 | |
| | 20 | 00 | 200 | 00 |
| A. Kaempferi. May. 1½ to 2 ft*3 00 | 25 | ΩΩ | | |
| | $\frac{20}{40}$ | | | |
| 2 00 22 10 | 40 | UU | | |
| A. lutea. Flame Azalea. | 20 | ΩΩ | | |
| 12 00 = 10000000000000000000000000000000 | 20 | OO | | |
| A. pontica. Ghent Azalea. | 25 | .00 | | |
| 1½ to 2 ft*3 00 | 35 | | | |
| 2 to 3 ft*4 00 | 99 | UU | | |
| A. Vaseyii. Blush White. | 20 | 00 | | |
| $1\frac{1}{2}$ to 2 ft | $\frac{20}{20}$ | | | |
| 2 to 3 ft*3 50 | 30 | UU | | |
| A. Viscosa. White. | 17 | =0 | 140 | 00 |
| $1\frac{1}{2}$ to 2 ft*2 00 | 17 | 90 | 140 | UU |
| Baccharis Halmifolia. | | 00 | | |
| 2 to 3 ft 0 80 | - | 00 | | |
| 3 to 4 ft 0 90 | | 00 | | |
| 6 to 7 ft 2 00 | 15 | 00 | | |
| Benzoin. | | | | |
| | , | 7 0 | • . | |
| Benzoin aestivale (odoriferum). Yellow flowers a | nd re | d fi | | |
| $1\frac{1}{2}$ to 2 ft | | 50 | 30 | |
| 2 to 3 ft 0 80 | | 00 | 40 | |
| 3 to 4 ft 1 00 | 7 | 50 | 50 | 00 |
| The Barberries : Berberis | š. | | | |
| | | • | | |
| Berberris illicifolia. | e | ΩΩ | | |
| 1 to $1\frac{1}{2}$ ft | | 00 | | |
| $\frac{1_{\frac{1}{2}}}{2}$ to $\frac{2}{2}$ ft | | 50 | | |
| 2 to 3 ft 1 50 | 12 | 90 | | |
| B. Regelianum. | c | 00 | 40 | 00 |
| $\frac{1_{\frac{1}{2}}}{1_{\frac{1}{2}}}$ to 2 ft | - | 00 50 | 40 | UU |
| 2 to 3 ft 1 00 | 4 | 90 | | |
| Japanese Barberry. | | | | |
| | | | | |
| | | | | |
| B. Thunbergii. | 4 | 50 | 30 | 00 |
| B. Thunbergii. $1\frac{1}{2}$ to 2 ft., per thousand, \$200 00 0 60 | 4 | 50 | 30 | 00 |
| B. Thunbergii. | 4 15 | | 30 | 00 |
| B. Thunbergii. 1 $\frac{1}{2}$ to 2 ft., per thousand, \$200 00 0 60 B. Thunbergii. (Globe Shape.) 1 $\frac{1}{2}$ to 2 ft x 1 $\frac{1}{2}$ to 2 ft*2 00 | 15 | | 30 | 00 |
| B. Thunbergii. 1 $\frac{1}{2}$ to 2 ft., per thousand, \$200 00 0 60 B. Thunbergii. (Globe Shape.) | 15 | | 30 | 00 |
| B. Thunbergii. 1 $\frac{1}{2}$ to 2 ft., per thousand, \$200 00 0 60 B. Thunbergii. (Globe Shape.) 1 $\frac{1}{2}$ to 2 ft x 1 $\frac{1}{2}$ to 2 ft*2 00 | 15 | | 30 | 00 |
| B. Thunbergii. | 15 L. | | 30 35 | |

Five or more plants of any one variety and size at price per 10. $25\ \text{or}$ more at price per 100.

| Callicarpa. | | | |
|---|----------------|-----------|--|
| | Per \$5 | 10. 00 | Per 100. \$35 00 |
| 2 to 3 ft | 7 | 00 | 45 00 |
| $1\frac{1}{2}$ to 2 ft | | 00 | $\begin{array}{ccc} 35 & 00 \\ 45 & 00 \end{array}$ |
| 2 to 3 ft | | 00 | 40 00 |
| Calycanthus. | | | |
| Calycanthus floridus. Sweet Shrub. | | | |
| 2 to 3 ft | | 00 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| Caragana. | | | |
| Caragana arborescens. Siberian Pea Tree. | | | |
| 2 to 3 ft 0 50 | | 50 | 25 00 |
| 3 to 4 ft | - | 00 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| var. pendula. Weeping Siberian Pea Tree. | • | 00 | 10 00 |
| 7 to S ft. stems | 75 | 00 | |
| Ceanothus Americanus. Jersey Tea. $1\frac{1}{2}$ to 2 ft 0 80 | 6 | 00 | |
| Cephalanthus. | | | |
| Cephalanthus occidentalis. Button Bush. | | | |
| 2 to 3 ft 0 50 | | 75 | 25 00 |
| 3 to 4 ft | | 00 | $\begin{array}{ccc} 30 & 00 \\ 45 & 00 \end{array}$ |
| Red Bud or Judas : Cercis. | | | |
| Cercis canadensis. American Red Bud. | | | |
| 2 to 3 ft | | 00 | |
| 3 to 4 ft | | 00 | |
| 5 to 6 ft | 1 5 | | |
| Chionanthus. | | | , |
| Chionanthus Virginica. White Fringe Tree. 3 to 4 ft | 12 | 00 | |
| Clethra. | | | |
| Clethra alnifolia. Pepper Bush. | | | |
| 2 to 3 ft 0 60 | _ | 00 | 32 50 |
| 3 to 4 ft 0 75 | Э | 00 | 45 00 |

Osier Dogwood : Cornus.

| | O | | | | | | |
|----------------|----------------------|------------|--|-----------------|-----|-------|------|
| Cornus alba. | var. gouchaulti. | Variegated | foliage |). | | | |
| | | | Each. | Per | 10. | Per 1 | L00. |
| | ft | | §0 70 | \$5 | 00 | | |
| | a. Red-branched | | | | | | |
| | ft | | 0 70 | 5 | 00 | \$35 | 00 |
| | ft | | 0.90 | 7 | 00 | 45 | 00 |
| | (sericea). Silky (| | | | | | |
| | ft | | 0 70 | - | 00 | | |
| 4 to 5 | ft | | 0.90 | 7 | 00 | 45 | 00 |
| | ft | | 1 25 | 8 | 50 | 55 | 00 |
| - | Thite fruit; dairk i | | | | | | |
| | ft | | 0.70 | | 00 | | |
| | ft | | 0 90 | | 00 | | 00 |
| | ft | | 1 25 | 8 | 50 | 55 | 00 |
| | ow flowers and la | _ | | _ | | | |
| | ft | | 0 50 | | 50 | | 00 |
| | ft | | 0 70 | | 00 | 35 | 00 |
| | ft | | 1 00 | | 50 | | |
| C. paniculata | | | - | | | | |
| | ft | | 0 50 | | 50 | | 50 |
| | ft | | 0 75 | | 00 | | 50 |
| | ft | | 1 00 | | 00 | 45 | 00 |
| | ft | | 1 25 | 9 | 00 | | |
| C. sanguinea. | Conspicuous red | | | _ | | | |
| | ft | | 0.50 | | 50 | | |
| | ft | | 0 70 | | 00 | | 00 |
| | ft | | 0 90 | | 00 | | 00 |
| | ft | | 1 25 | 8 | 50 | 55 | 00 |
| C. stolonifera | _ | | | | | | |
| | ft | | 0 50 | | 50 | | 00 |
| | ft | | 0 70 | | 00 | 35 | 00 |
| - | ft | | 0 90 | - | 00 | | |
| var. aurea. | syn. Flaviramea | | | | | | |
| | ft | | 0 70 | | 00 | | 00 |
| | ft | | 0 90 | | 00 | | 00 |
| 4 to 5 | ft | | 1 25 | 8 | 50 | 55 | 00 |
| | | _ | | | | | |
| | C | orylus. | | | | | |
| Corvius Amer | ricana. Hazelnut. | | | | | | |
| | ft | | 0.70 | 5 | 00 | | |
| | ft | | 0 90 | | 00 | | |
| | ft | | $\overset{\circ}{1}$ $\overset{\circ}{25}$ | | 50 | | |
| | ft | | $\frac{1}{1} \frac{50}{50}$ | 12 | | | |
| | ft | | $\frac{1}{1} \frac{50}{75}$ | 15 | | | |
| | ft | | $\frac{1}{2} \frac{10}{00}$ | 10 | 00 | | |
| C. Avellana. | European Filbert | | | | | | |
| | ft | | 0 70 | 5 | 00 | | |
| | ft | | 0 90 | | 00 | | |
| | ft | | $\frac{0}{1} \frac{50}{50}$ | 12 | | | |
| | ft | | $\frac{1}{1} \frac{50}{75}$ | $1\overline{5}$ | | | |
| | ft | | $\frac{1}{2} \frac{10}{00}$ | 17 | | | |
| | 0 ft | | $\frac{2}{2} \frac{50}{50}$ | $\frac{1}{20}$ | | | |
| 0 10 1 | O 10 | , | _ 50 | -0 | 50 | | |

| Coryus Avellana. var. atropurpurea. The | | | | | | |
|--|-----------|-----------------|-----|-----------------|-------|----|
| | | ch. | Per | | Per : | |
| 2 to 3 ft | | | | 50 | \$70 | |
| 3 to 4 ft | *1 | 50 | 12 | 50 | 100 | 00 |
| var. laciniata. Delicately cut leaves. | | | | | | |
| 4 to 5 ft | | 00 | | | | |
| 5 to 6 ft | *2 | 50 | | | | |
| Cotoneaster acutifolia. 3 to 4 ft | -1 | 10 | 9 | 50 | | |
| C. Divaricata. | 1 | 10 | G | 90 | | |
| $1\frac{1}{2}$ to 2 ft | *1 | 25 | 10 | 00 | | |
| C. Foreolata. | | | | 0.0 | | |
| 1 to $1\frac{1}{2}$ ft | *1 | 25 | 10 | 00 | | |
| C. Racemiflora. | | | | | | |
| 2 to 3 ft | *1 | 00 | 7 | 50 | | |
| Crataegus : Haw | ho | rn | | | | |
| · · | 110 | I 11. | | | | |
| Crataegus coccinea. Scarlet Thorn. 2 to 3 ft | *0 | 90 | 7 | 00 | 45 | 00 |
| 3 to 4 ft | | $\frac{30}{25}$ | | 00 | _ | 00 |
| 4 to 5 ft | | 50 | | 00 | 00 | 00 |
| 5 to 6 ft | | 75 | | 50 | | |
| 6 to 7 ft | *2 | 25 | | 50 | | |
| C. Cordata. | | | | | | |
| 2 to 3 ft | | 30 | 7 | 00 | | |
| 3 to 4 ft | | 25 | | 00 | | |
| 4 to 5 ft., very bushy | | 75 | | 50 | | |
| C. Crus Galli. Cockspur Thorn. Bright | | | | 0.0 | | |
| 2 to 3 ft | _ | $\frac{25}{50}$ | _ | 00 | 00 | 00 |
| 3 to 4 ft | | $\frac{50}{75}$ | | $\frac{00}{50}$ | | 00 |
| 4 to 5 ft | | 50 | | 00 | 100 | 00 |
| C. oxycantha. English Hawthorn. | | 90 | 20 | 00 | | |
| 2 to 3 ft | *0 | 80 | - 6 | 00 | 40 | 00 |
| 3 to 4 ft | | 00 | _ | 50 | 10 | 00 |
| var. alba flore pleno. Double White Ha | | | - | - | | |
| 4 to 5 ft | *1 | 50 | 12 | 00 | | |
| 5 to 6 ft | *2 | 00 | 17 | 50 | | |
| 6 to 7 ft | | 50 | | | | |
| var. coccinea flore pleno. Paul's Double | | | | | | |
| 3 to 4 ft | *1 | 50 | 12 | 00 | | |
| Cydonia. | | | | | | |
| v | | | | | | |
| Cydonia Japonica. Japan Quince. $1\frac{1}{2}$ to 2 ft | ٥ | 50 | 9 | 50 | | |
| C. Japonica. var. rosea. Pink-flowering v | U zari | | o | 90 | | |
| 3 to 4 ft | | | 10 | 00 | | |
| 4 to 5 ft | *1 | | 12 | | | |
| C. Maulei. | _ | | ~- | | | |
| 2 to 3 ft | *1 | 00 | 7 | 50 | | |
| Daphne Mezereum. var. rubra. | | | | | | |
| 2 to $2\frac{1}{2}$ ft | *3 | 50 | 30 | 00 | | |

Deutzias.

| Deutzia gracilis. Dwarf Deutzia. | Each | . Per | 10. | Per 100. |
|---|---------------------------|----------|------|-----------|
| 1 to $1\frac{1}{2}$ ft | \$0.5 | 0 \$3 | 50 | \$27 50 |
| $1\frac{1}{2}$ to 2 ft | 0.6 | 0 4 | 50 | 30 00 |
| var. rosea. May. Single flowers. | | | | |
| $1\frac{1}{2}$ to 2 ft | 0 6 | 0 4 | 50 | 30 00 |
| 2 to 3 ft | 0.8 | 0 6 | 00 | 40 00 |
| var. Venusta. Single pinkish-white flow | ers. | | | |
| $1\frac{1}{2}$ to 2 ft | 0 6 | 0 4 | 50 | 30 00 |
| D. Lemoinei. Lemoine's Deutzia. | 0 0 | _ | 00 | 30 00 |
| $1\frac{1}{2}$ to 2 ft | 0 6 | 0 4 | 50 | 30 00 |
| 2 to 3 ft | 0.8 | | 00 | 40 00 |
| var. compacta. | 0 0 | 0 0 | 00 | 10 00 |
| 1 to 1½ ft | 0 4 | 0 3 | 00 | |
| $1\frac{1}{2}$ to 2 ft | 0.6 | - | 50 | 30 00 |
| 2 to $2\frac{1}{2}$ ft | 0.7 | | 00 | .35 00 |
| $2\frac{1}{2}$ to 3 ft | 0.8 | - | 00 | 40 00 |
| Deutzia scabra, var. candidissima, Doubl | | | | |
| 2 to 3 ft | 0.5 | 0 3 | 50 | $25 \ 00$ |
| 3 to 4 ft | 0.7 | 0 5 | 00 | 35 00 |
| 4 to 5 ft | 0.9 | 0 7 | 00 | 45 00 |
| 5 to 6 ft | 1 2 | 5 10 | 00 | |
| var. Pride of Rochester. Double pinkish | 1-wh | ite flow | ers. | |
| 2 to 3 ft | 0.5 | 0 3 | 50 | 25 00 |
| 3 to 4 ft | 0.7 | 0 5 | 00 | 35 00 |
| 4 to 5 ft | 0.9 | 0 7 | 00 | 45 00 |
| 5 to 6 ft | 1 2 | 5 10 | 00 | |
| var. rosea plena. Double Pink Deutzia. | | | | |
| 2 to 3 ft | 0.5 | - | 50 | 25 00 |
| 3 to 4 ft | 0.7 | | 00 | 35 00 |
| 4 to 5 ft | 0.9 | | 00 | 45 00 |
| 5 to 6 ft | 1 2 | 5 10 | 00 | |
| var. Wellsi. Double-white. | 0 0 | | 00 | |
| 4 to 5 ft | 0.9 | | 00 | |
| 5 to 6 ft | 1 2 | 9 10 | 00 | |
| Diervilla sessilifolia (lutea). | Λ (| 0 0 | 00 | |
| 2 to 3 ft | 0 8 | | 50 | |
| | $\frac{1}{1}$ | | 00 | |
| 4 to 5 ft | 1 4 | 9 | 00 | |
| 3 to 4 ft | 0.7 | 0 5 | 00 | 35 00 |
| 4 to 5 ft | 1 0 | | 50 | 50 00 |
| 5 to 6 ft | $\frac{1}{1} \frac{0}{2}$ | | 00 | 65 00 |
| 6 to 8 ft | $\frac{1}{2} \frac{1}{0}$ | | 00 | 00 00 |
| E. longipes. syn. edulis. Japanese Oleast | | 0 10 | 00 | |
| $1\frac{1}{2}$ to 2 ft | 0 7 | 0 5 | 00 | |
| 2 to 3 ft | 0.9 | | 00 | 45 00 |
| 3 to 4 ft | 1 1 | | 50 | |
| 4 to 5 ft | 1 5 | 0 12 | 00 | |
| 5 to 6 ft | 1 7 | 5 15 | 00 | |
| | | | | |

Five or more plants of any one variety and size at the price per 10. 25 or more at price per 100.

| Enl | | |
|-----|--|--|
| | | |

| | Per 1 | 100. |
|---|---|---|
| 2 to 3 ft | | |
| 3 to 4 ft*2 50 20 00 E, Perulatus. | | |
| $1\frac{1}{2}$ to 2 ft | | |
| 2 to 3 ft | | |
| 2 to 9 ft 2 00 | | |
| Euonymus. | | |
| Euonymus alatus. Cork-barked Euonymus. | | |
| 2 to 3 ft*1 25 10 00 | | |
| 3 to 4 ft*1 75 13 50 | | |
| 6 to 7 ft., very bushy.* | | |
| E. americanus. 2 to 3 ft*0 75 6 00 | | |
| 3 to 4 ft | | |
| E. Bungeanus. Yellow fruits. | | |
| 2 to 3 ft | | |
| 3 to 4 ft 0 80 6 00 | | |
| 4 to 5 ft | | |
| | | |
| Exochorda. | | |
| Exochorda grandiflora. Pearl Bush. | | |
| 2 to 3 ft | \$40 | 00 |
| 3 to 4 ft | 50 | |
| 4 to 5 ft | 65 | |
| | | |
| Golden Bells : Forsythia. | | |
| Golden Bells . 1015y lina. | | |
| Forsythia intermedia. | | |
| Forsythia intermedia. 2 to 3 ft | 25 | |
| Forsythia intermedia. 2 to 3 ft | 35 | 00 |
| Forsythia intermedia. 2 to 3 ft | 35 | |
| Forsythia intermedia. 2 to 3 ft | $\begin{array}{c} 35 \\ 45 \end{array}$ | 00 |
| Forsythia intermedia. 2 to 3 ft | $\frac{35}{45}$ | $\begin{array}{c} 00 \\ 00 \\ 50 \end{array}$ |
| Forsythia intermedia. 2 to 3 ft | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft | $\frac{35}{45}$ | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft. | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft. 0 50 3 50 3 50 4 ft. 0 70 5 00 4 to 5 ft. 0 90 7 00 5 00 5 00 5 00 5 00 5 00 5 00 | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft. 0 50 3 50 3 50 4 tt. 0 70 5 00 4 to 5 ft. 0 90 7 00 5 00 4 to 5 ft. 0 90 7 00 5 00 5 00 5 00 5 00 5 00 5 00 | 35 45 27 35 | 00 00 50 00 |
| Forsythia intermedia. 2 to 3 ft. | 35 45 27 35 45 | 00 00 50 00 00 |
| Forsythia intermedia. 2 to 3 ft. 0 50 3 50 3 50 4 tt. 0 70 5 00 4 to 5 ft. 0 90 7 00 5 00 4 to 5 ft. 0 50 3 50 3 50 50 5 00 6 00 4 to 5 ft. 0 50 3 50 3 50 5 00 6 00 4 50 5 00 6 00 6 00 6 00 6 | 35 45 27 35 45 25 | 00 00 50 00 00 |
| Forsythia intermedia. 2 to 3 ft. | 35 45 27 35 45 | 00 00 50 00 00 |
| Forsythia intermedia. 2 to 3 ft. 0 50 3 50 3 50 4 tt. 0 70 5 00 4 to 5 ft. 0 90 7 00 5 00 4 to 5 ft. 0 50 3 50 3 50 50 5 00 6 00 4 to 5 ft. 0 50 3 50 3 50 5 00 6 00 4 50 5 00 6 00 6 00 6 00 6 | 35 45 27 35 45 25 | 00 00 50 00 00 |

Halesia.

2 to 3 ft..... \$1 00

Halesia Caroliniana (Tetraptera).

Each Per 10.

\$7 50

Per 100.

\$50 00

| 4 to 5 ft | |
|--|--|
| 5 to 6 ft 1 0 | 0 10 00 |
| Hamamelis. | |
| Hamamelis Virginica. Witch Hazel, | |
| 3 to 4 ft 1 0 | |
| 4 to 5 ft 1 2 | $5 \qquad 9 \ 00 \qquad 60 \ 00$ |
| 5 to 6 ft 1 5 | 0 12 00 75 00 |
| Rose of Sharon or Althea : Hibi | scus Syriacus. |
| | |
| Prices of all varieties are as follows: | |
| Prices of all varieties are as follows: $1\frac{1}{2}$ to 2 ft | |
| $-1\frac{1}{2}$ to 2 ft | 5 3 50 22 00 |
| $-1\frac{1}{2}$ to 2 ft | 5 3 50 22 00 0 4 50 30 00 |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 3 50 22 00 0 4 50 30 00 0 6 00 40 00 |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 3 50 22 00 0 4 50 30 00 0 6 00 40 00 5 8 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 3 50 22 00 60 4 50 30 00 60 6 00 40 00 65 8 50 60 13 50 |
| $ \begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 3 50 22 00 10 4 50 30 00 10 6 00 40 00 15 8 50 10 13 50 10 e enumerated after the |

Amplissima. Large, double flowers; lilac-pink. 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.
Ardens. Double; "Lilac," carmine center. 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Boule de Feu. Double; deep violet-pink. 1½ to 2 ft.; 2 to 3 ft. 3 to 4 ft.

Coelestis. Double; violet-blue. $1\frac{1}{2}$ to 2 ft.; 2 to 3 ft.; 3 to 4 ft. Comte de Haimont. Large, semi-double; pale pink. $1\frac{1}{2}$ to 2 ft.; 2 to 3 ft.

Double Rouge. Double; dark bluish-pink. 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.; 5 to 6 ft.

Duc de Brabant. Reddish lilac. 3 to 4 ft.

Duchess de Brabant. Similar to "Amplissima." 2 to 3 ft.; 3 to 4 ft. Duc de Bretagne. Large, double; pale pink. 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Folia variegata. Leaves have silvery markings. 4 to 5 ft. Glenwood Favorite. Single white. 2 to 3 ft.; 3 to 4 ft.

Joan of Arc. Double white. 2 to 3 ft.; 3 to 4 ft.

Lady Stanley. Medium, semi-double, pink. 2 to 3 ft.; 3 to 4 ft.

Mechani. Deep lilac with carmine centre. Variegated foliage.

2 to 3 ft.

Paeoniflora. White, semi-double. $1\frac{1}{2}$ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Rubis. Dark violet-pink. 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.

Totus albus simplex. Very large, single, pure white. $1\frac{1}{2}$ to 2 ft.; 2 to 3 ft.

Van Houttei. Double white with red center. 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.; 5 to 6 ft.

Hydrangea.

| Hydrangea arborescens. White flowers in July. | | |
|--|----------|----------|
| Each. | Per 10. | Per 100. |
| 3 to 4 ft \$0 90 | \$7 00 | |
| 4 to 5 ft | 8 50 | |
| var. grandiflora sterilis. Hills of Snow. | | |
| 2 to 3 ft *0 70 | 5 00 | \$35 00 |
| 3 to 4 ft*1 00 | 7 50 | 50 00 |
| H. Bretschneideri; syn. H. vestita or Pekinensis | | |
| 2 to 3 ft 0 90 | 7 00 | |
| 3 to 4 ft 1 25 | 8 50 | |
| H. Hortensis. var. Otaksa. Pink flowers. | | |
| 5 and 6-inch pots *1 00 | 7 50 | |
| H. paniculata. Open cluster of white flowers. | | |
| 2 to 3 ft 0 80 | 6 00 | |
| 3 to 4 ft 1 00 | 7 50 | |
| 5 to 6 ft | 15 00 | |
| H. paniculata. var. grandiflora. Great panicled | l Hydran | gea. |
| $1\frac{1}{2}$ to 2 ft*0 60 | 4 50 | 30 00 |
| 2 to 3 ft*0 80 | 6 00 | 40 00 |
| 3 to 4 ft*1 00 | 7 50 | |
| H. quercifolia. Oak-leaved Hydrangea. | | |
| $1\frac{1}{2}$ to 2 ft | 7 50 | 60 00 |
| 2 to 3 ft 1 25 | 10 00 | 75 00 |
| 3 to 4 ft 1 50 | 12 50 | |
| | | |



Leaves and flowers of the Oak-leaved Hydrangea. A beautiful shrub with beautiful autumnal foliage. Quite rare, but worthy of planting on every lawn.

$\label{eq:hypericum} \textbf{Hypericum} \quad : \quad \textbf{St. John's Wort}.$

| * - | 11 0 | | | | |
|--|--|---|--|--|-------------------------|
| Hypericum aureum. Lemon-yellow flower | rs. | | | | |
| | | ch. | \mathbf{Per} | 10. | Per 100. |
| $1\frac{1}{2}$ to 2 ft | | | \$4 | | \$30 00 |
| H. galioides. Yellow flowers. | φυ | 00 | ΨΙ | 00 | φ80 00 |
| 2 to 3 ft | 0 | 80 | 6 | 00 | 40 00 |
| H. Kalmianum. Lemon-yellow. | | - | | 00 | 20 00 |
| 2 to 3 ft | 0 | 70 | 5 | 00 | $35 \ 00$ |
| | | | | | |
| | | | | | |
| Ilex. | | | | | |
| llex Serrata, var. Sieboldi. | | | | | |
| 2 to 3 ft | *9 | 00 | | | |
| llex verticillata. Black Alder or Winterbe | | | | | |
| $1\frac{1}{2}$ to 2 ft | | 50 | 4 | 00 | $32 \ 50$ |
| 2 to 3 ft | | 90 | | 00 | 45 00 |
| 3 to 4 ft | | 00 | | 50 | 55 00 |
| Itea Virginica. Virginian Willow. | | | - | | |
| 1 to $1\frac{1}{2}$ ft | 0 | 40 | 3 | 00 | $20 \ 00$ |
| $1\frac{1}{2}$ to $\tilde{2}$ ft | 0 | 60 | 4 | 50 | 30 00 |
| Jasminum nudiflorum. Yellow Jasmine. | | | | | |
| $1\frac{1}{2}$ to 2 ft | *0 | 70 | 5 | 00 | |
| Kerria Japonica. Single, orange-colored | flow | ers. | | | |
| 2 to 3 ft | *0 | 80 | 6 | 00 | |
| Laburnum Vulgaris. (Golden Chain.) | | | | | |
| 4 to 5 ft | *1 | 50 | 12 | 50 | |
| | | | | | |
| | | | | | |
| 5 7 | | | | | |
| Privet : Ligust | run | 1. | | | |
| | | | | | |
| Privet : Ligust | | | into | glol | oe shape |
| Ligustrum Amurense. Northern type. T | 'rim | med | | | pe shape |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. (Dug with ball) | 'rim *1 | med 25 | 10 | 00 | oe shape |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. \ Dug with ball \ 1½ to 2 ft. x 1½ to 2 ft. \ of earth \ \ \} | 'rim *1 | med | | 00 | oe shape |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. Dug with ball ly 1½ to 2 ft. x 1½ to 2 ft. of earth L. ciliatum. syn. medium. | 'rim *1 *1 | 25 60 | 10 13 | 00 50 | oe shape |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. Dug with ball 1½ to 2 ft. x 1½ to 2 ft. of earth L. ciliatum. syn. medium. 2 to 3 ft | 'rim *1 *1 | 25 60 50 | 10 13 | 00 50 50 | oe shape |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. Dug with ball 1½ to 2 ft. x 1½ to 2 ft. of earth L. ciliatum. syn. medium. 2 to 3 ft | 'rim *1 *1 | 25 60 | 10 13 | 00 50 | oe shape |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. Dug with ball 1½ to 2 ft. x 1½ to 2 ft. of earth L. ciliatum. syn. medium. 2 to 3 ft | *1 *1 0 0 | 25 60 50 70 | 10 13 3 5 | 00 50 50 | |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to $1\frac{1}{2}$ ft. x 1 to $1\frac{1}{2}$ ft. { Dug with ball } $1\frac{1}{2}$ to 2 ft. x $1\frac{1}{2}$ to 2 ft. { of earth } L. ciliatum. syn. medium. 2 to 3 ft | *1 *1 0 0 | 25 60 50 70 45 | 10 13 3 5 | 00 50 50 50 00 | pe shape |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } { L. ciliatum. syn. medium. 2 to 3 ft. 3 to 4 ft. L. lbota. One of the most hardy kinds. 2 to 3 ft. 3 to 4 ft. 3 to 4 ft. | *1 *1 0 0 | 25 60 50 70 45 60 | 10 13 3 5 3 4 | 00 50 50 00 50 50 | 22 50 |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } { L. ciliatum. syn. medium. 2 to 3 ft. 3 to 4 ft. L. Ibota. One of the most hardy kinds. 2 to 3 ft. 3 to 4 ft. var. Regelianum. More hardy than the | *1 *1 0 0 | 25 60 50 70 45 60 | 10 13 3 5 3 4 | 00 50 50 00 50 50 | 22 50 |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } L. ciliatum. syn. medium. 2 to 3 ft. 3 to 4 ft. L. Ibota. One of the most hardy kinds. 2 to 3 ft. 3 to 4 ft. var. Regelianum. More hardy than the an attractive, distinctive hedge. | 'rim *1 *1 0 0 Cal | 25 60 50 70 45 60 iforn | 10 13 3 5 3 4 ia Ptr | 00 50 50 00 50 50 50 vivet. | 22 50 Makes |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } { L. ciliatum. syn. medium. 2 to 3 ft. 3 to 4 ft. L. Ibota. One of the most hardy kinds. 2 to 3 ft. 3 to 4 ft. var. Regelianum. More hardy than the | 'rim *1 *1 0 0 Cal | 25 60 50 70 45 60 iforn | 10 13 3 5 3 4 ia Ptr | 00 50 50 00 50 50 | 22 50 Makes |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } L. ciliatum. syn. medium. 2 to 3 ft. 3 to 4 ft. L. Ibota. One of the most hardy kinds. 2 to 3 ft. 3 to 4 ft. var. Regelianum. More hardy than the an attractive, distinctive hedge. | 'rim *1 *1 0 0 Cal | 25 60 50 70 45 60 iforn | 10 13 3 5 3 4 ia Ptr | 00 50 50 00 50 50 50 vivet. | 22 50 Makes |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } L. ciliatum. syn. medium. 2 to 3 ft | *1 *1 0 0 Cal *0 | 25 60 50 70 45 60 iforn | 10 13 3 5 3 4 ia Ptr | 00 50 50 00 50 50 50 vivet. | 22 50 Makes |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } { L. ciliatum. syn. medium. 2 to 3 ft. 3 to 4 ft. L. Ibota. One of the most hardy kinds. 2 to 3 ft. 3 to 4 ft. var. Regelianum. More hardy than the an attractive, distinctive hedge. 2 to 3 ft. California Prive | *1 *1 0 0 Cal *0 | 25 60 50 70 45 60 iforn | 10 13 3 5 3 4 ia Ptr | 00 50 50 00 50 50 50 vivet. | 22 50 Makes |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } L. ciliatum. syn. medium. 2 to 3 ft | *1 *1 0 0 Cal *0 Cal | 25 60 50 70 45 60 iforn | 10 13 3 5 3 4 4 ia Ptr 4 | 00 50 50 00 50 50 50 rivet. | 22 50 Makes 30 00 |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } { L. ciliatum. syn. medium. 2 to 3 ft | *1 *1 0 0 0 Cal *0 et. | 25 60 50 70 45 60 iform 60 | 10 13 3 5 3 4 4 ia Ptr 4 | 00 50 50 00 50 50 ivet. | 22 50 Makes 30 00 |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } { L. ciliatum. syn. medium. 2 to 3 ft | *1 *1 0 0 Cal *0 *2 *4 *5 *6 *6 *7 *7 *7 *7 *7 *7 *7 *7 *7 *7 *7 *7 *7 | 25 60 50 70 45 60 iforn 60 | 10 13 3 5 3 4 4 ia Ptr 4 | 00 50 50 00 50 50 50 rivet. | 22 50 Makes 30 00 |
| Ligustrum Amurense. Northern type. Tor formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. } of earth } L. ciliatum. syn. medium. 2 to 3 ft | *1 *1 0 0 Cal *0 *2 *4 *0 *1 *1 *1 *1 *1 *1 *1 *1 *1 | med 25 60 50 70 45 60 iforn 60 25 35 as. | 10 13 3 5 3 4 ia Ptr 4 | 00 50 50 50 50 50 50 rivet. 50 | 22 50 Makes 30 00 |
| Ligustrum Amurense. Northern type. To for formal planting. 1 to 1½ ft. x 1 to 1½ ft. { Dug with ball } 1½ to 2 ft. x 1½ to 2 ft. { of earth } { L. ciliatum. syn. medium. 2 to 3 ft | *1 *1 0 0 0 0 Call *0 *0 *0 *1 | 25 60 50 70 45 60 iforn 60 | 10 13 3 5 3 4 4 ia Ptr 4 | 00 50 50 50 50 50 50 50 rivet. 50 | 22 50 Makes 30 00 |

Honeysuckle : Lonicera.

| Honeysuckle : | Lonice | era. | | | |
|---|-------------|----------|--------------|------------|----------|
| Lonicera bella albida. White flowers, | followe | d by sca | arlet | fruits. | |
| | Eac | ch. Pe | r 10. | Per 1 | 00. |
| 2 to 3 ft | \$0 | 50 \$3 | 3 50 | \$25 | 00 |
| 3 to 4 ft | 0 | 70 | 5 00 | 35 | 00 |
| 4 to 5 ft | | 90 ′ | 7 00 | 45 | 00 |
| Lonicera fragrantissima. April. | | | | | |
| 2 to 3 ft | *0 | 60 | £ 50 | 30 | 00 |
| 3 to 4 ft | *0 | 80 | 3 00 | | |
| L. Involucrata. var. Serotina. | | | | | |
| 1 to $1\frac{1}{2}$ ft | *0 | 40 | 3 00 | | |
| 3 to 4 ft | *1 | 00 | 7 50 | | |
| L. Morrowi. Japanese Bush Honeysu | | Iay. | | | |
| 2 to 3 ft | | | £ 50 | 30 | 00 |
| 3 to 4 ft | 0 | 80 | 3 00 | | |
| L. Multiflora. | | | | | |
| 2 to 3 ft | | | 3 00 | ` | |
| 3 to 4 ft | | | 7 50 | | |
| 6 to 7 ft | | | 3 50 | | |
| L. Tatarica (rubra). Tartarian Honey | suckle. | Fragra | nt, p | ink, cri | m- |
| son or blush flowers. | ^ | | | 0= | |
| 2 to 3 ft | | | 4 00 | 27 | 50 |
| 3 to 4 ft | | | 5 00 | | |
| L. Tatarica. var. alba. Erect, bearin | | | | 20 | 00 |
| 2 to 3 ft | | | 4 00 | 3 0 | 00 |
| 3 to 4 ft | | • | 5 00 7 50 | | |
| 4 to 5 ft | | | 1 90 | | |
| var. grandiflora. Erect; double pin | | | 4 00 | 97 | 50 |
| 2 to 3 ft | | | 5 00 | | 50 00 |
| 5 to ± 1t | • • • • • • | 10 | 9 00 | ออ | UU |
| Myrica | | | | | |
| Myrica Cerifera. Wax Myrtle. Value | | seasho | re nl | anting | |
| 2 to 3 ft | | | 600 | | 00 |
| 3 to 4 ft | | | 7 50 | | 00 |
| Myrica Gale. Bayberry. | | 00 | . 50 | 90 | 00 |
| 2 to 3 ft | 1 | 00 | 7 50 | | |
| _ 00 0 10000000000000000000000000000000 | | | . 50 | | |
| Mock Orange or F | hilade | lphus. | | | |
| Philadelphus coronarius. Garland Mo | ck Orar | nge. Sli | ghtly | fragra | int. |
| white flowers. | | _ | | Ü | |
| 3 to 4 ft | 0 | 70 | 5 00 | 35 | -00 |
| 4 to 5 ft | 1 | 00 | 7 50 | 50 | -00 |
| var. folius aureus. Golden Mock O | range. | Golden | folia | ge, bri | ght |
| all Summer. | | | | | |
| 1 to $1\frac{1}{2}$ ft | | | 4 50 | | |
| $\frac{1}{2}$ to 2 ft | | | 6 00 | | |
| 2 to 3 ft | | | 7 50 | 50 | 00 |
| var. primulæflorus. Large, almost | | | 4 =0 | 0.0 | 00 |
| 2 to 3 ft | | | 4 50 | | 00 |
| 3 to 4 ft | 0 | 80 | 6 00 | 40 | 00 |
| We make no additional charge for | no alsin | m on to | 4 h a | | 1. |

We make no additional charge for packing as is the case with many nurserymen. All prices f, o, b, our station.

| Philadelphus Falconeri. Slightly fragrant white flowers. |
|--|
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c} 3 \text{ to } 4 \text{ ft.} & 0 70 5 00 35 00 \\ 4 \text{ to } 5 \text{ ft.} & 1 00 7 50 50 00 \\ 6 \text{ to } 7 \text{ ft.} & 2 00 15 00 \\ \hline \\ P. \text{ grandiflora. Common Mock Orange.} \\ 2 \text{ to } 3 \text{ ft.} & 0 50 3 50 25 00 \\ 3 \text{ to } 4 \text{ ft.} & 0 70 5 00 35 00 \\ 4 \text{ to } 5 \text{ ft.} & 1 00 7 50 50 00 \\ 4 \text{ to } 5 \text{ ft.} & 1 00 7 50 50 00 \\ \hline \\ P. \text{ laxus. Strong grower; large, fragrant flowers.} \\ 2 \text{ to } 3 \text{ ft.} & 0 50 3 50 25 00 \\ 3 \text{ to } 4 \text{ ft.} & 0 70 5 00 35 00 \\ \hline \\ 4 \text{ to } 5 \text{ ft.} & 1 00 7 5 0 50 00 \\ \hline \\ 3 \text{ to } 4 \text{ ft.} & 0 70 5 00 35 00 \\ \hline \\ 4 \text{ to } 5 \text{ ft.} & 1 00 7 5 0 50 00 \\ \hline \\ 6 \text{ to } 7 \text{ ft.} & 2 00 \\ \hline \\ P. \text{ Lemoinei. June. Small white flowers.} \\ 2 \text{ to } 3 \text{ ft.} & 0 70 5 00 35 00 \\ \hline \\ 3 \text{ to } 4 \text{ ft.} & 0 90 7 00 \\ \hline \\ \text{var. Avalanche. Showy white, fragrant flowers.} \\ \hline \\ 1 \frac{1}{2} \text{ to } 2 \text{ ft.} & 0 50 3 50 25 00 \\ \hline \\ 2 \text{ to } 3 \text{ ft.} & 0 70 5 00 35 00 \\ \hline \\ \text{var. Candelabre.} \\ \hline \\ 1 \frac{1}{2} \text{ to } 2 \text{ ft.} & 0 50 3 50 \\ \hline \\ 2 \text{ to } 3 \text{ ft.} & 0 70 5 00 35 00 \\ \hline \\ \text{var. erectus. Small leaves; flowers small; slightly fragrant.} \\ \hline \\ 1 \frac{1}{2} \text{ to } 2 \text{ ft.} & 0 50 3 50 \\ \hline \\ 2 \text{ to } 3 \text{ ft.} & 0 70 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 \\ \hline \\ \text{var. Mont Blanc. One of the best; fragrant flowers.} \\ \hline \\ 1 \frac{1}{2} \text{ to } 2 \text{ ft.} & 0 50 3 50 25 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 50 3 50 25 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 00 35 00 \\ \hline \\ \text{3 to } 4 \text{ ft.} & 0 90 7 00 5 $ |
| $\begin{array}{c} 4 \text{ to } 5 \text{ ft.} & 100 & 750 & 500 \\ 6 \text{ to } 7 \text{ ft.} & 200 & 1500 \\ \end{array}$ P. grandiflora. Common Mock Orange. $\begin{array}{c} 2 \text{ to } 3 \text{ ft.} & 050 & 350 & 2500 \\ 3 \text{ to } 4 \text{ ft.} & 070 & 500 & 3500 \\ 4 \text{ to } 5 \text{ ft.} & 100 & 750 & 500 \\ 3 \text{ to } 4 \text{ ft.} & 070 & 500 & 3500 \\ 4 \text{ to } 5 \text{ ft.} & 100 & 750 & 500 \\ \end{array}$ P. laxus. Strong grower; large, fragrant flowers. $\begin{array}{c} 2 \text{ to } 3 \text{ ft.} & 050 & 350 & 2500 \\ 3 \text{ to } 4 \text{ ft.} & 070 & 500 & 3500 \\ 4 \text{ to } 5 \text{ ft.} & 100 & 750 & 500 \\ 3 \text{ to } 4 \text{ ft.} & 070 & 500 & 3500 \\ 4 \text{ to } 5 \text{ ft.} & 100 & 750 & 500 \\ 5 \text{ to } 7 \text{ ft.} & 200 \\ \end{array}$ P. Lemoinei. June. Small white flowers. $\begin{array}{c} 2 \text{ to } 3 \text{ ft.} & 090 & 700 \\ 2 \text{ to } 3 \text{ ft.} & 090 & 700 \\ \end{array}$ var. Avalanche. Showy white, fragrant flowers. $\begin{array}{c} 1\frac{1}{2} \text{ to } 2 \text{ ft.} & 050 & 350 \\ 2 \text{ to } 3 \text{ ft.} & 070 & 500 & 3500 \\ \end{array}$ var. Candelabre. $\begin{array}{c} 1\frac{1}{2} \text{ to } 2 \text{ ft.} & 050 & 350 \\ 2 \text{ to } 3 \text{ ft.} & 070 & 500 & 3500 \\ \end{array}$ var. erectus. Small leaves; flowers small; slightly fragrant. $\begin{array}{c} 1\frac{1}{2} \text{ to } 2 \text{ ft.} & 050 & 350 \\ 2 \text{ to } 3 \text{ ft.} & 070 & 500 & 3500 \\ \end{array}$ var. Mont Blanc. One of the best; fragrant flowers. $\begin{array}{c} 1\frac{1}{2} \text{ to } 2 \text{ ft.} & 090 & 700 \\ \end{array}$ var. Mont Blanc. One of the best; fragrant flowers. $\begin{array}{c} 1\frac{1}{2} \text{ to } 2 \text{ ft.} & 050 & 350 & 2500 \\ 3 \text{ to } 4 \text{ ft.} & 090 & 700 \\ \end{array}$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| P. grandiflora. Common Mock Orange. |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| P. laxus. Strong grower; large, fragrant flowers. 2 to 3 ft. |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| var. Avalanche. Showy white, fragrant flowers. $1\frac{1}{2}$ to 2 ft. 0 50 3 50 25 00 25 00 35 00 2 to 3 ft. 0 70 5 00 35 00 var. Candelabre. $1\frac{1}{2}$ to 2 ft. 0 50 3 50 20 35 00 35 00 35 00 var. erectus. Small leaves; flowers small; slightly fragrant. $1\frac{1}{2}$ to 2 ft. 0 50 3 50 35 00 3 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| var. erectus. Small leaves; flowers small; slightly fragrant. $1\frac{1}{2}$ to 2 ft. 0 50 3 50 2 to 3 ft. 0 70 5 00 35 00 3 to 4 ft. 0 90 7 00 var. Mont Blanc. One of the best; fragrant flowers. $1\frac{1}{2}$ to 2 ft. 0 50 3 50 25 00 2 to 3 ft. 0 70 5 00 35 00 3 to 4 ft. 0 90 7 00 45 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 2 to 3 ft |
| 3 to 4 ft 0 90 7 00 45 00 |
| |
| P. Lewisii (Cordifolius). Flowers large and fragrant. |
| |
| 2 to 3 ft 0 50 3 50 25 00 |
| 3 to 4 ft 0 70 5 00 35 00 |
| 4 to 5 ft |
| 5 to 6 ft 1 25 10 00 |
| P. nepalensis. White flowers. Not fragrant. |
| 3 to 4 ft 0 70 5 00 |
| 4 to 5 ft 1 00 7 50 |
| P. Pubescens. Large handsome leaves and scentless flowers. |
| 6 to 7 ft |
| 7 to 8 ft |
| var. Souvenir de Billardi. |
| 2 to 3 ft |
| 3 to 4 ft |
| 4 to 5 ft |
| 1 10 0 11 1 00 1 00 |
| Potentilla. |
| |
| Potentilla fruticosa. Shrubby Cinquefoil. |
| $1\frac{1}{2}$ to 2 ft 0 60 4 50 30 00 |
| 2 to 3 ft 0 80 6 00 40 00 |

Do not confuse us with jobbers—who buy and sell. We grow our stock and know its merits when we catalog it.

Prunus.

| Prunus Besseyi. Good for sandy soils. 4 to 5 ft | | Per 10. \$10 00 | Per 100. |
|--|---|---|-------------------------|
| Prunus cerasifera var. Pissardi. Purple-le 5 to 6 ft | *1 50 | Plum. 12 50 15 00 | |
| Ptelea trifoliata. Clusters of white flower 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | rs. 0 40 0 70 0 90 | 3 00 5 00 7 00 | \$35 00 |
| Rhamnus. | | | |
| Rhamnus caroliniana. Indian Cherry. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | 0 60 0 90 1 10 | 4 50 7 00 9 00 | |
| R. catharticus. Buckthorn. 2 to 3 ft | $\begin{array}{c} 0 & 40 \\ 0 & 60 \end{array}$ | $\begin{array}{c} 3 & 00 \\ 4 & 50 \end{array}$ | 20 00 30 00 |
| R. Frangula. Red berries, changing to bl. 4 to 5 ft | ack. 0 70 | 5 00 | 35 00 |
| Rhodora Canadensis. 1½ to 2 ft | *2 00 *2 50 | $17 50 \\ 20 00$ | |
| Rhodotypus kerroides. White Kerria. B 2 to 3 ft | 0 60 | rries. 4 50 6 00 | 30 00 |
| Rhus : Sumacs and I | Mist T | 'ree. | |
| Rhus canadensis. syn. aromatica. Fragr 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | eant Sur 0 75 1 00 1 25 | mac. 6 00 7 50 9 00 | 50 00 |
| R. Copalina. Black Sumac. 2 to 3 ft | 0 75 0 90 1 10 1 35 | 6 00 7 00 8 50 10 00 | 40 00 70 00 |
| 6 to 8 ft | 1 75 | 12 50 | 35 00 45 00 55 00 |

| MOON S SHRU | BS. | | |
|--|--|---|---|
| Rhus glabra. Smooth Sumac. 3 to 4 ft | 0 90 1 25 0 70 0 80 | Per 10. \$5 00 7 00 8 50 5 00 6 00 10 00 | Per 100. \$35 00 45 00 55 00 35 00 40 00 |
| Flowering Currants | : Ribe | s. | |
| Ribes Alpinum. 1½ to 2 ft. 2 to 3 ft. R. floridum; syn. Americana. Wild Black followed by black fruits. 2 to 3 ft. 3 to 4 ft. | . 0 80 k Currant . 0 50 | 4 50 6 00 Yellow 3 50 5 00 | flowers, 25 00 35 00 |
| Robinia. | | | |
| Robinia Hispida. Rose Acacia. Rose-co | | vers in M 7 50 | ay. |
| Rubus. | | | |
| Rubus odoratus. Flowering Raspberry. | Large ro | se-purple 7 50 | flowers. |
| Elder : Samb | ucus. | | |
| Sambucus canadensis. Common Elder. 3 to 4 ft | . 0 80 . 1 25 . 0 70 . 0 90 . 0 50 . 0 60 . 0 80 . 1 25 . 0 90 . 1 25 . 1 60 | 4 50 6 00 9 00 5 00 6 00 3 50 4 50 6 00 9 00 7 00 9 00 12 50 9 00 | 30 00 40 00 60 00 30 00 40 00 60 00 |
| Sorbaria arborea. 4 to 5 ft | . *1 50 | | |
| 2 00 0 20111111111111111111111111111111 | 50 | | |

Five or more plants of any one variety and size at price per 10. 25 or more at price per 100.

Spirea.

| Spirea albiflora. White flowers in June Each. | Per 10. | Per 100. |
|---|-----------------------------|----------------|
| 1 to $1\frac{1}{2}$ ft | \$3 00 | \$20 00 |
| $1\frac{1}{2}$ to $\bar{2}$ ft | 3 50 | 25 00 |
| 2 to 3 ft 0 70 | 5 00 | $35 \ 00$ |
| S. arguta. Innumerable small white flowers. | | |
| $1\frac{1}{2}$ to 2 ft | 3 50 | |
| 2 to 3 ft 0 60 | 4 50 | 30 00 |
| 3 to 4 ft 0 80 | 6 00 | 40 00 |
| 4 to 5 ft 1 00 | 7 50 | |
| S. Billiardii. Dense spikes of rose-pink flowers. | | |
| 2 to 3 ft 0 40 | 3 00 | $20 \ 00$ |
| 3 to 4 ft 0 60 | 4 50 | 30 00 |
| 4 to 5 ft 0 80 | 6 00 | 40 00 |
| 5 to 6 ft 1 00 | 7 50 | |
| var. alba. | | |
| 2 to 3 ft 0 40 | 3 00 | 20 00 |
| 3 to 4 ft 0 60 | 4 50 | 30 00 |
| 4 to 5 ft 0 80 | 6 00 | 40 00 |
| S. Bumalda. Flat clusters of rose-colored flower | s. | |
| 2 to $2\frac{1}{2}$ ft | 6 00 | |
| var. Anthony Waterer. | | |
| 1 to $1\frac{1}{2}$ ft | 3 50 | $25 \ 00$ |
| $1\frac{1}{2}$ to $\bar{2}$ ft | 4 50 | 30 00 |
| 2 to 3 ft 0 80 | 6 00 | 40 00 |
| S. callosa. syn. Japonica. Pinkish white flowe | rs in June. | |
| 1 to $1\frac{1}{2}$ ft 0 40 | 3 00 | $20 \ 00$ |
| $1\frac{1}{2}$ to 2 ft 0 50 | $3 \ 50$ | 25 00 |
| 2 to 3 ft 0 70 | $5 \ 00$ | $35 \ 00$ |
| S. Carpinifolia. White spikes of bloom. | | |
| 4 to 5 ft 0 80 | 6 00 | |
| 5 to 6 ft 1 00 | 7 50 | |
| S. Douglasii. Douglas Spirea. Flowers in slend | | |
| 2 to 3 ft 0 50 | 3 50 | 25 00 |
| 3 to 4 ft 0 60 | 4 50 | 30 00 |
| 4 to 5 ft 0 80 | 6 00 | 40 00 |
| S. Fortunei. | = 00 | |
| 3 to 4 ft | 5 00 | |
| S. nipponica rotundifolia. | = 00 | 95 00 |
| 2 to 3 ft | 5 00 | 35 00 |
| S. opulifolia. (Opulaster opulifolia.) Familiarly | known as N | inebark. |
| White flowers in flat clusters. | 3 50 | 25 00 |
| 2 to 3 ft | 5 00 | 25 00 35 00 |
| 4 to 5 ft | $\frac{5}{7} \frac{50}{50}$ | 50 00 |
| | 10 00 | 90 00 |
| | 10 00 | |
| var. aurea. Bright golden leaves. 3 to 4 ft | 5 00 | 35 00 |
| 4 to 5 ft | $\frac{5}{7} \frac{00}{00}$ | 45 00 |
| 5 to 6 ft | 9 00 | 60 00 |
| S. Prunifolia flore pleno. Bridal Wreath. | <i>5</i> 00 | 00 00 |
| 1 $\frac{1}{2}$ to 2 ft | 3 50 | 25 00 |
| 2 to 3 ft | 5 00 | 35 00 |
| 3 to 4 ft | 6 00 | 40 00 |
| 2 22 2 2000 | 2 20 | _0 00 |

| Spirea Reevesiana. syn. cantoniensis. 2 to 3 ft | Each. \$0 60 0 80 | Per 10. \$4 50 6 00 | Per 100. \$30 00 40 00 |
|--|----------------------------------|---------------------------|------------------------------|
| var. flore pleno.Double white flowers. $1\frac{1}{2}$ to 2 ft2 to 3 ft3 to 4 ft | 0 45 0 60 0 80 | 3 00 4 50 6 00 | 30 00 |
| S. salicifolia. Willow-leaved Spirea. For flower panicles. 2 to 3 ft | 0 40 0 60 0 80 | 3 00 4 50 6 00 | White 20 00 40 00 |
| S. Shrabeski. 2 to 3 ft | 0 70 | 5 00 | 35 00 |
| S. Thunbergii. Thunberg's Spirea. Small $1\frac{1}{2}$ to 2 ft | white 0 50 0 70 | flowers. 3 50 5 00 | |
| S. tomentosa. Hardhack. 2 to 3 ft | 0 60 0 70 0 80 | 4 50 5 00 6 00 | |
| S. Trilobata. 2 to 3 ft | 0 70 | 5 00 | |
| S. Vanhouttei. Handsome foliage and whi 2 to 3 ft | ite flow 0 50 0 70 0 90 | yers. 3 50 5 00 7 00 | $25 00 \\ 35 00 \\ 45 00$ |



A foundation planting composed principally of flowering shrubs. Spirea Vanhouttei is in bloom. Shrubs for such a planting cost from fifty cents to one dollar each, and there is little else that helps to make the home, which will give so much in return for their small cost.

Stephanandra.

| Each Per 10. Per 100 2 to 3 ft \$0.0 \$0. | Stephanandra flexuosa. Foliage delicate a | ıs a | ı fe | rn. | | | |
|---|---|------|------|---------------------|------------|-----------|---|
| 3 to 4 ft 0 75 5 00 35 00 Stewartia pentagyna. 2 to 3 ft *2 00 16 00 Styrax japonica. Drooping racemes of white flowers. *0 6 00 40 00 3 to 4 ft *1 10 8 50 55 00 4 to 5 ft *1 10 8 50 55 00 Symphoricarpos. Symphoricarpos racemosus. Snowberry. 2 to 3 ft *1 00 6 00 45 00 Syringa: The Lilacs. Syringa : The Lilacs. Syringa chinensis, syn. Rothomagensis. Rouen Lilac. 2 to 3 ft 0 60 4 50 30 00 Syringa chinensis, syn. Rothomagensis. Rouen Lilac. 2 to 3 ft 0 80 6 00 40 00 var. alba. White flowers. 2 to 3 ft 0 80 6 00 40 00 var. alba. White flowers. 2 to 3 ft 0 80 6 00 40 00 4 to 5 ft 1 00 7 50 5 to 6 ft 1 50 12 50 S. Josikaea. Hungarian Lilac. Blooms untill June 1st. 3 to 4 ft 1 50 12 50 S. Persica. Single flowers. "Phlox Pink." 1 ± to 2 ft 1 50 00 5 to 6 ft *0 60 4 50 2 to 3 ft | | Ea | ch. | Per | 10. | Per 100. | |
| Stewartia pentagyna. | 2 to 3 ft | \$0 | 50 | \$3 | 50 | \$27 50 | |
| 2 to 3 ft *2 00 16 00 Styrax Japonica. Drooping racemes of white flowers. | 3 to 4 ft | 0 | 75 | 5 | 00 | 35 00 | į |
| Styrax japonica Drooping racemes of white flowers 2 to 3 ft | Stewartia pentagyna. | | | | | | |
| Styrax japonica Drooping racemes of white flowers 2 to 3 ft | 2 to 3 ft | *2 | 00 | 16 | 00 | | |
| \$\frac{2}{5} \times 3 \text{ ft.} \qquad \text{*1 10 } \qquad \text{*5 50 } \qquad \text{*1 10 } \qquad \text{*5 50 } \qquad \text{*5 50 } \qquad \text{*1 to 5 ft.} \qquad \text{*1 10 } \qquad \text{*5 50 } \qquad \text{*1 to 5 ft.} \qquad \text{*1 25 } \qquad \text{*1 00 } \qquad \text{*5 50 } \qquad \text{*2 to 3 ft.} \qquad \text{*1 00 } \qquad \text{*6 00 } \qquad \text{*5 00 } \qquad \text{*2 to 3 ft.} \qquad \qquad \text{*1 00 } \qquad \text{*5 00 } \qquad \tex | | | | wers. | | | |
| Symphoricarpos. Symphoricarpos. | | | | | 00 | 40 00 | J |
| Symphoricarpos Symp | | | | 8 | 50 | 55 00 |) |
| Symphoricarpos racemosus Snowberry | 4 to 5 ft | *1 | 25 | 10 | 00 | | |
| Symphoricarpos racemosus Snowberry | | | | | | | |
| \$\begin{array}{c ccccccccccccccccccccccccccccccccccc | Symphoricarpos | | • | | | | |
| \$\begin{array}{c ccccccccccccccccccccccccccccccccccc | | | | | | | |
| S. vulgaris. syn. rubra. Coralberry. 2 to 3 ft | Symphoricarpos racemosus. Snowberry. | | | | | | |
| S. vulgaris. syn. rubra. Coralberry. 2 to 3 ft | 2 to 3 ft | *1 | 00 | 6 | 00 | 45 00 | 1 |
| Syringa : The Lilacs. Syringa chinensis. syn. Rothomagensis. Rouen Lilac. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 var. alba. White flowers. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 4 to 5 ft. 1 00 7 70 5 to 6 ft. *1 50 12 50 S. Josikaea. Hungarian Lilac. Blooms until June 1st. 3 to 4 ft. *1 25 10 00 5 to 6 ft. *1 25 10 00 5 to 6 ft. *2 00 15 00 S. Persica. Single flowers. "Phlox Pink." *2 to 3 ft. *0 60 4 50 4 50 2 to 3 ft. *0 80 6 00 4 50 50 50 50 50 S. Ranunculata flore plena. Double, pale blue flowers. 1½ to 2 ft. *0 80 6 00 50 18 00 2 to 3 ft. 0 35 2 50 18 00 2 to 3 ft. 0 70 5 00 5 to 6 ft. 1 00 7 50 5 to 6 ft. 1 00 7 50 5 to 6 ft. 1 00 7 50 5 to 6 ft. | S. vulgaris. syn. rubra. Coralberry. | | | | | | |
| Syringa chinensis. syn. Rothomagensis. Rouen Lilac. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 var. alba. White flowers. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 4 to 5 ft. 1 00 7 70 5 to 6 ft. 1 2 50 S. Josikaea. Hungarian Lilac. Blooms until June 1st. 1 to 4 ft. *1 00 7 50 4 to 5 ft. *1 25 10 00 5 to 6 ft. *1 25 10 00 5 to 6 ft. *2 00 15 00 5 to 6 ft. *2 00 15 00 S. Persica. Single flowers. "Phlox Pink." *0 60 4 50 *0 *0 2 to 3 ft. *0 80 6 00 *0 var alba. *0 80 6 00 *0 S. Ranunculata flore plena. Double, pale blue flowers. *0 80 6 00 *0 S. Ranunculata flore plena. Double, pale blue flowers. 1½ to 2 ft. 0 35 2 50 18 00 2 to 3 ft. 0 50 3 50 25 00 3 to 4 ft. 0 70 5 00 *0 4 to 5 ft. 1 00 7 50 *1 50 5 to 6 ft. *1 50 12 50 *1 50 5 to 6 ft. *1 50 12 50 5 to 6 ft | | | | _ | | | |
| Syringa chinensis. syn. Rothomagensis. Rouen Lilac. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 var. alba. White flowers. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 4 to 5 ft. 1 00 7 50 5 to 6 ft. 1 1 00 7 50 4 to 5 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 S. Josikaea. Hungarian Lilac. Blooms until June 1st. 3 to 4 ft. 1 1 00 7 50 4 to 5 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 1 00 7 50 5 to 6 ft. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3 to 4 ft | 0 | 60 | 4 | 50 | $30 \ 00$ | í |
| Syringa chinensis. syn. Rothomagensis. Rouen Lilac. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 var. alba. White flowers. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 4 to 5 ft. 1 00 7 50 5 to 6 ft. 1 1 00 7 50 4 to 5 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 S. Josikaea. Hungarian Lilac. Blooms until June 1st. 3 to 4 ft. 1 1 00 7 50 4 to 5 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 1 00 7 50 5 to 6 ft. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | | | | | | |
| Syringa chinensis. syn. Rothomagensis. Rouen Lilac. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 var. alba. White flowers. 2 to 3 ft. 0 60 4 50 30 00 3 to 4 ft. 0 80 6 00 40 00 4 to 5 ft. 1 00 7 50 5 to 6 ft. 1 1 00 7 50 4 to 5 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 S. Josikaea. Hungarian Lilac. Blooms until June 1st. 3 to 4 ft. 1 1 00 7 50 4 to 5 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 00 7 50 5 to 6 ft. 1 1 1 00 7 50 5 to 6 ft. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | Syringa : The L | ilad | cs. | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | g | | | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Syringa chinensis. syn. Rothomagensis. | Ro | uen | Lilac | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | 2 to 3 ft | 0 | 60 | 4 | 50 | 30 00 |) |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 3 to 4 ft | 0 | 80 | 6 | 00 | 40 00 |) |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | var. alba. White flowers. | | | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 2 to 3 ft | 0 | 60 | 4 | 50 | 30 00 | ŀ |
| 5 to 6 ft. *1 50 12 50 S. Josikaea. Hungarian Lilac. Blooms until June 1st. 3 to 4 ft. *1 00 7 50 4 to 5 ft. *1 25 10 00 5 to 6 ft. *2 00 15 00 S. Persica. Single flowers. "Phlox Pink." 1½ to 2 ft. *0 60 4 50 2 to 3 ft. *0 80 6 00 var alba. *0 80 6 00 S. Ranunculata flore plena. Double, pale blue flowers. 1½ to 2 ft. 0 35 2 50 18 00 2 to 3 ft. 0 50 3 50 25 00 3 to 4 ft. 0 70 5 00 4 to 5 ft. 1 00 7 50 5 to 6 ft. *1 50 12 50 50 S. vulgaris. Common Lilac. 2 to 3 ft. 0 70 5 00 35 00 3 to 4 ft. 0 70 5 00 35 00 35 00 yar. alba. Common White Lilac. 1 00 7 50 | | - | | _ | | 40 00 | 1 |
| S. Josikaea. Hungarian Lilac. Blooms until June 1st. 3 to 4 ft | | | | - | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | | | | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | | | | | | |
| S. Persica. Single flowers. "Phlox Pink." $\begin{array}{ccccccccccccccccccccccccccccccccccc$ | | | | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 5 to 6 ft | | 00 | 15 | 00 | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | | co | 4 | ~ 0 | | |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ | | - | | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | *U | 80 | $\boldsymbol{\rho}$ | UU | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | *^ | en | | 50 | | |
| S. Ranunculata flore plena. Double, pale blue flowers. $1\frac{1}{2}$ to 2 ft. 0.35 2.50 18.00 2 to 3 ft. 0.50 3.50 25.00 3 to 4 ft. 0.70 5.00 4 to 5 ft. 1.00 7.50 5 to 6 ft. 1.50 12.50 S. vulgaris. Common Lilac. 2 to 3 ft. 0.70 5.00 35.00 3 to 4 ft. 1.00 7.50 var. alba. Common White Lilac. | 2 | | | | | | |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | | - | | _ | | | |
| 2 to 3 ft | | | | | | 18 00 | |
| 3 to 4 ft. 0 70 5 00 4 to 5 ft. 1 00 7 50 5 to 6 ft. *1 50 12 50 S. vulgaris. Common Lilac. 0 70 5 00 35 00 3 to 4 ft. 1 00 7 50 var. alba. Common White Lilac. | - | | | | | | |
| 4 to 5 ft | | | | | | 25 00 | |
| 5 to 6 ft | | | | | | | |
| S. vulgaris. Common Lilac. 2 to 3 ft | | | | | | | |
| 2 to 3 ft | | - | 30 | 14 | 90 | | |
| 3 to 4 ft | 2 to 3 ft | 0 | 70 | 5 | 00 | 35 00 | |
| var. alba. Common White Lilac. | | | | | | 33 00 | |
| | | _ | 5.5 | • | - 0 | | |
| | | *0 | 70 | 5 | 00 | | |

Varieties of Syringa Vulgaris : Lilacs.

Price of all varieties, except where otherwise noted:

| | Each. | Per 10. | Per 100. |
|------------------------------------|----------|---------|-----------|
| $1\frac{1}{2}$ to 2 ft | .*\$0 70 | \$5 00 | \$35 00 |
| 2 to 3 ft | . *1 00 | 7 50 | $50 \ 00$ |
| 3 to 4 ft | . *1 35 | 10 00 | 75 00 |
| 4 to 5 ft | . *1 75 | 14 00 | 110 00 |
| iction with gigog that we can gunn | 1 7 7 | | |

Varieties, with sizes that we can supply.

White Lilacs.

Frau Bertha Damman. Large panicles of single flowers. 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Jean d'Arc. Large-clustered double variety. $1\frac{1}{2}$ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Madam Abel Chatney. Single flowers in compact panicles. 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Mme. Casimir Perier. Double flowers, in medium-sized clusters. Dwarf. 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.

Madam Lemoine. Fine double. Immense clusters. 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Marie Legraye. Single; especially fine and fragrant. 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Princess Alexander. Double white. 2 to 3 ft.; 3 to 4 ft.

Pale and Medium Colored Lilacs.

Abel Carriere. Double, large, pale blue flowers. 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Alphonse Lavalle. Double bluish lilac. $1\frac{1}{2}$ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Chas. X. Loose trusses of reddish-purple flowers. $1\frac{1}{2}$ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.

Insignis rubra. Flowers "Light Chicory

Blue." 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.

Lamarac. Double flowers. "Bluish Lavender." 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

Languis. Double. "Pale Wisteria Violet. 2 to 3 ft.; 4 to 5 ft.

Michael Buchner. Large double clusters.
"Light Wisteria Violet." 2 to 3 ft.;
3 to 4 ft.; 4 to 5 ft.

Lilacs—(Continued).

President Grevy. Double flowers. "Pale Wisteria Violet." 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.

President Loubet. Large double. "Clear Lilac" flowers. $1\frac{1}{2}$ to 2 ft.

Rubra de Marley. Single, rich, lilac flowers. 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft.; 5 to 6 ft.

Dark Colored Lilacs.


| Congo. Flowers single in very large, full clusters. "Bishop's Purple." 1½ to 2 ft.; 2 to 3 ft.; 3 to 4 ft. | | |
|---|---|---|
| De Mirbel. Large single purple flowers. Each. 1½ to 2 ft*\$1 00 2 to 3 ft | Per 10. \$7 50 | Per 100. |
| Charles Jolly. Similar to Ludwig Spaeth. | | |
| 2 to 3 ft.; 3 to 4 ft.; 4 to 5 ft. | | |
| Othello. 1½ to 2 ft.; 2 to 3 ft. Souvenir Ludwig Spaeth. Flowers large, | | |
| single. Purple. $1\frac{1}{2}$ to 2 ft.; 2 to 3 ft.; | | |
| 3 to 4 ft.; 4 to 5 ft. Volcan. Similar to the above. 1\frac{1}{2} to 2 ft. | | |
| 2 to 3 ft.; 3 to 4 ft. | | |
| Senator Volland. Double flowers. 2 to | | |
| 3 ft. | | |
| Tamarisk : Tamarix. | | |
| Tamarix africana. | | |
| 3 to 4 ft 0 60 | 4 00 | * 10 00 |
| 4 to 5 ft | 6 00 | \$40 00 |
| T. gallica. var. indica. 3 to 4 ft | 4 50 | |
| 4 to 5 ft | 6 00 | |
| 5 to 6 ft | 7.50 | |
| T. Germanica. | | |
| 3 to 4 ft 0 60 | 4 50 | 30 00 |
| 4 to 5 ft 0 80 | 6 00 | 40 00 |
| 5 to 6 ft | $\begin{array}{ccc} 7 & 50 \\ 9 & 00 \end{array}$ | $ \begin{array}{ccc} 50 & 00 \\ 60 & 00 \end{array} $ |
| 6 to 7 ft | 9 00 | 00 00 |
| 3 to 4 ft | 4 50 | 30 00 |
| 4 to 5 ft 0 80 | 0.00 | 40 00 |
| 5 to 6 ft 1 00 | 6 00 | |
| 0 to 0 1t 1 00 | $\begin{array}{c} 6 & 66 \\ 7 & 50 \end{array}$ | |
| Vaccinium. | | |
| Vaccinium. | | |
| | | 60 00 75 00 |

Five or more plants of any one variety and size at price per 10. 25 or more at price per 100.

Viburnum, Including the Snowballs.

| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
|---|
| V. Carlesii. |
| V. Carlesii. |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| Viburnum cassinoides. Withe-Rod. $1\frac{1}{2}$ to 2 ft. *0 75 6 00 2 to 3 ft. *1 00 7 50 3 to 4 ft. *1 25 10 00 4 to 5 ft. *1 50 12 50 V. dentatum. Arrowwood. 2 to 3 ft. 0 50 3 50 \$27 50 3 to 4 ft. 0 70 5 00 35 00 4 to 5 ft. *0 90 7 00 V. dilatatum. Showy fruit in Autumn. 2 to 3 ft. *1 50 12 50 3 to 4 ft. *2 00 17 50 V. lantana. Wayfaring Shrub. *2 to 3 ft. *0 60 4 50 30 00 3 to 4 ft. *0 80 6 00 4 50 V. Lentago. Sheep Berry. *0 60 4 50 4 50 2 to 3 ft. *0 60 4 50 4 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 4 to 5 ft. *1 50 12 50 V. dentatum. Arrowwood. 2 to 3 ft. 0 50 3 50 \$27 50 3 to 4 ft. 0 70 5 00 35 00 4 to 5 ft. *0 90 7 00 V. dilatatum. Showy fruit in Autumn. 2 to 3 ft. *1 50 12 50 3 to 4 ft. *2 00 17 50 V. lantana. Wayfaring Shrub. 2 to 3 ft. *0 60 4 50 30 00 3 to 4 ft. *0 80 6 00 V. Lentago. Sheep Berry. 1½ to 2 ft. *0 60 4 50 2 to 3 ft. *0 80 6 00 40 00 |
| $ \begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| V. dilatatum. Showy fruit in Autumn. *1 50 12 50 3 to 4 ft *2 00 17 50 V. lantana. Wayfaring Shrub. *0 60 4 50 30 00 3 to 4 ft *0 80 6 00 V. Lentago. Sheep Berry. *0 60 4 50 4 50 2 to 3 ft. *0 60 4 50 4 50 2 to 3 ft. *0 80 6 00 40 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 3 to 4 ft. |
| V. lantana. Wayfaring Shrub. *0 60 4 50 30 00 2 to 3 ft. *0 80 6 00 3 to 4 ft. *0 80 6 00 V. Lentago. Sheep Berry. 1½ to 2 ft. *0 60 4 50 2 to 3 ft. *0 80 6 00 40 00 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| 3 to 4 ft |
| V. Lentago. Sheep Berry. \$\frac{1}{2}\$ to \$2\$ ft |
| V. Lentago. Sheep Berry. \$\frac{1}{2}\$ to \$2\$ ft |
| 2 to 3 ft*0 80 6 00 40 00 |
| |
| |
| 3 to 4 ft*1 00 7 50 50 00 |
| 4 to 5 ft *1 25 9 00 60 00 |
| 5 to 6 ft *1 50 12 50 75 00 |
| 6 to 7 ft *2 00 15 00 |
| V. Nudum. |
| 3 to 4 ft *1 25 10 00 |
| V. Opulus. syn. Oxycoccus. High Bush Cranberry. |
| 3 to 4 ft*0 75 6 00 40 00 |
| 4 to 5 ft*1 00 7 50 50 00 |
| var. nana. Dwarf Cranberry Bush. |
| 4 to 8 in 0 35 2 50 17 50 |
| 8 to 12 in 0 50 3 50 25 00 |
| 1 to $1\frac{1}{2}$ ft |
| var. sterile. Guelder Rose or Old-fashioned Snowball. May. |
| 3 to 4 ft 0 80 6 00 40 00 |
| 5 to 6 ft 1 25 9 00 60 00 |
| V. Prunifolium. Black Haw. White flowers with dark blue fruit. |
| 2 to 3 ft*1 10 8 50 |
| 3 to 4 ft |
| 5 to 6 ft*2 00 |
| V. Rhyticophyllum. |
| $1\frac{1}{2}$ to 2 ft |
| V. Sieboldii. Siebold's Viburnum. |
| 2 to 3 ft*1 25 9 00 |
| 3 to 4 ft*1 50 12 00 4 to 5 ft*2 00 16 00 |
| 4 to 5 ft*2 00 16 00 |

Prices in this catalog include packing and are f. o. b. our shipping point.



The Japanese Snowball, one of the most beautiful flowering shrubs during the latter part of May, when its branches are laden with pure white flowers.

| Viburnum tomentosum. | Each. | Per 10. | Per 100. |
|--------------------------------------|--------|-----------|----------|
| 2 to 3 ft | \$0.80 | \$6 00 | \$40 00 |
| 3 to 4 ft | 1 00 | 7 50 | 50 00 |
| 4 to 5 ft | 1 35 | 10 00 | |
| var. plicatum. Japanese Snowball. | | | |
| 2 to 3 ft | 0-80 | $6 \ 00$ | 40 00 |
| 3 to 4 ft | 1 00 | 7 50 | 50 00 |
| var. rotundifolium. | | | |
| 2 to 3 ft | *1 00 | 7 50 | |
| V. Wrightii. | | | |
| 2 to 3 ft | *1 00 | 7 50 | 60 00 |
| 3 to 4 ft | *1 25 | 10 00 | 75 00 |
| 4 to 5 ft | *1 50 | $12 \ 50$ | |
| Vitex Agnus-Castus. Chaste Tree. | | | |
| 2 to 3 ft | 0.70 | $5 \ 00$ | 35 00 |
| 3 to 4 ft | 1 00 | 7 50 | |
| | | | |
| - | | | |
| Xanthorrhiza. | | | |
| Xanthorrhiza apiifolia. Yellow Root. | | | |
| 8 to 12 in | 0 45 | 3 00 | 22 00 |
| 1 to $1\frac{1}{3}$ ft | 0 60 | 4 50 | 30 00 |
| $1\frac{1}{2}$ to $\tilde{2}$ ft | 0 90 | 6 00 | - • • • |

The Weigelas.

| Weigela amabilis. Rose-pink flowers. | Each. | Per | 10. | Per 100. |
|---|-----------------------------|---------|------------|----------|
| 2 to 3 ft | \$0 60 | \$4 | 50 | |
| 3 to 4 ft | 0 90 | 6 | 00 | |
| 4 to 5 ft | 1 25 | 9 | 00 | |
| W. candida. Pure white flowers. | | | | |
| 3 to 4 ft | 0 90 | 6 | 00 | |
| 4 to 5 ft | $\frac{1}{1} \frac{20}{20}$ | | 00 | |
| 5 to 6 ft | $\frac{1}{1} \frac{50}{50}$ | 11 | | |
| W. Floribunda. var. Lavallei. Deep carm | | | 00 | |
| 2 to 3 ft | 0 60 | | 50 | |
| 3 to 4 ft | 0 90 | | 00 | |
| 4 to 5 ft | $\frac{0.50}{1.25}$ | | 00 | |
| W. Rosea. | 1 20 | Ð | 00 | |
| | 0.50 | 9 | E 0 | 65E 00 |
| 2 to 3 ft | 0 50 | | 50_ | \$25 00 |
| 3 to 4 ft | 0 70 | | 00 | 35 00 |
| var. nana variegata. Golden variegated | leaves | ; pale | pink | nowers. |
| Deep "Rose-Pink" fading to white. | | | | |
| 2 to 3 ft | 0 60 | | 50 | |
| 3 to 4 ft | 0.90 | 6 | 00 | |
| | | | | |
| · | | | | |
| Weigela Hybrid | s. | | | |
| | | | | |
| Abel Carriere. Rosy carmine. | | | | |
| 3 to 4 ft | 0.90 | 6 | 00 | |
| 4 to 5 ft | 1 25 | 9 | 00 | |
| Congo. Beautiful dark-red flowers. | | | | • |
| 5 to 6 ft | 1 75 | 13 | 50 | |
| 6 to 7 ft | 2.50 | 20 | 00 | |
| Coquette. Large, pink flowers. | | | | |
| 3 to 4 ft | 0.90 | 6 | 00 | |
| 4 to 5 ft | 1 25 | | 00 | 60 00 |
| Ducharte. | 0 | | 0.0 | 00 00 |
| 2 to 3 ft | 0 60 | 4 | 50 | |
| 3 to 4 ft | 0 90 | | 00 | 45 00 |
| Eva Rathke. Rose red blossoms. | 0.00 | U | 00 | 10 00 |
| $1\frac{1}{2}$ to 2 ft | *0 50 | 2 | 50 | |
| 2 to 3 ft | *0 80 | | 50 | |
| Gustave Mallet. A pink variety. | 0 00 | 9 | 90 | |
| 4 to 5 ft | 1 25 | 0 | 00 | 60 00 |
| | | _ | | 00 00 |
| 5 to 6 ft | 1 50 | 11 | UU | |
| Steltzneri. Rosy pink flowers. 4 to 5 ft | 1.05 | 0 | 00 | |
| | 1 25 | - | 00 | |
| 5 to 6 ft | 1 50 | 11 | UU | |
| Symondsii. | 1 50 | | 00 | |
| 5 to 6 ft | 1 50 | 11 | | |
| 6 to 7 ft | 2 50 | 20 | | 1 - 3243 |
| Van Houttei. Flowers vary from carmin | e to v | mite, 1 | mott | iea with |
| rose and purple. | 0.00 | , | =0 | |
| 2 to 3 ft | 0 60 | | 50 | |
| 3 to 4 ft | 0 90 | | 00 | |
| 4 to 5 ft | $1 \ 25$ | 9 | 00 - | |

Hardy Garden Roses

Hybrid Perpetuals.

The prices of all Hybrid Perpetual Roses are *\$1.00 each; \$9.00 per ten; \$75.00 per 100. All varieties in strong, two-year potted plants.

Baron de Bonstettin. Dark, rich crimson.

Clio. Flesh, shaded rosy pink.

Frau Karl Druschki. White American Beauty.

General Jacqueminot (Jack Rose). Brilliant scarlet-crimson.

George Arends (Pink Frau Karl Druschki). Delicate rose.

Magna Charta. Bright pink.

Mrs. John Laing. Delicate pink.

Paul Neyron. Very large; deep rose.

Ulrich Brunner. Cherry crimson.

Tea and Hybrid Tea Roses.

These roses have always been admired for their delightful fragrance and for their delicacy of coloring. They bear very profusely and are hardy with little protection.

The prices of all Tea and Hybrid Tea Roses are *\$1.35 each; \$12.00 per ten; \$100.00 per 100. Strong two-year potted plants.

British Queen. Pure white.

Caroline Testout. Bright, satiny rose.

Duchess of Wellington. Saffron yellow.

Etoile de France. Velvety crimson.

General McArthur. Deep velvety scarlet.

Gruss an Teplitz. Bright, rich scarlet.

Jonkheer J. L. Mock. Brilliant carmine.

Kaiserin Augusta Victoria. Creamy white.

Killarney. Flesh white to pink.

Killarney, White. Excellent pure white.

Königin Carola. Satiny rose.

Mme. C. Chambard. Rosy flesh and yellow. Maman Cochet. Deep pink.

Mrs. Aaron Ward. Flowers medium yellow.

Mme. Edouard Herriot (Daily Mail). Coral red shaded with yellow.

Ophelia. Salmon-pink shading to rose.

Richmond. Scarlet crimson.

Baby Ramblers.

Prices of all varieties *\$1.00 each; \$9.00 per ten; \$75.00 per 100. Strong, two-year potted plants.

Katherine Zemit. White Baby Rambler.

Mme. Norbet Levavasseur. Crimson Baby Rambler.

Mrs. Cutbush. Pink Baby Rambler.

Marie Pavie. White. Bush cemetery rose.



Is there any part of the garden more attractive than an arch-way covered with flowering Roses? Plants that should produce such an effect as this in two years, can be purchased for about \$1.00 each.

Climbing and Trailing Roses.


American Pillar. Single pink flowers borne in immense bunches.

| Time is a second of the second | | illioning but- | CHON. |
|--|---------|----------------|--------------|
| | Each. | Per 10. | Per 100. |
| 2-year, field-grown | \$0.70 | \$5 00 | \$35 00 |
| Potted plants, 6-in. pots | *1 00 | 9 00 | • |
| Climbing Clothilde Soupert. Creamy whit | te. | | |
| 2-year, field grown | 0.70 | 5 00 | |
| Crimson Rambler. | | | |
| 2 and 3-year, field grown | 0.70 | 5 00 | |
| Potted plants, 5 and 6-in. pots | *1 00 | 9 00 | |
| Philadelphia Rambler. Crimson. | | | |
| 3-year, field-grown | 0.70 | 5 00 | 35 00 |
| Queen Alexander. Semi-double deep rose- | pink. | | |
| 3-year, field-grown | 0 70 | 5 00 | $35 \ 00$ |
| Thousand Beauties. (Tavsendschoen.) S | emi-doı | ıble; pink. | |
| Potted plants, 6-in. pots | *1 00 | 9 00 | |
| Yellow Rambler. Semi-double flowers. | | | |
| 3-year, field-grown | 0 70 | 5 00 | 35 00 |

Five or more plants of any one variety and size at price per 10. 25 or more at price per 100.

Wichuriana Hybrid Climbing and Trailing Roses.


Roses of this family have rich dark green foliage that retains its color throughout the season. Dorothy Perkins. Beautiful shell-pink. Per 10. Per 100. \$5 00 \$35 00 Potted plants, 5-in. pots..... *1 00 9 00 Dr. W. Van Fleet. Double; flesh pink. Potted plants, 5-in. pots..... *1 00 9 00 Excelsa. Double; scarlet crimson. 2 and 3-year, field-grown..... 0.70 5 00 Potted plants, 5-in. pots..... *1 00 9 00 Gardenia. Hardy Marechal Neil. Rich buff-yellow in bud. 2 and 3-year, field-grown..... 0 70 5 00 35 00 Potted plants, 6-in. pots..... *1 00 9 00 Hiawatha. Single; deep crimson. 2 and 3-year, field-grown..... 0 70 5 00 35 00Lady Gay. Shell-pink. 3-year, field-grown 0 70 5 00 35 00 May Queen. Double, light rose-pink. 2 and 3-year, field-grown..... 0 70 5 00 35 00 Newport Fairy. Single pink. 2 and 3-year, field-grown..... 0 70 5 00 35 00 Silver Moon. Brilliant silvery white. Potted plants, 6-in. pots..... *1 00 9 00 Universal Favorite. Very double; rose color. 5 00 35 00 3-year, field-grown 0 70 White Dorothy Perkins. Very double. 2 and 3-year, field-grown..... 0.70 5 00 35 00 Potted plants, 5 and 6-in. pots..... *1 00 9 00 "Memorial Rose." Trails over banks and terraces. Fragrant, single, waxy-white. 1-year, field-grown 0 50 3 50 25 002-year, field-grown 5 00 35 00 Potted plants, 5 and 6-in, pots..... *0 90 7 50 60 - 00



The Memorial Rose, because of its desirable foliage and flowers, makes an ideal plant as a ground cover, or to trail over stone walls,

Bush Roses.

| Rosa blanda. Meadow Rose. Large pink; | red fru | its. | |
|---|-----------|---------------|-----------|
| | Each. | Per 10. | Per 100. |
| $1\frac{1}{2}$ to 2 ft* | \$0 60 | \$4 50 | |
| R. Carolina. Bright pink. | | | |
| $1\frac{1}{2}$ to 2 ft | 0 60 | 4 50 | \$30 00 |
| R. Multifiora. White, in large clusters. | | | |
| 2 to 3 ft | 0 50 | 3 50 | $25 \ 00$ |
| R. rugosa. Japanese Rose. Brilliant singl | e red or | white flo | owers. |
| $1\frac{1}{2}$ to 2 ft | *0 60 | 4 50 | 30 00 |
| var. Conrad F. Meyers. Clear, double, o | | color. | |
| Strong potted plants | *1 00 | $9 \ 00$ | |
| var. Madame Geo. Bruant. Double whit | e. | | |
| Strong potted plants | *1 00 | 9 00 | |
| var. New Century. Clear pink with light | t red cer | iter, doul | ole. |
| Strong potted plants | *1 00 | $9 \ 00$ | |
| var. Sir Thomas Lipton. The best doub | le white. | | |
| Strong potted plants | *1 00 | $9 \ 00$ | |
| R. setigera. Prairie Rose. Single, deep | rose. | | |
| 1 to 2 ft | 0 40 | 3 00 | $22 \ 00$ |
| 2 to 3 ft | 0.60 | $4 \ 50$ | $30 \ 00$ |



The walls of this house have been appropriately decorated with Climbing Vines. Few plants give so much in return for their cost.

Ornamental Vines

| Actinidia. | | | | | | |
|--|--|-------------------------|--|--|--|--|
| Actinidia arguta. | Per 10. | Per 100. | | | | |
| 3-year, field-grown \$0 70 | \$5 00 | \$40 00 | | | | |
| Potted plants, 5 and 6-inch pots 1 00 | 7 50 | , | | | | |
| | | | | | | |
| f Akebia. | | | | | | |
| Akebia guinata. | 0.00 | | | | | |
| Potted plants, 4-in pots 0 75 | 6 00 | | | | | |
| Ampelopsis. | | | | | | |
| Annual main main marfalla. Winninia Guannan | | | | | | |
| Ampelopsis quinquefolia. Virginia Creeper. 3-year, field-grown | 3 50 | | | | | |
| Potted plants, 6-inch pots *0 75 | 6 00 | | | | | |
| var. Englemanii. | 0 00 | | | | | |
| 3-year, field-grown 0 50 | 3 50 | $25 \ 00$ | | | | |
| Potted plants, 6-inch pots *0 75 | 6 00 | | | | | |
| A. tricuspidata Veitchii. Japanese or Boston Ivy. | | 27 50 | | | | |
| Potted plants, 4-inch pots *0 75 var. Lowii. | 5 00 | 37 50 | | | | |
| Potted plants, 4-inch pots *0 80 | 6 00 | 40 00 | | | | |
| | | | | | | |
| Bignonia : Trumpet Vine. | | | | | | |
| Bignonia : Trumpet Vine | • | | | | | |
| Bignonia : Trumpet Vine Bignonia grandiflora. Trumpet Vine. July. Orar | | wers. | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | nge-red flo | wers. | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | ge-red flo | wers. | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | nge-red flo 10 00 7 50 | | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | nge-red flo | wers. 25 00 | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | nge-red flo 10 00 7 50 | | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown 1 25 Potted plants, 6-inch pots 1 00 B. radicans. Scarlet Trumpet Vine. 3-year, field-grown 0 50 Celastrus : Bittersweet. | nge-red flo 10 00 7 50 | | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | nge-red flo 10 00 7 50 | | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 | | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 | | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 4 50 6 00 | 25 00 | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 4 50 | 25 00 | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 4 50 6 00 | 25 00 | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 4 50 6 00 | 25 00 | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 4 50 6 00 7 50 3 50 | 25 00 40 00 25 00 | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 4 50 6 00 7 50 | 25 00 40 00 | | | | |
| Bignonia grandiflora. Trumpet Vine. July. Orar 5-year, field-grown | age-red flo 10 00 7 50 3 50 4 50 6 00 7 50 3 50 | 25 00 40 00 25 00 | | | | |

Euonymus.

| Euonymus radicans. Creeping Euonymus. | | |
|---|---|-----------|
| Each. | Per 10. | Per 100. |
| 2-year, field-grown \$0 60 | \$4 50 | \$30 00 |
| Potted plants, 4-inch pots 0 75 | 5 00 | 35 00 |
| var. Carrieri. 3-year, field-grown 0 75 | 5 00 | |
| var. variegata. | 5 00 | |
| 2-year, field-grown 0 60 | 4 50 | 30 00 |
| 3-year, field-grown 0 75 | 5 00 | 35 00 |
| var. vegeta. | | |
| 2-year, field-grown *0 60 | 4 50 | 30 00 |
| Potted plants, 4-inch pots *0 75 | 6 00 | $45\ 00$ |
| English Ivy : Hedera. | , | |
| Hedera helix. English Ivy. | | |
| Potted plants, 4-inch pots *0 75 | 5 00 | $35 \ 00$ |
| | | |
| Climbing Hydrangea. | | |
| Hydrangea petiolaris. syn. Scandens. | | |
| Potted plants, 4-inch pots 0 75 | 5 00 | 35 00 |
| Honeysuckle : Lonicera. | | |
| Lonicera Japonica. var. Aurea Reticulata. Gold | en Honey | suckle. |
| 1-year, field-grown 0 35 | 2 25 | 18 00 |
| 2 and 3-year, field-grown 0 50 | 3 50 | |
| Potted plants, 6-inch pots 0 75 | 6 00 | |
| var. brachypoda. Evergreen Honey- suckle. | | |
| Each. Per 10. | Per 100. | Per 1000. |
| 1-year, field-grown \$0 35 \$2 25 | \$17 50 | \$160 00 |
| 2 and 3-year, field-grown 0 50 3 50 | 24 00 | 220 00 |
| var. chinensis. | | |
| Each, | Per 10. | Per 100. |
| 1-year, field grown | $\begin{array}{c} \$2.25 \\ 3.50 \end{array}$ | |
| 2 and 3-year, field grown 0 50 var. Halleana. Hall's Honeysuckle. | 5 50 | |
| 1-year, field grown 0 35 | $2 \ 2\dot{5}$ | \$17 50 |
| 2 and 3-year, field-grown 0 50 | 3 50 | 24 00 |
| Potted plants, 6-inch pots 0 60 | 5 00 | 40 00 |
| Matrimony Vine : Lycium | n. | |
| Lycium chinense. | | |
| 2 to 3 ft 0 40 | 3 00 | 20 00 |
| 3 to 4 ft 0 50 | 3 50 | 25 00 |
| Pueraria : Kudzu Vine. | | |
| Pueraria Thunbergiana. Japanese Kudzu Vine. | , | |
| Potted plants, 5-inch pots 0 90 | 6 50 | |

00

Per 100.

Per 10.

Each.

Periwinkle Vinca:


Vinca minor. Myrtle or Periwinkle.

| Potted plants, 3-inch pots \$0 40 | \$3 00 | \$20 |
|--|--------|------|
| Vitis : The Grapes. | | |
| Vitis cordifolia. Frost or Winter Grape. | | |
| 3-year, field-grown 0 50 | 3 50 | |
| Potted plants, 5-inch pots 0 75 | 5 00 | |
| V. Labrusca. Fox Grape. | | |
| 3-year, field-grown 0 50 | 3 50 | |
| Potted plants, 5-inch pots 0 75 | 5 00 | |
| V. Vulpina. | | |
| 3-year, field-grown $\dots 0 50$ | 3 50 | |

| Wisteria. |
|--|
| Wisteria Chinensis. Chinese Wisteria. Flowers pale blue, fragrant. 2 to 3 ft |
| 3 to 4 ft |
| Potted plants, 6-inch pots *1 25 10 00 var. alba. A beautiful white-flowering form of our common Wisteria. |
| 2 to 3 ft |



A re-modeled farm house, grounds about which have been appropriately decorated with shrubbery adapted for the purpose. It is the trees and shrubs that give the necessary charm to the completed picture. Let us assist you to have a similar satisfactory planting.



A flowering garden which owes much of its beauty to the succession of bloom produced from a proper selection of old-fashioned flowers or perennials.

Hardy Perennial Plants

| | Ea | ch. | \mathbf{Per} | 10. | \mathbf{Per} | 100. |
|--|-----|-----|----------------|-----|----------------|------|
| Achillea Eupatorium. Fern-leaved Yar- | | | | | | |
| row. Yellow flowers all Summer | \$0 | 30 | \$2 | 25 | | |
| A. millefolium roseum. Rosy Milfoil. | 1 | | | | | |
| June to August | 0 | 30 | 2 | 25 | \$1 5 | 00 |
| A. Ptarmica Fl. Pl. "The Pearl." Double | | | | | | |
| white. July | 0 | 30 | 2 | 25 | 15 | 00 |
| Aegopodium Podagraria variegata. Gout- | | | | • | | |
| weed. A creeping plant with white- | | | | | | |
| margined foliage. August | 0 | 30 | 2 | 25 | 15 | 00 |
| Agrostemma Coronaria. June to August, | 0 | 30 | 2 | 25 | | |
| A. Flos Jovis. Small, bright rose. June, | | | | | | |
| July | 0 | 30 | 2 | 25 | | |
| Alyssum saxatile. var. compactum. Golden | | | | | | |
| Tuft, April and May | 0 | 30 | 2 | 25 | 15 | 00 |
| Amsonia salicifolia. Pale blue flowers | | | | | | |
| from May to July | 0 | 35 | $^{-2}$ | 50 | | |
| Anchusa Italica. var. Dropmore. June | | | | | | |
| | *0 | 40 | 3 | 00 | 20 | 00 |
| | | | | | | |
| Japanese Anemone | es. | | | | | |
| Anemone Japonica; var. alba. Pure | | | | | | |
| | *0 | 35 | 2 | 50 | 18 | 00 |
| var. Queen Charlotte. Large rose-like | 0 | 00 | _ | 00 | | |
| | *0 | 35 | 2 | 50 | 18 | 00 |
| Anthemis tinctoria. var. Kelwayii. Hardy | · | | _ | | | |
| Marguerite. June to August | 0 | 30 | 2 | 25 | 15 | 00 |

Columbine : Aquilegia.

| | Ea | ch. | Per | 10. | Per 100. |
|---|------|-----------------|-----|---|------------------|
| Aquilegia californica hybrid. Single; | | | | | |
| mixed colors of red, blue, white and yellow. Mid-May to July | \$0 | 30 | \$2 | 25 | \$15 00 |
| yellow. April to May | 0 | 30 | 2 | 25 | 15 00 |
| A. Chrysantha. Long spurred; clear yellow | ٥ | 30 | 9 | 25 | 15 00 |
| A. Flabellata. var. nana alba. Short | U | 90 | 4 | 49 | 15 00 |
| spurred; pure white | 0 | 30 | 2 | 25 | 15 00 |
| A. Helene. Large, short spurred. Dark blue | 0 | 30 | 2 | 25 | 15 00 |
| A. Nivea grandiflora. Large, single. | _ | | | | |
| White | 0 | 30 | 2 | 25 | 15 00 |
| ple. Mixed shades | 0 | 30 | 2 | 25 | 15 00 |
| Arabis Alpina. Rock Cress. 6 inches. White flowers in April and May | 0 | 30 | 9 | 25 | |
| Armeria maritima. 3 to 6 inches. Flowers | U | 30 | 2 | 20 | |
| pink. Evergreen leaves. May, June var. Splendens. Color is more brilliant | 0 | 30 | 2 | 25 | |
| than above | 0 | 30 | 2 | 25 | 15 00 |
| Asclepia tuberosa. Butterfly Weed. | | | | | |
| Orange-colored flowers in July and August | 0 | 35 | 2 | 50 | 18 00 |
| A sters. | | | | | |
| Hardy Perennial Ty | pes | s. | | | |
| Aster Gertrude. Flowers a flesh pink. | | | | | |
| October | | 30 | | 25 | 15 00 |
| A. Robert Parker. Clear pale lilac A. Tatarica. Flowers clear lavender | | $\frac{30}{30}$ | | $\frac{25}{25}$ | $15 00 \\ 15 00$ |
| | | | | | |
| Meadow Sweet : A | Lst: | ilbe | • | | |
| Astilbe Chinensis. Light rose pink pani- | _ | ۰. | | | 10.00 |
| cles. July, August | | $\frac{35}{30}$ | | $\begin{array}{c} 50 \\ 25 \end{array}$ | 18 00 |
| A. Japonica. June. Feathery panicles of | U | 30 | 4 | 49 | |
| white flowers | 0 | 30 | 2 | 25 | 15 00 |
| A. Lemoinei pyramidalis. Small double white flowers | 0 | 35 | 2 | 50 | 18 00 |
| A. Lobata Venusta. Pink | | 35 | | 50 | 18 00 |
| A. Multiflora compacta. White flowers in | 0 | 0.5 | 0 | F 0 | |
| June | | $\frac{35}{35}$ | | 50 50 | 18 00 |
| Aubrietia Deltoidea. Purple Rock Cress. | U | ออ | 4 | 90 | 10 00 |
| April and May | Λ | 35 | 9 | 50 | |
| A. Moerheimii. Rose color | | $\frac{35}{40}$ | | 00 | |

Five or more plants of any one variety and size at price per 10.25 or more at price per 100.

| Baptisia Australia. False Indigo. June. | Ea | ch. | Per | 10. | Per 1 | 100. |
|---|-----|------|--------|------|--------------|------|
| Pea-shaped flowers | \$0 | 30 | \$2 | 25 | \$1 5 | 00 |
| flowers July and August Boltonia asteroides. False Chamomile. | 0 | 30 | 2 | 25 | 15 | 00 |
| White. August to September | 0 | 30 | 2 | 25 | 15 | 00 |
| B. Latisquama. A pale pink | *0 | 30 | 2 | 25 | 15 | 00 |
| Calimeris Incisa. Starwort. Pale lavender. July to September | | 35 | | 50 | | |
| Bellflowers : Camp | an | ula. | | | | |
| | | | | | | |
| Campanula Carpatica. Carpathian Hare- | | | | | | |
| bell. "Lavender Violet." June and | | | | | | |
| July | 0 | 30 | 2 | 25 | 15 | 00 |
| var. alba. White | 0 | 30 | 2 | 25 - | 15 | 00 |
| C. Medium. Canterbury Bells. Various | | | | | | |
| colors. June and July | 0 | 30 | 2 | 25 | 15 | 00 |
| var. Calycanthema. Cup and Saucer | U | 30 | _ | 20 | 10 | 00 |
| Canterbury Bells. Mixed colors of | | | | | | |
| | ^ | 0.0 | | 0.5 | 4 = | 0.0 |
| purple, pink and white | 0 | 30 | Z | 25 | 15 | 09 |
| C. Persicifolia; var. Alba. Peach-leaved | | | | | | |
| Bellflower. Spikes of white. June | | | | | | |
| and July | 0 | 30 | 2 | 25 | 15 | 00 |
| var. Grandiflora. Large double white | | | | | | |
| flowers | 0 | 30 | 2 | 25 | 15 | 00 |
| Caryopteris incana (mastacanthus). Blue | | | | | | |
| Spirea or Verbena Shrub. Clear, blue | | | | | | |
| flowers during September. Needs | | | | | | |
| Winter protection north of Washing- | | | | | | |
| ton, D. C. | *0 | 35 | 2 | 50 | 20 | 00 |
| он, Б. О | U | 00 | _ | 00 | 20 | 00 |
| Centaurea. | | | | | | |
| Centaurea. | | | | | | |
| Centaurea Dealbata. Knapweed. Thistle- | | | | | | |
| | ο. | 35 | 9 | 50 | 18 | 00 |
| like flowers. July, August | - | | _ | | | |
| C. Macrocephela. Yellow. July, August | | 35 | Z | 50 | 18 | UU |
| C. Montana. Perennial Cornflower. Vic | | | | | | 0.0 |
| blue flowers from June to September, | _ | 35 | | 50 | 18 | |
| var. Alba. Pure white flowers | | 35 | | 50 | 18 | |
| var. Rosea. Rose-colored flowers | 0 | 35 | 2 | 50 | 18 | 00 |
| Cephalaria Alpina. "Pale Greenish Yel- | | | | | | |
| low." June and July | 0 | 30 | 2 | 25 | | |
| Cerastium tomentosum. Snow in Sum- | | | | | | |
| mer. May | 0 | 30 | 2 | 25 | 15 | 00 |
| | ~ | - 0 | _ | | | |

Don't wait until the season opens before sending in your orders. The orders that we have on our books when the season opens are the ones that are entitled to preference over those that are sent in at the last moment. Then, too, there is much advantage in having your plants shipped when conditions are most favorable, which is not always possible with late orders,

HARDY CHRYSANTHEMUMS.

Pompon Chrysanthemums.

| | Each. | Per 10. | Per 100. |
|---|---------------|---------|----------------|
| Arabella. Deep purplish pink | \$0 30 | \$2 25 | \$15 00 |
| Blushing Bride. Pale pink | $0 \ 30$ | 2 25 | 1 5 00 |
| Clara. White with yellow center | 0 30 | 2 25 | 15 00 |
| Fashion. White, shading to straw color. | 0 30 | $2\ 25$ | 15 00 |
| Julia Legravere. Rich garnet. Late | 0.35 | 2 50 | 1 8 00 |
| Largretto. Dull old-rose | 0 30 | 2 25 | 1 5 00 |
| May Suydam. Large, old-gold flowers | 0.35 | 2 50 | 18 00 |
| Patterson. A clear yellow | $0 \ 30$ | $2\ 25$ | 15 00 |
| Queen of Whites. Large white flowers | 0 30 | $2\ 25$ | 15 00 |
| St. Illoria. A mallow pink | $0 \ 30$ | $2\ 25$ | 1 5 00 |
| Sunset. Bronze yellow | 0 30 | 2 25 | 1 5 00 |

Early Flowering Chrysanthemums.

Varieties of this type flower earlier than other kinds. Colors are more beautiful, individual flowers larger, but plants are not quite as hardy. Sometimes do not live through Winters out of doors, even if protected.

| Blanche Niege. White with yellow center, | 0 35 | $2 \ 50$ | 18 00 |
|--|------|----------|--------------|
| Eden. Light magenta pink | 0.35 | 2 50 | 18 00 |
| L'argentenillois. Outer petals carmine | | | |
| red, inner petals old gold | 0.35 | 2 50 | 18 00 |
| La Garronne. Ox blood red | 0.35 | 2 50 | 18 00 |
| Lillian Dotty. Shell pink | 0.35 | 2 50 | 18 00 |
| Mrs. W. E. Buckingham. Single pink | | | |
| flowers with yellow center | 0.35 | 2 50 | 18 00 |
| Normandie. Pale pink. Yellow center | 0.35 | 2 50 | 18 00 |
| Primarere. Outer petals light yellow; | | | |
| inner petals lemon yellow | 0.35 | $2 \ 50$ | 18 00 |
| | | | |
| | | | |
| Button Chrysanthem | ums. | | |
| | | | |

| Brown Bessie. Mahogany brown | $0 \ 30$ | 2 25 | 15 00 |
|------------------------------|----------|------|---------------|
| Eagle d'Or. Clear Yellow | 0 30 | 2 25 | 1 5 00 |
| | | | |

Shasta Daisy.

| Chrysanthemum Hybridum. June, July. | . 0 | 30 | 2 2 | 5 15 00 |
|---|------|----|---------------|-----------------|
| var. Nipponicum. Large flowers in late | 9 | | | |
| Autumn | . *0 | 40 | 3 0 | 0 . |
| Clematis tubulosa. July. "Pallid Bluish | 1 | | | |
| Violet" | . 0 | 35 | $2 	ext{ } 5$ | 0 |
| var. Davidana. "Light Bluish Violet" | . 0 | 30 | 2 2 | 5 1 5 00 |

Convallaria Majalis. Lily-of-the-Valley. 6 inches. May.....*0 35 2 50 20 00

Coreopsis.

| Our copuis. | | | | | |
|--|---------------------------------|--|-----------------------------|--|---|
| Coreopsis lanceolata grandiflora. Yellow | Ea | ch. | \mathbf{Per} | 10. | Per 100. |
| flowers. June—all Summer | \$0 | 30 | \$2 | 25 | \$15,00 |
| Larkspur : Delph | iniı | ım. | | | |
| Delphinium Belladonna. "Forget-me-not Blue." June, July | *0 | 40 | | 00 | 20 00 |
| blue and white | | 35 | 2 | 50 | 18 00 |
| blue | *0 | 35 | 2 | 50 | 18 00 |
| flowers | | 35 | 2 | 50 | 18 00 |
| flowers; blue and purple Dianthus barbatus. Sweet William. In | | 35 | 2 | 50 | 18 00 |
| assorted colors. May and June | 0 | 30 | 2 | 25 | 1 5 00 |
| D. Deltoides. Pink | | | | 50 | 10 00 |
| dark-carmine color | 0 | 35 | 2 | 50 | 18 00 |
| | | | | | |
| Hardy Pinks. | | | | | |
| Hardy Pinks. Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. | ed, | ging We | , also offer | in the | rockeries. following |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. | e. | ging We | , also offer | in the | rockeries. following |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine | e. | We | offer | the | following |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center Diamond. Large fragrant white flowers Excelsior. Large double; lilac-pink. "Am- | e. 0 | ging We 30 30 | offer 2 | in the 25 25 | rockeries. following 15 00 15 00 |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center Diamond. Large fragrant white flowers. Excelsior. Large double; lilac-pink. "Amaranth Pink" Her Majesty. Double white. Resembles | e. 0 0 | We | offer 2 2 2 | 25 25 25 | following 15 00 |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center Diamond. Large fragrant white flowers. Excelsior. Large double; lilac-pink. "Amaranth Pink" Her Majesty. Double white. Resembles | e. 0 0 | We 30 30 | offer 2 2 2 | 25 25 25 | following 15 00 15 00 |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center | e. 0 0 0 | 30 30 30 | offer 2 2 2 2 2 | the 25 25 | 15 00 15 00 15 00 |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center | e. 0 0 0 0 0 0 0 | 30 30 30 30 | offer 2 2 2 2 2 2 | 25 25 25 25 | following 15 00 15 00 15 00 15 00 |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center Diamond. Large fragrant white flowers Excelsior. Large double; lilac-pink. "Amaranth Pink" Her Majesty. Double white. Resembles Diamond, but with fringed petals Homer. Fringed. Similar to "Cyclops" Juliette. Double flowers; white petals edged with maroon | 0 0 0 0 0 | 30 30 30 30 30 | offer 2 2 2 2 2 2 2 | 25 25 25 25 25 25 | 15 00 15 00 15 00 15 00 15 00 |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center Diamond. Large fragrant white flowers. Excelsior. Large double; lilac-pink. "Amaranth Pink" Her Majesty. Double white. Resembles Diamond, but with fringed petals Homer. Fringed. Similar to "Cyclops" Juliette. Double flowers; white petals edged with maroon. Lord Byron. Small, double flowers; deep violet-pink Marion. Fringed double flowers; bluishpink spotted at the center with carmine | 0 0 0 0 0 0 | 30 30 30 30 30 30 | offer 2 2 2 2 2 2 2 2 | 25 25 25 25 25 25 25 | 15 00 15 00 15 00 15 00 15 00 15 00 |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center Diamond. Large fragrant white flowers. Excelsior. Large double; lilac-pink. "Amaranth Pink" Her Majesty. Double white. Resembles Diamond, but with fringed petals Homer. Fringed. Similar to "Cyclops". Juliette. Double flowers; white petals edged with maroon Lord Byron. Small, double flowers; deep violet-pink Marion. Fringed double flowers; bluishpink spotted at the center with carmine | 0 0 0 0 0 0 | 30 30 30 30 30 30 30 30 | offer 2 2 2 2 2 2 2 2 2 2 | the 25 25 25 25 25 25 25 25 25 | following 15 00 15 00 15 00 15 00 15 00 15 00 15 00 |
| Dianthus Plumarius. They are valued for Clove-scented flowers in May and Junvarieties. Cyclops. Single. Violet pink; carmine center Diamond. Large fragrant white flowers. Excelsior. Large double; lilac-pink. "Amaranth Pink" Her Majesty. Double white. Resembles Diamond, but with fringed petals Homer. Fringed. Similar to "Cyclops" Juliette. Double flowers; white petals edged with maroon. Lord Byron. Small, double flowers; deep violet-pink Marion. Fringed double flowers; bluishpink spotted at the center with carmine | 0 0 0 0 0 0 0 | 30 30 30 30 30 30 30 | offer 2 2 2 2 2 2 2 2 2 2 2 | the | 15 00 15 00 15 00 15 00 15 00 15 00 15 00 |

Foxglove : Digitalis.

| Foxgrove . Digit | | | | | | |
|--|-----|-----------------|-----|-----------------|----------------|------|
| Popular old-fashioned biennials that groduring June and July. | | | | | | |
| Digitalis Gloxinaeflora in white, purple | Ea | ch. | Per | 10. | \mathbf{Per} | 100. |
| and rose | \$0 | 30 | \$2 | 25 | \$15 | 00 |
| D. Grandiflora. Spikes of palest yellow | | 30 | | $\frac{25}{25}$ | | 00 |
| Eupatorium ageratoides. White flowers | - | | _ | - ** | | |
| during August and September | 0 | 30 | 2 | 25 | 15 | 00 |
| E. Coelestinum. Mist Flower. Azure-blue. | | | | | | |
| August until frost | 0 | 30 | 2 | 25 | 15 | 00 |
| E. Purpureum. Joe Pye Weed. "Tour- | 0 | 9.0 | | 0.5 | -1 - | |
| maline Pink" | U | 30 | Z | 25 | 16 | 5 00 |
| White. July, August | ٥ | 30 | 9 | 25 | 1.5 | 5 00 |
| white. July, August | U | 90 | | 20 | 16 | , 00 |
| Hardy Ferns | | | | | | |
| For shaded nooks and corners where | | | | | | |
| other things will not thrive | 0 | 35 | 2 | 50 | 15 | 8 00 |
| other things will hot thirt o | U | 00 | _ | 50 | 10 | , 00 |
| Funkia or Plantain | Li | lv. | | | | |
| Funkia Aurea Variegata. Variegated vel- | | -5 • | | | | |
| low and green leaves. Palest mauve, | 0 | 35 | 2 | 50 | 18 | 3 00 |
| F. alba. marginata. White margins on | | | _ | O v | | , 00 |
| leaves | 0 | 35 | 2 | 50 | 18 | 3 00 |
| F. Coerulea. White flowers striped with | | | | | | |
| "Mauve" | 0 | 35 | 2 | 50 | 18 | 3 00 |
| F. Lancifolia. White overlaid with "Deep | | ٥ | 0 | | | |
| Lavender" | | 35 | _ | 50 | 18 | 3 00 |
| F. Sieboldiana. White with lilac tinge F. Subcordata grandiflora. White flowers, | | $\frac{35}{40}$ | | $\frac{50}{00}$ | 95 | 5 00 |
| F. Undulata Media Picta. Purple flowers | . 0 | 40 | 9 | 00 | ∠ € |) 00 |
| and green leaves variegated with | | | | | | |
| white | 0 | 30 | 2 | 25 | 15 | 5 00 |
| Gaillardia Grandiflora. Blanket Flower. | | | | | | |
| From June until frost. "Scarlet Red" | | | | | | |
| and "Cadmium Yellow" | 0 | 30 | 2 | 25 | 15 | 00 |
| Geranium Sanguineum. Crane's Bill. | ^ | 0.0 | 0 | ٥ | | |
| For rock gardens. "Purple" | | $\frac{30}{35}$ | | $\frac{25}{50}$ | 15 | 5 00 |
| Geum Hendrickii. Light red. July Gillenia Trifoliata. Bowman's Root. May | U | 3 0 | Z | 90 | | |
| and June. Star-shaped white flowers, | 0 | 30 | 2 | 25 | 15 | 5 00 |
| Gypsophila paniculata. Pinkish-white | v | 00 | 4 | 20 | 11.6 | , 00 |
| flowers | 0 | 30 | 2 | 25 | 15 | 00 |
| G. Stevenii. Small white flowers. May, | - | | _ | | | - 0 |
| June | 0 | 30 | 2 | 25 | 15 | 00 |
| | | | | | | |

Plant Perennials this year in the flower bed where you have been using Annuals. Each year you have to replace the Annuals, whereas the Perennials come up season after season with very little extra work or expense.

| · | T7 | . 1. | D | 10 | D 1 | |
|---|----------------------------|----------------------------|-----------------------|----------------------------|----------------------|----------------------|
| Helenium autumnale. var. Rubrum. October. Brown-eyed flowers of yellow | Eac | en. | Fer | 10. | Per 1 | .90. |
| overlaid with "Scarlet" Helianthemum mutabile. May to July. Mixed colors in white, "Rose Pink" | \$0 | 35 | \$2 | 50 | qu- | |
| and "Rose Color" | 0 | 35 | . 2 | 50 | | , |
| Helianthus. | | | | | | |
| Perennial Sunflowe | rs. | | | | | |
| Helianthus Maximiliana. Large flowers in clusters for cutting. "Empire Yel- | 0 | 9.0 | 0 | 0.5 | 415 | 0.0 |
| low" | 0 | 30 | 2 | 25 | \$1 5 | 00 |
| tary flowers. "Empire Yellow" H. orgyalis. Small flowers borne in tall spikes. "Empire Yellow" | | 30 | | 25 | 15 | |
| spikes. "Empire Yellow" H. Soleii d'Or. Double yellow flowers | | $\frac{30}{35}$ | _ | $\frac{25}{50}$ | 15 | 00 |
| H. Wolly Dod. A fine September variety; | | | | - | | |
| single, yellow | 0 | 30 | 2 | 25 | 15 | 00 |
| July to October | 0 | 30 | 2 | 25 | 15 | 00 |
| H. scabra Major. Flowers on long, slender stems. "Light Cadmium" | 0 | 30 | 2 | 25 | 15 | 00 |
| | | | | | | |
| Yellow Day Lilli | es. | | | | | |
| Hemerocallis Florham. Golden yellow. | | | | | | |
| Hemerocallis Florham. Golden yellow. June | | 35 | 2 | 50 | | |
| Hemerocallis Florham. Golden yellow. June | 0 | 35 35 | | 50 50 | 18 | 00 |
| Hemerocallis Florham. Golden yellow. June | 0 | | 2 | | | 00 |
| Hemerocallis Florham. Golden yellow. June H. Fulva. Tawny Day Lily. Flowers "Salmon Orange." overlaid with "Coral Red." June and July var. Flore Plena; syn. Xwanso. A double-flowering variety of the above, H. Thunbergii. Bright, buttercup yellow. June and July Hesperis matronalis. Sweet Rocket. | 0 0 0 | 35 | 2 | 50 | 18 | |
| Hemerocallis Florham. Golden yellow. June H. Fulva. Tawny Day Lily. Flowers "Salmon Orange." overlaid with "Coral Red." June and July var. Flore Plena; syn. Xwanso. A double-flowering variety of the above, H. Thunbergii. Bright, buttercup yellow. June and July Hesperis matronalis. Sweet Rocket. May, June. Spikes of fragrant purple flowers | 0 0 0 | 35 35 | 2 2 | 50 50 | 18 18 | 00 |
| Hemerocallis Florham. Golden yellow. June H. Fulva. Tawny Day Lily. Flowers "Salmon Orange." overlaid with "Coral Red." June and July var. Flore Plena; syn. Xwanso. A double-flowering variety of the above, H. Thunbergii. Bright, buttercup yellow. June and July | 0 0 0 0 | 35 35 35 | 2 2 2 | 50 50 50 | 18 18 15 | 00 |
| Hemerocallis Florham. Golden yellow. June H. Fulva. Tawny Day Lily. Flowers "Salmon Orange." overlaid with "Coral Red." June and July var. Flore Plena; syn. Xwanso. A double-flowering variety of the above, H. Thunbergii. Bright, buttercup yellow. June and July Hesperis matronalis. Sweet Rocket. May, June. Spikes of fragrant purple flowers Heuchera sanguinea. "Rose Red" to "Be- | 0 0 0 0 | 35 35 35 30 | 2 2 2 2 2 | 50 50 50 25 | 18 18 15 | 00 00 00 |
| Hemerocallis Florham. Golden yellow. June H. Fulva. Tawny Day Lily. Flowers "Salmon Orange." overlaid with "Coral Red." June and July var. Flore Plena; syn. Xwanso. A double-flowering variety of the above, H. Thunbergii. Bright, buttercup yellow. June and July Hesperis matronalis. Sweet Rocket. May, June. Spikes of fragrant purple flowers Heuchera sanguinea. "Rose Red" to "Begonia Rose." May to September Hibiscus Moscheutos. (Swamp Mallow.) | 0 0 0 0 | 35 35 35 30 | 2 2 2 2 2 | 50 50 50 25 25 | 18 18 15 | 00 00 00 00 |
| Hemerocallis Florham. Golden yellow. June H. Fulva. Tawny Day Lily. Flowers "Salmon Orange." overlaid with "Coral Red." June and July var. Flore Plena; syn. Xwanso. A double-flowering variety of the above, H. Thunbergii. Bright, buttercup yellow. June and July Hesperis matronalis. Sweet Rocket. May, June. Spikes of fragrant purple flowers | 0 0 0 0 0 | 35 35 35 30 30 | 2 2 2 2 2 | 50 50 50 25 25 | 18 18 15 | 00 00 00 00 |
| Hemerocallis Florham. Golden yellow. June H. Fulva. Tawny Day Lily. Flowers "Salmon Orange." overlaid with "Coral Red." June and July var. Flore Plena; syn. Xwanso. A double-flowering variety of the above, H. Thunbergii. Bright, buttercup yellow. June and July Hesperis matronalis. Sweet Rocket. May, June. Spikes of fragrant purple flowers | 0 0 0 0 0 0 | 35 35 35 30 | 2 2 2 2 2 | 50 50 50 25 25 | 18 18 15 15 | 00 00 00 00 |

Five or more plants of any one variety at price per 10. 25 or more at price per 100.

$\mathbf{Hypericum}.$

| | E. | o.b | Dom | 10 | , | Dan 1 | 00 |
|---|------------|-----------------|--------|-----------------|----|-----------------|-----|
| Hypericum Calycinum. Aaron's Beard. August. Good for low borders or as | Ea | | Per | | , | Per 1 | 00. |
| a ground dover under trees | *\$0 | 40 | \$3 | 00 | ٠. | \$20 | 00 |
| H. Moserianum. Goldflower | *0 | 40 | 3 | 00 | | 20 | 00 |
| Iberis sempervirens. Hardy Candytuft. | _ | | | | | | |
| Pure white; April and May | 0 | 30 | 2 | 25 | | 15 | 00 |
| | | | | | | | |
| Iris : Fleur-de- | Lis | | | | | | |
| German Iris. In lavender, blue, purple, | | | | | | | |
| white and yellow. May, June | *0 | 30 | 2 | 25 | | 15 | 0.0 |
| water that years we have, a district the | Ū | 00 | _ | _0 | | 19 | 0.0 |
| Japan Iris (Iris Kaen | nnf | 'eri\ | | | | | |
| oupuit IIIs (IIIs IIuci | upı | CII) | • | | | | |
| No. 3. Kumoma-No-Sora. White | *0 | 40 | 3 | 00 | | 25 | 00 |
| No. 13. Skiratki. White, yellow center | *0 | 40 | 3 | 00 | | 25 | 00 |
| No. 17. Kimi-No-Megumi. White. Violet- | | | _ | | | | 2.0 |
| blue pencilings | *:0 | 40 | 3 | 00 | | 25 | 00 |
| No. 18. Hatsu-Shimo. White, with yellow | * 0 | 40 | 9 | 00 | | 25 | 00 |
| bars | | 40 | | 00 | | $\frac{25}{25}$ | |
| No. 30. Wase-Banri. Pure white. Yellow | | 10 | 0 | 00 | | 20 | 00 |
| bars | | 40 | 3 | 00 | | 25 | 00 |
| No. 37. Choseiden. White, yellow bars, | | | | | | | |
| border of light purple | | 40 | | 00 | | | 00 |
| No. 39. Tsurugi-No-Mai. Carmine violet, | | 40 | | 00 | | | 00 |
| No. 46. KoKo-No-iro. Royal purple | | 40 | _ | 00 | | | 00 |
| No. 48. Tora-odori. Medium blue No. 50. Date-Dogu. Velvety pansy purple, | | $\frac{40}{40}$ | | 00 | | | 00 |
| Siberian Iris. Raisin purple, veined with | . 0 | 40 | 9 | 00 | | 25 | UU |
| white | | 30 | 2 | 25 | | 15 | 00 |
| Lathyrus latifolius. Everlasting sweet pea. June, July. Rose color | | | | | | | |
| pea. June, July. Rose color | 0 | 40 | 3 | 00 | | | |
| Liatris elegans. Blazing Star or Gay | | | | | | | |
| Feather. July and August. "Light | | 20 | - 0 | 0.5 | | 1 - | 00 |
| Phlox Purple" | U | 30 | 2 | 25 | | 19 | 00 |
| August | | 30 | 2 | 25 | | 15 | 00 |
| Lobelia Cardinalis. Scarlet flowers | | 30 | | $\frac{25}{25}$ | | | 00 |
| Lychnis Viscaria fl. pl. Spikes of light | ; | | | | | | |
| violet-red flowers in June | | 30 | 2 | 25 | | 15 | 00 |
| Lysimachia clethriodes. White flowers in | | 0.5 | | | | | |
| terminal panicles | | 35 | Z | 50 | | | |
| L. Nummularia. Creeping Jenny. Ground cover. Light yellow flowers in June | | 30 | 2 | 25 | | 15 | 00 |
| Mertensia Virginica. Bluebell. May, June, | | 35 | | $\frac{20}{50}$ | | 10 | 00 |
| Monardia didyma Violacea. Light violet | | _ | _ | - * | | | |
| red | 0 | 30 | 2 | 25 | | 15 | 00 |
| Myosotis Palustris semperflorens. Forget | | | _ | ۰ | | | 0.0 |
| Me-Not. May to September | 0 | 30 | 2 | 25 | | 19 | 00 |

Oenothera.


| Each. | Per 10. | Per 100. |
|---|----------------|----------------|
| CE. Missouriensis. Bright yellow flowers. July | \$2 25 | \$15 00 |
| fragrant flowers | 2 25 | 15 00 |
| July 0 30 | $2\ 25$ | 15 00 |
| Each, Per 10. Pachysandra terminalis. Japa- | Per 100. | Per 1000. |
| nese Spurge. Strong plants*\$0 20 \$1 50 | \$12 00 | \$100-00 |

| PEONIES. | | | | |
|--|----|-----|---|-----|
| | | ch. | | |
| Canari. Amber white | | | | |
| Duke of Wellington. Large and double. Buds tinted like a Tea Rose, opening into white flowers, shaded with deli- | | 60 | 5 | 00 |
| rate pale yellow towards center Festiva Maxima. Very large, very double and full. The guard petals are a faint pink when opening, fading later to white; the center is tinted cream and prominently flecked with carmine. | | 75 | 6 | 00 |
| Season early to comparatively late Golden Harvest. Medium size. The large guard petals are a delicate peach blos- | | 60 | 5 | 00 |
| som pink; the center is a clear cream, La Tulipe. Medium to large. Compact blooms of a pale lilac-pink, fading lighter and sometimes marked with | | 60 | | 00 |
| carmine | *1 | 00 | 7 | 50 |
| petals a very pale pink. Early Madame Jules Calot. Large. The center is palest pink and cream white; the guards are a light cameo pink. The general effect of the bloom is of white | *0 | 50 | 4 | 00- |
| Marie Lemoine. Large, in a tight, compact head. Color a deep cream, occa- | 1 | 00 | 7 | 50 |
| sionally carmine tipped. Very late Queen Victoria. Large and rather loose. Color is very beautiful in palest tones of pink and yellow, fading to cream | *1 | 00 | 7 | 50 |
| white. Late | 0 | 60 | 5 | 00 |

Pink-flowering Peonies.

| | Fa | ch. | Par | 10. | Per 100. |
|---|---------|----------|------|-----|----------|
| Auguste Villaume. Very large, brilliant deep rose pink. Flowers later than | | | | | Fer 100. |
| most varieties | | 25 60 | \$10 | | |
| La Superba. Large. The color of the guards is a deep, satiny rose; that of the crown is several tones lighter, fading gradually to a pale salmon. | *0 | 60 | Э | | |
| Midseason | 0 | 50 | 4 | 00 | |
| Monsieur Bouchariataine. Light violetrose. Late | *1 | 25 | 10 | 00 | |
| Guard petals cerise, central petals much lighter, being white or silver tipped and having salmon tinge when | ata est | 0.0 | _ | | |
| first opening | *1 | 00 | ΄ι | 50 | |
| Mid-season | 1 | 00 | 7 | 50 | |
| pink. Mid-season | *1 | 25 | 10 | 00 | |
| Red-flowering Peor | nie | s. | | | , |
| Augustin d'Hour. Medium to large. Guard | | | | | |
| and center petals differentiated. Dark rose-red. Mid-season Delachei. Medium size. A very dark rose- | 1 | 00 | 7 | 50 | |
| red with a slight purple tinge. Midseason | *1 | 00 | 7 | 50 | |
| L'Eclatante. Large, dark, rich rose-red with a slight purplish tinge | *1 | 00 | 7 | 50 | |
| Louis Van Houttei. Medium size. A rich rose-red. Mid-season | *0 | 60 | 5 | 00 | |
| Rubra Triumphans. Large globular flowers; dark garnet | *:0 | 75 | 6 | 00 | |
| Papaver Nudicaule. Iceland Poppy. May to August | 0 | 30 | 2 | 25 | |
| P. Orientalis. Oriental Poppy. These immense scarlet flowers are brilliant masses against shrubbery or ever- | | | | | |
| green borders. June and July | 0 | 35 | 2 | 50 | \$18 00 |

| | Each. | Per 10. | Per 100. |
|---|--------|---------------|----------------|
| Pardanthus sinensis. Blackberry Lilly. | | | |
| 2 feet. Small lily-shaped, orange- | | - | |
| colored flowers, spotted with carmine, | | | |
| and blackberry-like seeds | \$0 30 | \$2 25 | \$15 00 |
| Pentstemon barbatus Torreyi. Scarlet | | · | · |
| flowers. July to August | 0 30 | 2 25 | 15 00 |
| P. Coerulea. 18 inches. Large, individual | | | • |
| flowers with a throat of "Pansy Vio- | | | |
| let" and a lip of "Gentian Blue." June | | | |
| and July | | $2\ 25$ | 15 00 |
| P. Diffusa. Light purple flowers. June | | | 20 00 |
| and July | | 2 25 | 15 00 |
| and and | 0 00 | 2 20 | 10 00 |




It is Phlox that are producing the abundance of bloom in this garden. Few other plants have such a wide range of colors in their flowers and bloom for such a long period.

PHLOX.

| | / | | |
|--|----------|---|---------------|
| Aurora Borealis. Very tall variety. A | | | |
| brilliant deep pink. All Summer | 0 30 | $2\ 25$ | 15 00 |
| Baron Van Dedem. Deep coral-pink | 0 30 | $\stackrel{-}{2}$ $\stackrel{-}{2}$ $\stackrel{-}{5}$ | 15 00 |
| Braga. Large individual flowers, shading | 0 00 | 2 20 | 10 00 |
| , , | | | |
| from "Tyrian Red" to "Mallow | 0.00 | 0.05 | 45 00 |
| Purple'' | $0 \ 30$ | 2 25 | 15 00 |
| Champs Elysees. Violet red | $0 \ 30$ | 2 25 | -15 00 |
| Coquilicot. Scarlet | 0 30 | 2 25 | 15 00 |
| Coran d'Ache. Between a "Tyrian | | | |
| Rose" and "Rose Color" | 0 30 | 2 25 | 15 00 |
| Daybreak. A light "Rose Pink" | 0 30 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 15 00 |
| Eclaireur. Light violet-pink, with a red | 0 00 | | 10 00 |
| eye. "Mallow Purple" | 0 30 | 2 25 | 15 00 |
| | 0 30 | 4 40 | 19 00 |
| Elizabeth Campbell. Clear, deep pink | 0 40 | 2 00 | |
| with a pale violet eye | 0 40 | 3 00 | |
| Europea. Large individual flowers of | | | |
| pinkish-white with carmine eyes | 0.35 | $2\ 50$ | 18 00 |
| F. G. Van Lassburg. White | 0 30 | 2 25 | 15 00 |
| General van Heutz. Large flowers the | | | |
| color of crushed strawberries | 0 30 | 2 25 | 1 5 00 |
| Geo. A. Strohlein. One of the best reds | 0 30 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | 15 00 |
| | | | 4. |
| Hervor. A light rose-red | 0 30 | 2 25 | 1 5 00 |
| | | | |

| Phlox—(Continued). | Each. | Per 10. | Per 100. |
|---|----------|----------------|------------------|
| Mrs. Jenkins. Pure white | \$0 30 | \$2 25 | \$15 00 |
| Ornament. Dark pink | 0 30 | 2 25 | 15 00 |
| Peachblow. Delicate pink | $0 \ 30$ | $2\ 25$ | 1 5 00 |
| Pearl. Pure white flowers in August | 0.35 | 2 50 | 18 00 |
| Rosenberg. Bright reddish violet with | | | |
| a carmine center | $0 \ 30$ | $2\ 25$ | 15 00 |
| Widar. Violet with large, white center | $0 \ 30$ | $2\ 25$ | 15 00 |
| . — — — — — — — — — — — — — — — — — — — | Per 10. | Per 100. | Per 1000. |
| Phlox Sublata. Moss or Moun- | | | |
| tain Pink. June \$0 30 | \$2 25 | \$15 00 | \$1 00 00 |
| var. Alba. White 0 30 | 225 | 15 00 | 100 00 |
| var. Atropurpurea. Purplish | | | |
| pink 0 30 | 2 25 | 15 00 | 100 00 |
| | | | |



Mountain Pinks or Phlox sublata in flower. This illustrates what an ideal plant it is to use for a ground cover.

Various Phlox.

| | Ea | ch. | Per | 10. | \mathbf{Per} | 100. |
|--|-----|-----|-----|-----|----------------|------|
| Phlox Divaricata; var. Laphami (Perry's | | | | | | |
| Variety). "Light Chicory Blue" with | | | | | | |
| purple eyes in May and June | \$0 | 30 | \$2 | 25 | \$15 | 0.0 |
| Phlox Ovata; syn. Carolina. Mountain | 7 - | | 7- | | 7 | |
| Phlox. Masses of purplish-pink flow- | | | | | | |
| ers in June | ٥ | 30 | 2 | 25 | 15 | 00 |
| Phlox suffruticosa; var. Miss Lingard. The | U | 50 | 4 | | 10 | 00 |
| , | 0 | 0.5 | 0 | -0 | 10 | 0.0 |
| white flowers shade to delicate pink, | 0 | 35 | 2 | 50 | 18 | 0.0 |
| Physostegia Virginica. Obedient Plant. | | | | | | |
| Soft "Phlox Pink," in tall, full spikes. | | | | | | |
| From July to September | 0 | 30 | 2 | 25 | 15 | 0.0 |
| var. Alba. White. June, July | | 30 | 2 | 25 | 15 | 0.0 |
| Tan Tinal Tilloon Band, Bang Tilloon | • | 9.0 | _ | | | • • |

Five or more plants of any one variety at price per 10. 25 or more at price per 100. 250 or more at the 1,000 price.

| Platycodon grandifiora. "Light Violet" | Ea | ch. | \mathbf{Per} | 10. | Per 1 | .00. |
|--|-----|-----|----------------|----------|-------------|------|
| and darker. June, July | \$0 | 30 | \$2 | 25 | \$15 | 00 |
| var. Alba. White | 0 | 30 | | 25 | 15 | |
| P. Mariesi. "White, Light Violet, Dark | | | | | | |
| Violet and Violet Ultramarine" | 0 | 30 | 2 | 25^{-} | 15 | 00 |
| Plumbago larpentæ. Lead Wort. "Dull | | | _ | | 10 | 00 |
| Violet Blue" flowers in late summer | 0 | 30 | 2 | 25 | 15 | 00 |
| Polygonum compactum. Cream-white | • | | - | -0 | 10 | 00 |
| bloom. August and September | 0 | 30 | 2 | 25 | 15 | 00 |
| Primula veris. English Cowslip. Clus- | • | 90 | | 20 | 10 | 00 |
| tered flowers in yellows, bronze and | | | | | | |
| reds. April, May | 0 | 40 | 9 | 00 | 20 | 00 |
| Pyrethrum hybridum. Blooms like | U | 10 | o | 00 | 40 | 00 |
| painted daisies. June and July. | | | | | | |
| Shading through whites and pinks | | | | | | |
| to carmine | Λ | 30 | 9 | 25 | 15 | Δ۵ |
| P. Uliginosum. Large, pure white. July | U | 30 | 4 | 40 | 19 | 00 |
| and August | ٥ | 30 | 0 | 25 | | |
| Ranunculus acris fl. pl. Buttercup. Dou- | U | 50 | Z | 25 | | |
| | 0 | 9.0 | 0 | 0.5 | | |
| ble Buttercup. May | U | 30 | 2 | 25 | | |
| Rudbeckia laciniata fl. pl. "Golden Glow." | 0 | 0.0 | | 0.5 | | 0.0 |
| From July to September | 0 | 30 | 2 | 25 | 15 | 00 |
| R. Newmanii. Resemble Black-eyed | _ | | | ~~ | | |
| Susans. June to September | 0 | 30 | . 2 | 25 | 15 | 00 |
| R. Purpurea. Giant Purple Cone-Flower. | _ | | | | | |
| July and October | 0 | 30 | 2 | 25 | 15 | 00 |
| Salvia Azure; var. Grandiflora. Blue Sage. | | | | | | |
| August and September. Protect in | | | | | | |
| Winter | 0 | 30 | 2 | 25 | 15 | 00 |
| Saxifraga Crassifolia. Saxifrage. Bell- | | | | | | |
| shaped flowers on curving stems. | | | | | | |
| "Rose Pink." April and May | 0 | 50 | 3 | 50 | 25 | 00 |
| | | | | | | |

Sedum.

The Sedums are usually thick, fleshy-leaved plants used for carpeting waste and sandy places, also for rock gardening and carpet bedding.

| Sedum acre. Lemon yellow flowers in | | | |
|---|----------|----------|---------------|
| June | 0 30 | $2\ 25$ | 15 00 |
| S. Album. White Stonecrop. July and | | | |
| August | $0 \ 30$ | 2 25 | 1 5 00 |
| S. Kamtschaticum. Orange Stonecrop. | | | |
| Flowers in flat clusters. July and | | | |
| August. "Empire Yellow" | 0.35 | $2 \ 50$ | 18 00 |
| S. Sieboldi. Evergreen. Clustered flow- | | | |
| ers of soft pink. August and Septem- | | | |
| ber | $0 \ 30$ | 2 25 | 15 00 |
| | | | |


Plant Perennials this year in the flower bed where you have been using Annuals. Each year you have to replace the Annuals, whereas the Perennials come up season after season with very little extra work or expense.

| Sedum Spectabilis. Brilliant Stonecrop. Light pink flowers in late Summer | Ea | ch. | Per | 10. | Per 10 | 00. |
|--|-----|-----------------|------|-----------------|----------------|-----|
| and Autumn | \$0 | 30 | \$2 | 25 | \$1 5 (| 00 |
| dry banks, sandy wastes and rocks | 0 | 30 | 2 | 25 | 15 (| 00 |
| Silene Schafta. Pink flowers. June and September | 0 | 30 | 2 | 25 | 15 (| 00 |
| Spirea Aruncus. Goat's Beard. White flowers in June and July | 0 | 35 | 0 | 50 | 18 (| 00 |
| Statice latifolia. Sea Lavender. Tiny lavender flowers from July to Sep- | U | 99 | 2 | ĐΨ | 16 (| UU |
| tember | 0 | 30 | 2 | 25 | 15 (| 00 |
| Stokesia cyanea. Stokes' Aster . From June to October. In shades of "Pale | | | | | | |
| Violet" | | 30 | _ | 25 | 15 (| 00 |
| var. Alba. A white-flowering form | 0 | 30 | 2 | 25 | 15 | 00 |
| Teucrium Canadensis. Light purple flow- | ^ | 0.0 | | 0.5 | 4.5 | 0.0 |
| ers. July, August | 0 | 30 | 2 | 25 | 15 | 00 |
| Thalictrum Adiantofolium. Fern-like fo- liage and white flowers | ٥ | 25 | 9 | 50 | 18 | ٥٥ |
| Thymus Coccinea. Scarlet. July | | 30 | | $\frac{30}{25}$ | 15 | |
| T. Vulgaris. Common Thyme. Pale lilac. | Ů | 00 | _ | | 2.0 | • • |
| June, July | 0 | 30 | 2 | 25 | | |
| Tiarella purpurea major. June. Tiny | 0 | ۰. | 0 | 0.5 | 4.5 | 0.0 |
| bell-shaped flowers, rose tipped Tradescantia Virginica. Spiderwort. | 0 | 30 | 2 | 25 | 15 | UU |
| Racemes of soft violet flowers from | | | | | | |
| May to September | 0 | 30 | 2 | 25 | 15 | 00 |
| Tritoma Pfitzerii. Red Hot Poker. | | | | | | |
| Orange-scarlet flowers from August | | | | | | |
| to October | | 50 | 3 | 50 | | |
| flowers borne at tips of grass-like | | | | | | |
| stems in June and July | 0 | 30 | 2 | 25 | | |
| Valeriana coccinea. Tiny flowers suggest- | | | | | | |
| ing the color of crushed strawberries. | ^ | 9.0 | 0 | 95 | 4.5 | ۸۸ |
| June to October | | $\frac{30}{30}$ | | $\frac{25}{25}$ | 15 15 | |
| V. longifolia; var. subsessilis. Speedwell. | | 50 | 2 | 20 | 1.0 | UU |
| Violet flowers. August to October | | 35 | 2 | 50 | 18 | 00 |
| V. spicata. Light bluish-violet flowers in | | | _ | | | |
| June and July | | 30 | 2 | 25 | 15 | 00 |
| Viola Cornuta, Blue Perfection. Horned Violet or Bedding Pansy. April to | | | | | | |
| frost | | 30 | 2 | 25 | 15 | 00 |
| var. Lutea Splendens. Flowers like a | | | | | | |
| small yellow pansy | 0 | 30 | 2 | 25 | 15 | 00 |
| var. White Perfection | - | 30 | - | 25 | 15 | 0.0 |

One of the distinguishing features of our Nursery is that we raise nearly all the stock we sell and dig it freshly for each order, and do not carry it in storage cellars.

Ornamental Reeds and Grasses

| Arundo donax. Giant Reed. Beautiful, long, narrow leaves* | | | Per \$3 | 10. 50 | Per | 100. |
|--|---|----|------------|-----------|------|------|
| Erianthus Ravennae. Hardy pampas grass, | | | 3 | | | |
| Eulalia Japonica; syn. Miscanthus sinen- | | | | | | |
| sis. Green leaves, broader than those | | | | | | |
| of the following varieties: graceful | | | | | | |
| plumes. Strong divisions | 0 | 35 | 2 | 50 | \$18 | 00 |
| var. gracillima. Japan Rush. Narrow | | | | | | |
| var. gracillima. Japan Rush. Narrow green leaves and silvery-white midrib. | | | | | | |
| Brown tassels in late Fall and Winter, | 0 | 35 | 2 | 50 | 18 | 00 |
| var. variegata. The long, narrow leaves | | | | | | |
| are striped with white midribs | 0 | 35 | 2 | 50 | 18 | 00 |
| var. Zebrina. The leaves are marked | | | | | | |
| at regular intervals with spots of | | | | | | |
| yellow | 0 | 35 | 2 | 50 | 18 | 00 |
| Phalaris arundinacea variegata. Varie- | | | | | | |
| gated Ribbon Grass | 0 | 30 | 2 | 25 | 15 | 00 |
| 9 | | | | | | |



A group of Ornamental Grasses. The foliage is attractive throughout the season, while the graceful plumes add to their beauty in the autumn.

Hardy Fruits

APPLES.

Price, *\$1.50 each; \$12.50 per 10. Strong selected trees. The number following the name denotes relative order of ripening in vicinity of Philadelphia.

Early Apples.

Very early; juicy; flesh tinged with red. Red Astrachan. (2). (1). Medium size; pale yellow; flesh ten-Yellow Transparent. der, juicy and sub-acid. Excellent for culinary purposes.

Autumn Apples.

Fall Pippin. (8). Large, yellow, rich and delicious; good bearer. A valuable apple for both eating and cooking.

Gravenstein. (6). Large, yellow, striped with red. Flesh firm, rich in flavor; an old favorite in many localities.

Maiden Blush. (4). Large, yellow, with red cheek; fine for cooking.

Smokehouse. (9) Medium to large size. Green or yellow, mottled with dull red. Crisp and juicy. One of the best late Autumn varieties both for cooking and dessert. A good bearer.

Wealthy. (7). White, yellow and red striped; flesh white. is very hardy, thus adapting it for cold climates. A good dessert or culinary variety.

Winter Apples.

(11). Large, deep red; productive and desirable. A Baldwin. popular commercial variety among apples. A Winter apple in New York State, but south of Philadelphia an Autumn apple.

Delicious. (Stark's Delicious.) (16). Large, red apple, juicy

and highly flavored with a peculiar and distinct aroma.

Grimes' Golden. (12). Medium size; flesh crisp, tender, juicy, spicy, of best quality. Tree is hardy and productive, and comes into bearing young. One of the best early Winter varieties. A beautiful red apple of high quality, being / Jonathan. (13).

tender, juicy; desirable both for home use and commercial purposes. An early bearer and popular throughout the country.

McIntosh. (10). Yellow, streaked with crimson; tender and juicy.

Very high quality, having a distinct aroma

Northern Spy. (18). Pale yellow, striped with red. Good keeper, excellent flavor. Grows best in cold climates.

Rhode Island Greening. (14). Large, greenish yellow; rich and

Rome Beauty. (15). Yellow and red striped; flesh yellow, crisp, sub-acid. A good regular bearer.

Because of the scarcity of fruit trees this season, we can only accept orders for these subject to our being able to supply them at time of filling order. Winter Apples—(Continued).

Stayman Winesap. (17). Larger and more prolific than the common Winesap. Yellow covered with red; fine-grained, tender, juicy, sub-acid. An early and heavy bearer. One of the most desirable varieties to plant for mid-Winter use, both for home consumption and commercial purposes.

Winesap. (19). Medium size, deep red; flesh yellow, firm, crisp, with a rich, high flavor; quality very good, keeps well into late

Winter and Spring.

Dwarf Apples.

For small yards and limited areas.

Prices of all varieties, *\$1.50 each; \$12.50 per 10.

Baldwin Red Astrachan

Maiden Blush Stayman Winesap
McIntosh Red Yellow Transparent

Wealthy

Crab Apples.

Will make delicious jelly. Strong selected trees. *\$1.50 each; \$12.50 per 10.

Hyslop. Large, crimson fruit. October.

Transcendent. Large; yellow and red. September.

CHERRIES.

Strong, selected trees. *\$1.75 each; \$15.00 per 10.

Sweet Cherries.

Black Tartarian. June. Splendid flavor.

Downer's Late Red. Early July. Sweet and delicious.

Governor Wood. June. Large, white cherry; sweet and delicious. Yellow Spanish. Late June. Yellow, with red cheek; firm, juicy and delicious.

Sour Cherries.

Early Richmond. June. Pie or sour cherry; used for cooking and preserving.

Montmorency. Early July. Large, red tart fruit; very prolific.

PEACHES.

Strong, selected trees. *\$1.25 each; \$10.00 per 10.

The number following the name denotes relative order of ripening in vicinity of Philadelphia.

Early Peaches.

Carman. (2). August. White flesh, good flavor, heavy bearer. Champion. (3). August. White freestone; rich, sweet and juicy. Greensboro. (1). July. Flesh white; medium quality. Heavy bearer.

Peaches—(Continued).

Mid-Season.

Belle of Georgia. (4). August and September. Freestone; white; excellent flavor.

/ Elberta. (5). Early September. A large, yellow, freestone peach; rich and juicy. Splendid for preserving.

J. H. Hale. (6). Large, round, yellow, good quality, freestone. Old Mixon Free. (7) September. Large, white, freestone; of excellent flavor.

Late.

Fox Seedling. (8). Late September. Reliable freestone; white flesh.

Iron Mountain. (9). October. Large freestone; flesh white.

PEARS.

It is well to remember that all varieties of pears are much better when picked a short time before they are ripe and then matured in a cool, dark room.

Strong, selected trees. *\$1.50 each; \$12.50 per 10.

Summer.

Bartlett. September. Yellow fruit; sweet and juicy. Excellent for eating or preserving.

Clapp's Favorite. September. Large; pale yellow with crimson cheek; fruit fine grained and good for eating.

Autumn.

Seckel. September and October. The standard of excellence among pears.

Sheldon. October. Large; russet and red; rich, melting and

juicy; fine flavor.

Worden-Seckel. September to October. Resembles the old-fashioned Seckel pear; is equally good and larger.

Winter.

Kieffer. Very vigorous and productive, even when young; fruit large and yellow; a good keeper.

Lawrence. November. Rather large, yellow pear, of splendid rich flavor.

Dwarf Pears.

Adapted for small yards. The fruit is similar in quality to the standard sorts. They commence fruiting younger. Price, *\$1.50 each; \$12.50 per 10.

Bartlett and Seckel.

All prices and terms are subject to change without notice.

PLUMS.

Strong, selected trees. Price, *\$1.75 each; \$15.00 per 10.

Imperial Gage. Middle of August. Good size; freestone; greenish in color; sweet and juicy.

Lombard. Last of August. Violet red; yellow flesh, agreeable

flavor. One of the best both for eating and preserving.

Shropshire Damson. Last of September. Medium sized; dark purple; valued for preserving.

Yellow Gage. August. Medium sized; yellow.

Japan Plums.

Abundance. August. Large; red; yellow flesh; sweet and rich. Valued for cooking and eating.

Burbank. August. Good sized; red; valuable domestic sort; flesh sweet, rich and yellow.

QUINCES.

Prices, *\$1.50 each; \$12.50 per 10.
Orange. September. Large, handsome fruit of good quality.

SMALL FRUITS.

Blackberries.

Price, *\$0.20 each; \$1.50 per 10; \$12.00 per 100.

Frie. Early, hardy and productive; large, sweet fruit of excellent quality.

Eldorado. Sweet, melting and rich.

Rathburn. Heavy bearer; extra large, jet black fruits of fine quality.

Raspberries.

Price, *\$0.25 each; \$2.00 per 10; \$15.00 per 100.

Cuthbert. Late red; good quality and very hardy.

Gregg. Large, early black variety.

St. Regis. A new, ever bearing red variety; valuable for any home garden.

Grapes.

Prices of all varieties, *\$0.75 each; \$5.00 per 10.

Brighton. Excellent quality; red. Is equal to the better known Delaware.

Caco. Red, sweet, juicy, very delicious.

Concord. Blue; familiar sort; delicious flavor.

Delaware. Red; small; compact bunches. Sweet; sugary tasting with musky aroma.

Niagara. White; large; sweet, delictious flavor. Probably the best white grape in cultivation.

Worden. Black; large clusters; sweet. A seedling of the Concord. Ripens a little earlier.

INDEX

| Abelia21 | Cænothus 49 | Eulalia 90 |
|---|---|--|
| Abies 4, 5 | Callicarpa 49 | Euonymus 53, 74 Eupatorium 81 |
| Acanthopanax 47 Acers 24, 25, 26 Achillea | Calimeria 78 | Eupatorium 81 |
| Acers 24, 25, 26 | Calluna 22 | Euphorma 81 |
| Achillea 76 | Calycanthus 49 | Exochorda 53 |
| Actinidia 73 | Campanula 78 | |
| Actinidia 73 Acsculus 27, 28 Adam's Needle 23 Acgopodium 76 Agrostemia 76 Allanthus 28 Alcohio 72 | Campanula 78 Candytuft, Hardy. 83 Canterbury Bells 78 | Fagus 33, 34 |
| Adam's Needle 23 | Canterbury Bells 78 | False Indigo 78 Ferns 81 Forsythia 53 |
| Aegopodium 76 | Caragana 49 | Ferns 81 |
| Agrostemia 76 | Caragana 49 Carpinus 30 | Forsythia 53 |
| Ailanthus 28 | Caryopteris | Firs 4, 5 |
| Akebia 73 | Catalpas 30 | Forget-Me-Not 83 |
| Alders 28 | Cedars 6, 7, 8 Celastrus 73 | Foxglove 81 |
| Alnus 28 | Celastrus 73 | Fraxinus 34 |
| Almonds, Flowering, 47 | Celtis 30 | Funkia 81 |
| Althon | Centaurea 78 | * umita |
| Althea | Cephalanthus 49 | Caillandia |
| Amelanchier 47 | Cephalaria 78 | Gaillardia 81 |
| Amorpha 47 | Cephalotaxus 6 | Garland Flower 22 |
| Amaonia 76 | Cornella 21 | Geum 81 |
| Amsonia 76 Ampelopsis 73 Amygdalus 47 Anchusa 76 Andromeda 23, 39 Anomores 76 | Cerasus | Gillenia 81 |
| Amperopsis | | Ginkgo 34 |
| Amyguarus 47 | Cercis 49 | Gleditsia 35 |
| Anchusa | Chamæcyparis 6 | Golden Bells 53 |
| Andromeda 23, 39 | Chamæcyparis 6 Chamædaphne 22 Chaste Tree 67 | Golden Bells 53 Golden Chain 56 |
| muchones | Chaste Tree 67 | Golden Glow 88 |
| Anthemis 76 Apples 91, 92 | Cherries, Flowering, 31 | Grapes 94 Grapes, Wild 75 |
| Apples 91, 92 | Cherries, Fruiting. 92 | Grapes, Wild 75 |
| Aquilegia 77 Arabis 77 | Cherries, Wild 40 | Gymnocladus 35 |
| Arabis 77 | Chionanthus 49 | Gypsophilla 81 |
| Aralia 47 | Chrysanthemums 79 | of properties |
| Aralia 47 Arborvitæ 5, 6, 18, 19 | Cissus 73 | Hackberry 30 |
| Arbutus, Bush 21 | Cladrastis 31 | |
| Armeria 77 | Clematis 73, 79 | Halesia 54 |
| Aronia 47 | Clethra | Hamamelis 54 Hardy Pinks 80 |
| Arundo 90 | Coffee Tree 35 | Hardy Pinks 80 |
| Arundo 90 Ascelpia 77 | Columbine 77 Coralberry 63 Coreopsis 80 | Hawthorn 51 Heather 22 |
| Ash 34 | Coralberry 63 | Heather 22 |
| Asters 77 | Coreonsis | Hedera 74 |
| Astilbe | Cork Tree 39 | Helenium 82 |
| Aubrotia | Cornus 32, 50 | Helianthemum 82 |
| Aubretia | Corving 50 51 | Helianthus 82 Heliopsis 82 Hemerocallis 82 Hemlock 20 |
| Azareas 21, 48 | Corylus | Heliopsis 82 |
| Pacahani. | Consider Francisch | Hemerocallis 82 |
| Baccharis 48 | Crob Apple | Hemlock 20 |
| Barberry 48 | Clab Apples, Flow- | Hesperis 82 |
| Baptisia | ering 38 | Heuchera 89 |
| Beecnes 33, 34 | Cratægus 51 | Heuchera 82 Hibiscus 54, 82 |
| Benzoin 48 | Cryptomeria 6 | Hickory 25 |
| Bellflowers 78 | Cryptomeria 6 Currants, Flower- | Hickory 35 Hollies 22 Hollyhocks 82 Honeysuckle 57, 74 Hop Tree 59 Hornbeam 20 |
| Berberris 48 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ | Hollyhoeks 99 |
| Betula 29, 30 | Cupressus 6 | Honoveneklo 57 74 |
| Bignonia 73 | Cydonia 51 | Hon Troo |
| Biotas 5. 6 | Cypress, Bald 44 | Hombson 20 |
| Belliflowers 78 Berberris 48 Berberris 48 Betula 29, 30 Bignonia 73 Biotas 5, 6 Birches 29, 30 Bittersweet 73 Blackberries 94 Blanket Flower 81 | Cypress, Japa- | Hornbeam 20 Horse Chestnuts, 27, 28 Houseleek 55, 74 Hydrangea 55, 74 Hypericum 56, 83 |
| Bittersweet 73 | nese 14, 15, 16, 17 | Horse Chestnuts, 27, 28 |
| Blackberries 94 | ,,, | Houseleek 89 |
| Blanket Flower 81 | Daphne 22, 51 | Hydrangea 55, 74 |
| Blanket Flower 81 Blazing Star 83 | Delphinum 80 | Hypericum 56, 83 |
| Blue Bell 83 | Deutzias 52 | |
| Blueberry | Dianthus 80 | Iberis 83 |
| Blueberry 65 Bocconia 78 | Diantillo Co | Iberis |
| Boltonia | Diervilla 68 Digitalis 81 | Iris |
| Boltonia 78 Bowman's Root 81 | Digitalis 81 | Itea 56 |
| Boywood 84 | Diospyros 31 Dogwood 32, 50 | Jvy 74 |
| Boxwood 21 | Dogwood 32, 50 | ************************************** |
| Broussonettia 30 | T31.2 | 1 |
| Buckthorn 59 | Elder 60 | Japanese Spurge 84 |
| Buddleia 48 | Eleagnus 52 | Jasminum 56 |
| Buttercup 88 | Elms 46 | Judas 49 |
| Buttercup 88 Butterfly Weed 77 Buxus 21 | Elms | Juglans 35 Junipers 6, 7, 8 |
| Buxus 21 | Erianthus 90 | Junipers 6, 7, 8 |
| | | |

| Kalmia 22 Kerria 56 Knapweed 78 Koelreuteria 35 Kudzu Vines 74 | Phellodendron 39 Philadelphus 57, 58 Phlox 86, 87 Physostegia 87 Picea 8, 9, 10 Pieris 23 Pines 11, 12, 13 Pine, Umbrella 17 Planes 41 | Sophora 44 Sorbaria 60 Sorbus 43 Sorrel Tree 39 Sour Gum 39 Spider Wort 89 Spirea 61, 62 |
|---|---|--|
| Laburnum 56 Larch 36 Larix 36 Larkspur 80 Lathyrus 83 Laurel 22 Lead Wort 88 | Platycodon 88 Plumbago 88 | Sourwood 39 Spirea Aruncus 89 Spruces 8, 9, 10 Spruce, Douglas 14 Star Wort 78 Station 89 |
| Leucotnoe 23 | Plume Poppy 78 Plums 94 Polygonum 88 Poplars 40 Poppies 85 Potential 85 | Star Wort 78 Statice 89 St. John's Wort 56 Stephanandra 63 Stewartia 63 Stokesia 89 |
| Libocedrus 8 Ligustrum 56 Lilacs 48, 63, 64, 65 Lily-of-the-Valley 79 Lily Blackberry 86 Lily Blackberry 81 | Potentilla 58 Primula 88 Privet 56 Prunus 40, 59 Pseudolarix 41 Pseudotsuga 14 Ptelea 59 | Styrax 63 Sumac Chinese 28 Sumac, Deciduous 59, 60 Sunflowers, |
| Lily, Plaintain. 81 Lily, Yellow Day. 82 Lindens. 45, 46 Linum. 83 Liquidamber. 36 Liriodendron. 36 | Ptelea 59 Pueraria 74 Pyrethrum 88 Pyrus 47 | Perennia |
| Lobelia 83 Locusts 35 Lonicera 57, 74 Lychnis 83 Lycium 74 Lysimachia 83 | Quercus 42,43 Quinces, Flowering, 51 Quinces, Fruiting 94 | Tamarix 65 Taxodium 44 Taxus 17 Taxus 20 |
| Magnolias 36, 37 | Ranunculus | Thalictrum 89 Thalja 18, 19 Thujopsis 6, 19 Thymus 89 Tiarella 89 Tilia 45, 46 Trudesceptic 60 |
| Malus 38 Maples 24, 25, 26, 27 Matrimony Vine 74 Meadow Sweet 77 Mertensia 83 Mist Flower 81 | Fruiting 94 Red Bud 49 Red Hot Poker 89 Retinospora, 14, 15, 16, 17 Rhamnus 59 | Tritoma 89 Trumpet Vine 73 Trumpet Vine 73 |
| Mist Flower 81 Mist Tree 59, 60 Mockorange 57, 58 Monardia 83 Morus 39 Mt. Ash 43 | Rhamnus 59 Rhododenāron 23 Rhodora 59 Rhodotypus 59 Rhus 59 Ribes 60 | Tulip Tree 36 Tunica 89 Ulmus 46 |
| Mulberries 39 Mulberry, Paper 30 Myosotis 83 Myrica 57 | Robinia 60 Rose, Baby Ramblers 69 | Vaccinum 65 Valeriana 89 Varnish Tree 35 Verbena Shrub 78 Veronica 89 Viburum 66, 67 Vinca 75 Victor 75 |
| Nettle Tree 30 Nyssa 39 Oaks 42, 43 Oenothera 84 | Rose, Bush 72 Rose, Climbing 70, 71 Rose, Hybrid Perp. 69 Rose, Tea 69 Rose of Sharon 54 Rubus 60 | Violet, Horned 89 |
| Oleaster 52 Oxydendrum 39 Pachysandra 84 | Rudbeckia 88 Sage, Blue 88 Salisburia 34 | Vitex |
| Pagoda Tree 44 Papaver 85 Paradanthus 86 Peaches, Flowering, 39 92 Peaches, Fruiting 92 93 93 Pearl Bush 53 | Salix 44 Salvia 88 Sambucus 60 Sassafras 44 Saxifrage 88 Sciadopitys 17 Sea Lavender 89 | Walnuts 35 Washington Bower 74 Wax Myrtle 57 Weizelias 68 White Fringe Tree 49 Willows 44 Winterberry 56 Wisteria 75 Witch Head 54 |
| Pearl Busn 53 Pears 93 Penstemon 86 Peonies 84,85 Pepper Bush 49 Perivinkle 75 Persica 39 | Sea Lavender 89 Sedum 88 Sempervivum 89 Shesta Daisy 79 Silene 89 Snowball 66, 67 Snowberry 63 Snow-in-Summer 78 Solanum 74 | Xanthorrhiza 67 |
| Persica 39 Persimmon 31 Phalaris 90 | Snowberry 63 Snow-in-Summer 78 Solanum 74 | Yellow Root 67 Yellow Wood 31 Yew 6, 17 Yucca 23 |



THE WM. H. MOON COMPANY NURSERYMEN

MORRISVILLE, PENNSYLVANIA

